

Homotopy-associative H-spaces which are Sphere Bundles over Spheres.

Autor(en): **Douglas, Roy R. / Sigrist, Francois**

Objekttyp: **Article**

Zeitschrift: **Commentarii Mathematici Helvetici**

Band (Jahr): **44 (1969)**

PDF erstellt am: **27.05.2024**

Persistenter Link: <https://doi.org/10.5169/seals-33774>

Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

Haftungsausschluss

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

Ein Dienst der *ETH-Bibliothek*

ETH Zürich, Rämistrasse 101, 8092 Zürich, Schweiz, www.library.ethz.ch

Homotopy-associative H-spaces which are Sphere Bundles over Spheres

ROY R. DOUGLAS and FRANÇOIS SIGRIST

1. Introduction

Let $S^q \rightarrow E \rightarrow S^n$ be a q -sphere bundle over the n -sphere (q, n positive). The following theorem is proven, first in [2], and then more briefly in [3].

THEOREM 1. *If E is an H-space, then either*

- (i) *both q and n belong to the set $\{1, 3, 7\}$, or*
- (ii) *the pair (q, n) is $(1, 2)$, $(3, 4)$ or $(3, 5)$.*

In this note we study the further restrictions imposed on the pair (q, n) , in case E supports a homotopy-associative H-space multiplication. Precisely, our main result is the following.

THEOREM 2. *If E supports a homotopy-associative H-space multiplication, then either*

- (i) *both q and n belong to the set $\{1, 3\}$, or*
- (ii) *the pair (q, n) is $(1, 2)$, $(3, 5)$ or $(3, 7)$.*

Remark: Product bundles in case (i), and $SO(3)$, $SU(3)$ and $Sp(2)$, respectively, in case (ii), provide examples of Lie groups E with $S^q \rightarrow E \rightarrow S^n$ a fibration. Thus, the restrictions in Theorem 2 are the best possible.

COROLLARY. $S^3 \times S^7$ *can not support homotopy-associative H-space multiplications.*

2. Proof of Main Result

LEMMA 1. *Let X be (the total space of) a 3-sphere bundle over S^4 . If X is an H-space, then X has the homotopy type of S^7 .*

Proof: The mod 2 cohomology of X can not be an exterior algebra on two generators of respective dimensions 3 and 4, by ADAMS' theorem in [1]. Thus X is a mod 2 cohomology 7-sphere. By a classical theorem of BOREL, X is a mod p cohomology 7-sphere, for all odd primes p . Therefore, X is an integral cohomology 7-sphere, and a generator of $\pi_7(X)$ is a homotopy equivalence.

LEMMA 2. *If X is (the total space of) a q -sphere bundle over S^n , with $(q, n) = (1, 7)$ or $(7, 1)$, then the universal covering space \tilde{X} of X has the homotopy type of S^7 .*

(The proof is an elementary exercise in covering space theory, together with an application of a theorem of WHITEHEAD [5].)

LEMMA 3. *If X is a homotopy-associative H-space and $H^*(X; \mathbf{Z})$ is ring isomorphic*

to $H^*(S^3 \times S^7; \mathbf{Z})$, then the mod 3 Steenrod operation

$$\mathcal{P}_3^1 : H^3(X; \mathbf{Z}_3) \rightarrow H^7(X; \mathbf{Z}_3)$$

is an isomorphism.

Proof: Let $P_3 X$ be the projective 3-space of (some homotopy-associative multiplication on) X , as defined by STASHEFF [4]. $H^*(P_3 X; \mathbf{Z})$ is torsion-free, and contains a truncated polynomial algebra on two generators x and y (of degrees 4 and 8, respectively), truncated at height 4. The relation $y^3 = \mathcal{P}_3^4(y) = \mathcal{P}_3^1 \mathcal{P}_3^3(y)$ implies that $\mathcal{P}_3^3(y) = \pm xy^2$. Consequently, $\mathcal{P}_3^1(x) = \pm y + \alpha x^2$ (for some $\alpha \in \mathbf{Z}_3$), which implies that $\mathcal{P}_3^1 : H^4(\Sigma X; \mathbf{Z}_3) \rightarrow H^8(\Sigma X; \mathbf{Z}_3)$ is an isomorphism (naturality with respect to inclusion of suspension $\Sigma X \rightarrow P_3 X$). Desuspending, we obtain Lemma 3.

LEMMA 4. *If X is (the total space of) a 7-sphere bundle over the 7-sphere, then X can not support a homotopy-associative H -space multiplication.*

(We omit the proof of Lemma 4, as it is essentially the same as the proof that S^7 can not be a homotopy-associative H -space.)

Proof of Theorem 2: By Theorem 1, it suffices to exclude the following pairs $(q, n) : (3, 4), (1, 7), (7, 1), (7, 3)$ and $(7, 7)$.

$(3, 4)$ is eliminated by Lemma 1; $(7, 7)$ by Lemma 4; and both $(7, 1)$ and $(1, 7)$ are excluded by Lemma 2, if we observe that the universal covering space of a homotopy-associative H -space is again a homotopy-associative H -space.

Suppose now that $S^7 \xrightarrow{i} E \xrightarrow{p} S^3$ is a bundle with fibre S^7 and base S^3 . The Serre exact sequence for cohomology implies that $i^* : H^7(E; \mathbf{Z}_3) \rightarrow H^7(S^7; \mathbf{Z}_3)$ is an isomorphism. But then the following

$$\begin{array}{ccc} H^7(E; \mathbf{Z}_3) & \xrightarrow{i^*} & H^7(S^7; \mathbf{Z}_3) \\ \uparrow \mathcal{P}_3^1 & & \uparrow \mathcal{P}_3^1 \\ H^3(E; \mathbf{Z}_3) & \xrightarrow{i^*} & H^3(S^7; \mathbf{Z}_3) \end{array}$$

commutative diagram, together with Lemma 3, implies that E can not be homotopy-associative. This completes the proof of Theorem 2.

REFERENCES

- [1] J. F. ADAMS, *H -spaces with few cells*, Topology 1 (1962), 67–72.
- [2] R. R. DOUGLAS and F. SIGRIST, *Sphere bundles over spheres which are H -spaces*, Rendic. Acc. Naz. Lincei, 44 No. 4 (1968).
- [3] R. R. DOUGLAS and F. SIGRIST, *Sphere bundles over spheres and H -spaces* (to appear).
- [4] J. D. STASHEFF, *Homotopy associativity of H -spaces. I*, Trans. Amer. Math. Soc. 108 (1963), 275–292.
- [5] J. H. C. WHITEHEAD, *Combinatorial Homotopy*, Bull. Amer. Math. Soc. 55 (1949), 213–245.

The University of British Columbia
Vancouver, Canada
Université de Neuchâtel
Neuchâtel, Suisse

Received July 29, 1968