

The Gotthard by numbers

Autor(en): **Edgley, Hugh**

Objekttyp: **Article**

Zeitschrift: **Swiss express : the Swiss Railways Society journal**

Band (Jahr): - **(2008)**

Heft 93

PDF erstellt am: **26.05.2024**

Persistenter Link: <https://doi.org/10.5169/seals-854610>

Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

Haftungsausschluss

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

Ein Dienst der *ETH-Bibliothek*


ETH Zürich, Rämistrasse 101, 8092 Zürich, Schweiz, www.library.ethz.ch

<http://www.e-periodica.ch>

THE GOTTHARD BY NUMBERS

Hugh Edgley

After much research, the following graph profiles the number and type of trains by hour on a summer Friday on the Gotthard line in 1995. The overview has been derived from a detailed schedule which I use to run my HO Gotthard north ramp layout "Erststeig". The 24 hour period is split into 6 actual 2-3 hour operating sessions e.g. Session 1 runs from 03:30 to 9:00. The ebb and flow of different train types over 24 hours would be typical of many lines. The number of movements per session is shown in brackets. The information was built up from the SBB timetable plus other sources such as Hupac, TRW, www.trasse.ch, *Today's Railways* and wracking David Adams' experienced brain. Further information is always welcome.



TRAIN TYPE
MIXED FREIGHT
HUPAC
IR
EC
OTHER INTERMODAL
IC
POST
NIGHT TRAIN
TRW
ICF
BLOCK FREIGHT
HUPAC Rolling Road
PICK-UP FREIGHT

293 movements are needed to get 236 trains around the layout. looping freights, pick-up freights and works trains add to the movements required per train. 236 trains equates to 5 trains per hour per direction. 154 of the 236 are freight trains.

My layout climbs from North Staging to Wiler, Zgraggen and then Legistein as the summit station before the summit tunnel to South Staging. This mirrors the Gurtnellen to Göschenen northern ramp section of the real line connecting Northern Europe with Italy.

The movements for each session are pre-planned so the trains successfully navigate from staging yard to staging yard. Freight trains are looped as required. Some freight trains start or finish in loops at

Wiler or Legistein rather than hidden staging due to lack of storage space. Step by step movements allow for a session to be started and stopped as required. Starting positions for each session are documented for easy set up. The divide between sessions has been guided by the need to avoid consecutive movements by the same train in the same direction in the same session.

Mixed freight train lengths have been determined according to their movements (and therefore loop length restrictions) across the 6 sessions. Maximum train length equates to 10 coaches.

To run a typical day on the Gotthard I use the following trains:-

1 - SBB IC

2 - IR (1 using EWIV stock, 1 EWII stock)

1 - DB EC

1 - FS IC/EC

2 - Hupac/TRW intermodal trains

1 - Hupac Rolling Road Train

1 - ICF container train (Used to cover ICF and other services e.g. Ambrogio, Skandi, Euroshuttle)

12 - Mixed freight trains

3 - Block freight trains (more to be added)

1 - Post train

1 - Pick-up goods train

Strengthening coaches, restaurant cars and international night stock are also used to provide the full range of trains. A summer Friday has been chosen to give more night services. Intermodal services have also been made Friday specific.

Passenger and intermodal trains are re-used during a session as required. The majority of mixed freight trains are planned to run only once per session. I try to tailor my intermodal train loads to represent specific corridors such as a Rotterdam-Novara Hupac service filled with Dutch based hauliers' containers/swap bodies, or a Ludwigshafen-Busto Arisizio service laden with chemical container tanks. Each train's number, source and destination is part of the schedule.

In this model world a fleet of 460s, Re4/4ⁱⁱ+ⁱⁱⁱs, Re6/6s, Ae6/6s and a preserved Crocodile keep trains rolling, whilst Open Access, advertising liveries, Cisalpino and Sectorisation are still in the future. Double-headed red 460s and Re10/10s rule – and 24 hours can last quite a while!

The Siemens version of an international multi-voltage locomotive. ES 64 U2-100 in silver-grey livery with "Hupac" markings, on display at Biasca, accompanied by several modern container vehicles.

PHOTO: John Jesson

