

Zeitschrift: Acta Tropica
Herausgeber: Schweizerisches Tropeninstitut (Basel)
Band: 16 (1959)
Heft: 3

Bibliographie: Bibliographie

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. [Siehe Rechtliche Hinweise.](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. [Voir Informations légales.](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. [See Legal notice.](#)

Download PDF: 18.03.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

Bibliographie.

5 Naturwissenschaften — Sciences naturelles — Natural Sciences.

- 576.8 Mikrobiologie. Bakteriologie. Parasitologie.
576.85 Systematische Bakteriologie.
576.88 Pflanzen als Parasiten.
576.89 Tiere als Parasiten. Krankheitsüberträger.
576.893.1 Protozoa.
576.894 Mollusca.
576.895 Articulata.

576.8 Mikrobiologie. Bakteriologie. Parasitologie — Microbiologie. Bactériologie. Parasitologie — Microbiology. Bacteriology. Parasitology

- BELDING, D. L. (1958). Basic clinical parasitology. 469 pp. ill. — New York: Appleton-Century-Crofts Inc.
CALLOT, JACQUES & HELLUY, JOSEPH. (1959). Parasitologie médicale. 680 pp. ill. — Paris: Flammarion
CHATTERJEE, K. D. (1959). Parasitology (Protozoology and Helminthology). 2nd ed. 188 pp. ill. — Calcutta, by the author
MARKELL, EDWARD K. & VOGEL, MARIETTA. (1958). Diagnostic medical parasitology. 276 pp. ill. — Philadelphia: W. B. Saunders Co.
PESSÔA, SAMUEL BARNESLEY. (1958). Parasitologia médica. 1124 pp. ill. — Rio de Janeiro: Livraria Editora Guanabara. Koogan S.A.
VANBREUSEGHEM, R. (1959). Parasitologie tropicale. 2^e éd. 2 vols. 245 pp. — Bruxelles/Paris: Ed. Erasme

576.851 Eubacteriales

- DARRASSE, H., LE MINOR, L. & LECOMTE, M. (1959). Isolement de plusieurs *Salmonella* dans une eau de distribution: originalité de la contamination. — Bull. Soc. Path. exot. 52, 53-60
DODIN, A. & BRYGOO, E. R. (1959). Etude quantitative de l'utilisation des sucres par *Pasteurella pestis* souche E.V. en suspension non proliférante. I. Le rhamnose. — Ann. Inst. Pasteur 97, 245-247
EISLER, D. M., KUBIK, G. & PRESTON, H. (1958). Colonial morphology and virulence of *Pasteurella pestis*. — J. Bact. 76, 41-47
FURNESS, G. & FERREIRA, I. (1959). The role of macrophages in natural immunity to Salmonellae. — J. infect. Dis. 104, 203-206
GIRARD, GEORGES. (1958). Comportement de la souris inoculée simultanément ou à intervalles rapprochés avec deux souches de *Pasteurella pestis*, l'une virulente, l'autre de virulence atténuée (souche E. V. Girard et Robic). — Bull. Soc. Path. exot. 51, 547-553
GRABAR, J. (1959). Action sur les tissus de la souris de certains vaccins, préparés avec des souches de *Salmonella* pathogènes et non pathogènes pour cet animal. — Ann. Inst. Pasteur 96, 577-590
GRANT, LOUIS S. (1958). A new *Salmonella* type *Salmonella jamaica* - 9, 12 : r - 1, 5. — W. Indian med. J. 7, 249-250
HECKLY, R. J., ANDERSON, A. W. & ROCKENMACHER, M. (1958). Lyophilization of *Pasteurella pestis*. — Appl. Microbiol. 6, 255-261

- HIGUCHI, K. & CARLIN, C. E. (1958). Studies on the nutrition and physiology of *Pasteurella pestis*. II. A defined medium for the growth of *Pasteurella pestis*. — J. Bact. 75, 409-413
- JACOTOT, H., LEVADITI, J. & VALLÉE, A. (1959). Sur le pouvoir pathogène de certaines souches de vibrions habituellement considérés comme saprophytes. — Ann. Inst. Pasteur 96, 268-275
- JANSSEN, W. A., FUKUI, G. M. & SURGALLA, M. J. (1958). A study of the fate of *Pasteurella pestis* following intracardial injection into guinea pigs. — J. infect. Dis. 103, 183-187
- KARTMAN, LEO, PRINCE, FRANK M. & QUAN, STUART F. (1958). Studies on *Pasteurella pestis* in fleas. VII. The plague-vector efficiency of *Hystriehopsylla linsdalei* compared with *Xenopsylla cheopis* under experimental conditions. — Amer. J. trop. Med. Hyg. 7, 317-322
- KUPFERBERG, L. L. & HIGUCHI, K. (1958). Pole of calcium ions in the stimulation of growth of virulent strains of *Pasteurella pestis*. — J. Bact. 76, 120-121
- LIU, PINGHUI V. (1959). Studies on the hemolysin of *Vibrio cholerae*. — J. infect. Dis. 104, 238-252
- LYLES, S. T. & GARDNER, E. W. (1958). Studies on the antigenic structure of *Vibrio cholerae*. I. The effects of heat on the agglutinating antigens. — J. infect. Dis. 103, 67-74
- MONTESTRUC, ETIENNE. (1959). L'intérêt épidémiologique des lysotypes du bacille typhique identifiés à la Martinique. — Arch. Inst. Pasteur Martinique 12, 16-25
- OGG, J. E. et al. (1958). Factors influencing the loss of virulence in *Pasteurella pestis*. — J. Bact. 76, 185-191
- OYE, E. VAN. (1958). Les Salmonellae du Congo belge. — Ann. Soc. belge Méd. trop. 38, 225-230
- OYE, E. VAN, et al. (1959). Une nouvelle *Salmonella* isolée au Congo belge: *S. bukavu* (1, 40 : L, z28 : 1, 5). — Ann. Inst. Pasteur 96, 370-372
- OYE, E. VAN, et al. (1959). Trois nouveaux sérotypes du groupe *Salmonella* isolés au Congo belge: *S. inganda* (5, 7 : z10 : 1, 5), *S. ipeko* (9, 12 : c : 1, 6) et *S. bolombo* (3, 10 : z38 : —). — Ann. Inst. Pasteur 96, 368-370
- RAVISSE, P. (1958). Contribution à l'étude des entérobactéries du Moyen-Congo (A.E.F.). — Bull. Soc. Path. exot. 51, 443-448
- RIBI, EDGAR, MILNER, KELSEY C. & PERRINE, THEODORE D. (1959). Endotoxic and antigenic fractions from the cell wall of *Salmonella enteritidis*; methods for separation and some biologic activities. — J. Immunol. 82, 75-84
- SMITH, P. N. (1959). Pneumonic plague in mice: gross and histopathology in untreated and passively immunized animals. Modification of the infection by antibody against specific components of *Pasteurella pestis*. — J. infect. Dis. 104, 78-84, 85-91
- SPIVACK, M. L. & KARLER, A. (1958). Purification of the toxin of *Pasteurella pestis* by continuous-flow paper electrophoresis. — J. Immunol. 80, 441-445
- SPIVACK, M. L., et al. (1958). The immune response of the guinea pig to the antigens of *Pasteurella pestis*. — J. Immunol. 80, 132-141
- STAUB, A. M., et al. (1959). Etude immuno-chimique sur les *Salmonella*. V. Rôle de quelques sucres et, en particulier des 3-6 didésoxyhexoses, dans la spécificité des antigènes O du tableau de Kauffmann-White. — Ann. Inst. Pasteur 96, 303-332
- WESSMAN, G. E., MILLER, DONNA J. & SURGALLA, M. J. (1958). Toxic effect of glucose on virulent *Pasteurella pestis* in chemically defined media. — J. Bact. 76, 368-375
- WINTER, CARRIE C. & MOODY, MAX D. (1959). Rapid identification of *Pasteurella*

pestis with fluorescent antibody. I. Production of specific antiserum with whole cell *Pasteurella pestis* antigen. II. Specific identification of *Pasteurella pestis* in dried smears. III. Staining *Pasteurella pestis* in tissue impression smears. — J. infect. Dis. 104, 274-280, 281-287, 288-294

576.851.7 Rickettsia. Bartonella

- BOOL, P. H. (1959). Studies on *Ehrlichia canis* (syn. *Rickettsia canis*). — Acta trop. 16, 97-107
- BREZINA, R. (1958). Contribution to the study of phase variation in *Coxiella burneti*. — Acta virol. 2, 91-102
- COHN, Z. A., et al. (1958). Unstable nucleic acids of *Rickettsia mooseri*. — Science 127, 282-283
- COHN, ZANVIL A., et al. (1959). Study on growth of Rickettsiae. V. Penetration of *Rickettsia tsutsugamushi* into mammalian cells in vitro. — J. exp. Med. 109, 271-292
- GOLDWASSER, R. A. & SHEPARD, C. C. (1959). Fluorescent antibody methods in the differentiation of murine and epidemic typhus sera: specificity changes resulting from previous immunization. — J. Immunol. 82, 373-380
- GREISMAN, SHELDON E. & WISSEMAN, CHARLES L. (Jr.). (1958). The effects of murine typhus toxin and endotoxins on the peripheral vascular circulation. — Bull. Soc. Path. exot. 51, 752-761
- GREISMAN, S. E. & WISSEMAN, C. L. (Jr.). (1958). Studies of rickettsial toxins. IV. Cardiovascular functional abnormalities induced by *Rickettsia mooseri* toxin in the white rat. — J. Immunol. 81, 345-354
- GUARDIOLA, A. L. & PARETSKY, D. (1958). Metabolic reactivation of rickettsiae by diphosphopyridine nucleotide. — Science 128, 141-142
- HOPPS, HOPE E., et al. (1959). Study on the growth of Rickettsiae. III. Influence of extracellular environment on the growth of *Rickettsia tsutsugamushi* in tissue culture cells. IV. Effect of chloramphenicol and several metabolic inhibitors on the multiplication of *Rickettsia tsutsugamushi* in tissue culture cells. — J. Immunol. 82, 161-171, 172-181
- KORDOVÁ, N. (1959). Filterable particles of *Coxiella burneti*. — Acta virol. 3, 25-36
- MORELJ, M. & GERBEC, M. (1959). Immunological analysis of some strains of *Coxiella burneti*. — Acta virol. 3, 37-45
- ROBERTS, AUDREY N. & DOWNS, CORA M. (1959). Study on the growth of *Coxiella burnetii* in the L strain mouse fibroblast and the chick fibroblast. — J. Bact. 77, 194-204
- WALKER, DUARD L., HANSON, ROBERT P. & EVANS, ALFRED S. (Ed.). (1958). Symposium on latency and masking in viral and rickettsial infections. 202 pp. ill. — Minneapolis: Burgess Publ. Co.
- WEISS, EMILIO, DRESSLER, HARRY R. & SUTOR, EARL C. (Jr.). (1959). Further studies of drug-resistant strains of *Rickettsia prowazekii*. — J. Bact. 77, 91-100
- WEYER, F. (1958). Beobachtungen bei der Übertragung von brasilianischem Fleckfieber auf die Kleiderlaus. — Z. Tropenmed. Parasit. 9, 174-193
- WIGAND, REINHARD. (1958). Morphologische, biologische und serologische Eigenschaften der Bartonellen, 95 pp. ill. — Stuttgart: G. Thieme

576.852 Actinomycetales

- CASTELLANI, ALDO, XAVIER DE BRITO, MARIA MANUELA & PINTO, MANUEL R. (1959). An actinomycete isolated from an autochthonous case of mycetoma in Portugal. — J. trop. Med. Hyg. 62, 27-36

- CHAPMAN, G. B., HANKS, J. H. & WALLACE, J. H. (1959). An electron microscope study of the disposition and fine structure of *Mycobacterium lepraemurium* in mouse spleen. — J. Bact. 77, 205-211
- GARBUTT, ELIZABETH W., et al. (1958). Multiplication of rat-leprosy bacilli in cultures of rat-fibroblasts. — Lancet 2, 127-128
- GUNDERS, A. E. (1958). Progressive experimental infection with *Mycobacterium leprae* in a chimpanzee. A preliminary report. — J. trop. Med. Hyg. 61, 228-230
- LAPEYSSONNIE, L. (1958). Mise au point: Bacille de Whitmore et mélioïdoses. — Ann. Inst. Pasteur 95, 334-342
- MORRIS, J. A. & NAKAMURA, K. (1959). Behavior of human leprosy bacilli in cultures of human cells. — J. infect. Dis. 105, 73-75
- MOUSTARDIER, G., DULONG DE ROSNAY, CH. & SALVAT, J. (1959). Étude de la sensibilité aux antibiotiques d'une souche de bacille de Whitmore. — Ann. Inst. Pasteur 96, 697-701
- OKADA, SEITARO. (1958). Electron microscope studies of the murine leprosy bacillus. — Int. J. Leprosy 26, 352-355
- ROBSON, J. M. & SMITH, J. T. (1959). Studies on the multiplications of *Mycobacterium lepraemurium* in the mouse cornea. — Brit. J. exp. Path. 40, 33-39
- VANBREUSEGHEM, R. (1959). Technique simple pour la détermination de la sensibilité d'*Actinomyces bovis* aux antibiotiques. — Ann. Soc. belge Méd. trop. 39, 223-225
- YAMAMOTO, T., et al. (1958). Electron microscopy of *Mycobacterium leprae murium* in ultra-thin sections of murine leprosy lesions. — Int. J. Leprosy 26, 111-113

576.856 Spirochaetales

- ADDAMIANO, LAURA. (1959). Classificazione di alcuni ceppi di leptospire provenienti dall'Indonesia. — R. C. Ist. sup. Sanità, 22, 5-12
- BABUDIERI, B. & ZARDI, O. (1959). Studi sul metabolismo delle leptospire. II. Azione della cianocobalamina, di alcuni fattori B₁₂ simili, della metionina e di alcune purine sulle leptospire acquicole. — R. C. Ist. sup. Sanità 22, 244-259
- CHOLVIN, N. R., MORSE, E. V. & LANGHAM, R. F. (1959). Experimental *Leptospira pomona* infections in dogs. — J. infect. Dis. 104, 92-100
- EMANUEL, MARIE L. (1959). The susceptibility of mice to North Queensland strains of Leptospirae. — Aust. J. exp. Biol. med. Sci. 37, 17-29
- GALLIARD, H., LAPIERRE, J. & ROUSSET, J.-J. (1958). Comportement spécifique de différentes espèces de *Borrelia* au cours de l'infection mixte avec *Trypanosoma brucei*, son utilisation comme test d'identification des spirochètes récurrents. — Ann. Parasit. hum. comp. 33, 177-208
- GASTINEL, P., COLLART, P. & DUNOYER, F. (1959). Etude sur le comportement du tréponème de Reiter en milieu pénicilliné. — Ann. Inst. Pasteur 96, 381-401
- GEIGY, R. & SARASIN, G. (1958). Isolatzstämme von *Borrelia duttoni* und ihr Immunisierungsverhalten gegenüber der weißen Maus. — Acta trop. 15, 254-258
- JUILLAN, M. (1958). Survie de *Borrelia hispanica* (de Buen, 1926) dans le sang conservé à + 4° C. — Arch. Inst. Pasteur Algérie 36, 15-22
- KIRSCHNER, L. & GRAHAM, L. (1959). Growth purification and maintenance of *Leptospira* on solid media. — Brit. J. exp. Path. 40, 57-60
- LANG, R. W. & MORSE, E. V. (1959). Serologic cross reactions among Leptospirae observed with sera from animals infected with *Leptospira pomona*. — J. Immunol. 82, 471-476

- MOOSER, H. (1958). Erythrozyten-Adhäsion und Hämagglomeration durch Rückfallfieber-Spirochäten. — Z. Tropenmed. Parasit. 9, 93-111
- MUTERMILCH, S., GÉRARD, S. & DELAVILLE, M. (1959). Contribution à l'étude du tréponème de Reiter. — Ann. Inst. Pasteur 96, 402-412
- RANQUE, J. & DEPIEDS, R. (1958). Intérêt du test d'immobilisation des tréponèmes en milieu tropical. — Méd. trop. 18, 893-903
- RIEL, J. VAN & RIEL, M. VAN. (1958). Un procédé simple de coloration des leptospires. — Ann. Soc. belge Méd. trop. 38, 1101-1102
- WAGNER-JEVSEENKO, OLGA. (1958). Fortpflanzung bei *Ornithodoros moubata* und genitale Übertragung von *Borrelia duttoni*. — Acta trop. 15, 118-168

576.858 Virus

- AITKEN, THOMAS H. G. & ANDERSON, CHARLES R. (1959). Virus transmission studies with Trinidadian mosquitoes. Part II. Further observations. — Amer. J. trop. Med. Hyg. 8, 41-45
- AIZAWA, K. & VAGO, C. (1959). Sur l'infection à *Borreïnavirus* en culture de tissus d'insectes. — Ann. Inst. Pasteur 96, 455-460
- BERGER, E. & MELNICK, J. L. (Ed.). (1958). Progress in medical virology. 304 pp. — New York: Hafner Publ. Co.
- BOORMAN, J. P. T. (1958). Transmission of Uganda S virus by *Aedes (Stegomyia) aegypti* Linn. — Trans. roy. Soc. trop. Med. Hyg. 52, 383-388
- BURGDORFER, WILLY. (1959). Colorado tick fever. The behavior of CTF virus in the porcupine. — J. infect. Dis. 104, 101-104
- BURGDORFER, WILLY & EKLUND, CARL M. (1959). Studies on the ecology of Colorado tick fever virus in Western Montana. — Amer. J. Hyg. 69, 127-137
- BURNET, F. M. & STANLEY, W. M. (1959). The viruses. 3 vols. 670 + 530 + 415 pp. ill. — New York: Academic Press
- CIACCIO, GIACINTO. (1959). Essai de neutralisation du virus de Newcastle par le sérum de lapin et le lait de vache. — Ann. Inst. Pasteur 96, 500-502
- COLLIER, W. A., ROEVER-BONNET, H. DE & HOEKSTRA, J. (1958). Some data on the immunity of mice to yellow fever virus. — Trop. geogr. Med. 10, 261-271
- COLLIER, W. A., ROEVER-BONNET, H. DE & HOEKSTRA, J. (1959). A neurotropic variety of the vaccine strain 17 D. — Trop. geogr. Med. 11, 80-92
- COLLIER, W. A., ROEVER-BONNET, H. DE & HOEKSTRA, J. (1959). Changed virulence of the yellow fever virus vaccine strain 17 D by a single mouse passage. — Trop. geogr. Med. 11, 75-79
- DOHERTY, R. L. (1958). Effects of yellow fever (17 D) and West Nile viruses on the reactions of human appendix and conjunctiva cells to several other viruses. — Virology 6, 575-583
- GERLOFF, ROBERT K. & EKLUND, CARL M. (1959). A tissue culture neutralization test for Colorado tick fever antibody and use of the test for serologic surveys. — J. infect. Dis. 104, 174-183
- GILLET, J. D. (1958). Laboratory tests on the maintenance of yellow fever virus in certain predatory arthropods. — Trans. roy. Soc. trop. Med. Hyg. 52, 269-271
- GOMES, GILDA & CAUSEY, OTTIS R. (1959). Bussuquara, a new arthropod-borne virus. — Proc. Soc. exp. Biol. 101, 275-279
- HOLTERMANN, OLE A., MERGENHAGEN, STEPHAN E. & MORGAN, HERBERT R. (1959). Factors related to psittacosis virus (strain 6 BC) growth. V. Folic acid-like factor in infected cells. — Proc. Soc. exp. Biol. 100, 370-372
- HOTTA, SUSUMU. (1959). Propagation of dengue virus in tissue culture. — Acta trop. 16, 108-150

- HUARD, M., ANDRÉ, J. & FOURNIER, J. (1959). Essais de titrage des anticorps neutralisant le virus bovinepestique. — Ann. Inst. Pasteur 96, 506-509
- HUEBNER, ROBERT J. (1959). 70 newly recognized viruses in man. — Publ. Hlth Rep. 74, 6-12
- KOKERNOT, R. H., PATERSON, H. E. & MEILLON, BOTHA DE. (1958). Studies on the transmission of Wesselsbron virus by *Aedes (Ochlerotatus) caballus* (Theobald). — S. Afr. med. J. 32, 546-548
- KOKERNOT, R. H., et al. (1958). Isolation of bunyamwera virus from a naturally infected human being and further isolations from *Aedes (Banksinella) circumluteolus* Theo. — Amer. J. trop. Med. Hyg. 7, 579-584
- LAVILLAUREIX, J. & REEB, E. (1958). Culture in vitro du virus West Nile. — Bull. Soc. Path. exot. 51, 941-948
- LAVILLAUREIX, J., VERMEIL, C. & PETROVIC, A. (1958). Note préliminaire concernant les caractères expérimentaux du virus West Nile. — Bull. Soc. Path. exot. 51, 486-489
- MATUMOTO, MINORU, SABURI, YASUO & NISHI, ICHIRO. (1959). Rift Valley fever virus in the 1-day-old chick embryo. — J. Immunol. 82, 219-225
- O'BRIEN, W. (1959). African arthropodborne viruses. — Proc. roy. Soc. Med. 52, 199-201
- PATTYN, S. R., et al. (1959). Epidémiologie des virus entériques en Afrique. Etat actuel de nos connaissances. — Ann. Soc. belge Méd. trop. 39, 105-122
- PHILIP, CORNELIUS B., LYNDAHL, E. HUGHES & DARROW, D. I. (1958). Experimental transmission of yellow fever virus by oriental mosquitoes. — Proc. 10th int. Congr. Ent. 3, 587-592
- POLLARD, MORRIS. (1959). Perspectives in virology. 312 pp. ill. — New York: John Wiley & Sons Inc.
- RODANICHE, ENID DE, GALINDO, PEDRO & JOHNSON, CARL M. (1959). Further studies on the experimental transmission of yellow fever by *Sabethes chloropterus*. — Amer. J. trop. Med. Hyg. 8, 190-194
- ROZEBOOM, LLOYD E. & BURGDORFER, WILLY. (1959). Development of Colorado tick fever virus in the Rocky Mountain wood tick, *Dermacentor andersoni*. — Amer. J. Hyg. 69, 138-145
- SMITH, KENNETH M. & LAUFFER, MAX A. (1958). Advances in virus research. Vol. 5. 376 pp. ill. — New York: Academic Press Inc.
- SMITHBURN, KENNETH C. (1958). Problems of the arthropod-borne viruses in Africa. — Ann. Soc. belge Méd. trop. 38, 347-358
- TRAPIDO, HAROLD, et al. (1959). Kyasanur forest disease. 8. Isolation of Kyasanur forest disease virus from naturally infected ticks of the genus *Haemaphysalis*. — Indian J. med. Res. 47, 133-138
- VAUCÉL, M. (1958). Avenir des virus en Afrique Centrale. — Ann. Soc. belge Méd. trop. 38, 379-385
- VERMEIL, C., LAVILLAUREIX, J. & REEB, E. (1958). Infection et transmission expérimentales du virus West Nile par *Ornithodoros coniceps* (Canestrini) de souche tunisienne. — Bull. Soc. Path. exot. 51, 489-495
- WALKER, DUARD L., HANSON, ROBERT P. & EVANS, ALFRED S. (Ed.). (1958). Symposium on latency and masking in viral and rickettsial infections. 202 pp. ill. — Minneapolis: Burgess Publ. Co.

576.88 Pflanzen als Parasiten — Plantes parasitaires — Parasitic Plants

- BAYLET, R. J. (1959). Champignons du genre *Candida* à Dakar. — Bull. Soc. Path. exot. 52, 60-64
- HILL, GILBERT A. & MARCUS, STANLEY. (1959). Resistance induced against *Histoplasma capsulatum*: quantitative aspects. — J. infect. Dis. 105, 26-30

- MARIAT, F. (1959). Sur la culture de la phase levure de la souche singe d'*Histoplasma capsulatum*. — Ann. Inst. Pasteur 97, 254-258
- MARIAT, F. & GARDINI-TUESTA, W. E. (1959). Pouvoir pathogène expérimental d'une souche d'*Histoplasma capsulatum* isolée du singe africain. — Ann. Inst. Pasteur 96, 669-679
- PEÑA YÁÑEZ, J. & APARICIO-GARRIDO, J. (1959). Técnicas para la identificación micológica de las monilias. — Med. trop. (Madrid) 33, 71-79
- SALVIN, S. B., et al. (1959). Antigens from the yeast phase of *Histoplasma capsulatum*. III. Isolation, properties, and activity of a protein-carbohydrate complex. — J. infect. Dis. 105, 45-53
- SECRETAIN, G., DROUHET, E. & MARIAT, F. (1958). Diagnostic de laboratoire en mycologie médicale. 143 pp. — St-Mande: Edit. de la Tourelle = Coll. «Techniques de base»
- TSUCHIYA, T., FUKAZAWA, Y. & KAWAKITA, S. (1959). A method for rapid identification of the genus *Candida*. — Mycopathologia 10, 191-206
- VANBREUSEGHEM, R. (1958). *Tinea capitis* in the Belgian Congo and Ruanda Urundi. — Trop. geogr. Med. 10, 103-112

576.89 Tiere als Parasiten. Krankheitsüberträger — Animaux parasitaires. Vecteurs de maladies — Parasitic Animals. Disease Carriers

- GARNHAM, P. C. C. & LEWIS, D. J. (1959). Parasites of British Honduras with special reference to Leishmaniasis. — Trans. roy. Soc. trop. Med. Hyg. 53, 12-35
- WALTON, ARTHUR C. (1959). Some parasites and their chromosomes. — J. Parasit. 45, 1-20

576.893.1 Protozoa

- BALL, GORDON H. (1959). Some gregarines from crustaceans taken near Bombay, India. — J. Protozool. 6, 8-13
- CARNERI, IVO DE. (1959). Nuove osservazioni su *Balantidium coli*. I. Diffusione tra i suini a Milano, coltivazione, sensibilità ai farmaci in vitro. — Riv. Parassit. 20, 9-28
- CATALOGUE. (1958). A C' of laboratory strains of free-living and parasitic protozoa (with sources from which they may be obtained and directions for their maintenance). — J. Protozool. 5, 1-38
- KRASCHENINNIKOW, SERHIJ. (1959). Abnormal infraciliatures of *Balantidium coli* and *B. caviae* (?) and some morphological observations on the species. — J. Protozool. 6, 61-68

576.893.12 Amoebozoa

- BOVEE, EUGENE C. (1959). Studies on ameboflagellates. I. The general morphology and mastigonts of *Trimastigamoeba philippinensis* Whitmore 1911. — J. Protozool. 6, 69-75
- CABRERA, HUGO A. (1958). Temperature adaptation of *Entamoeba histolytica* and its effect on virulence. — Exp. Parasit. 7, 276-284
- CABRERA, HUGO A. & PORTER, RICHARD J. (1958). Survival time and critical temperatures of various strains of *Entamoeba histolytica*. — Exp. Parasit. 7, 285-291
- CARNERI, I. DE. (1958). Distinzione dei ceppi stabilmente apatogeni di *E. histolytica* da quelli patogeni in fase avirulenta. — Riv. Parassit. 19, 175-181
- CARNERI, IVO DE. (1958). Recherches sur l'origine possible des souches apathogènes de *Entamoeba histolytica*. — Bull. Soc. Path. exot. 51, 616-627

- CARNERI, IVO DE. (1958). Studi su *Entamoeba moshkovskii*. I. Velocità d'azione di 16 farmaci sui trofozoiti di *Entamoeba moshkovskii* Tshalaia, 1941, a 3 diverse temperature. II. *Entamoeba moshkovskii* Tshalaia, 1941, come potenziale parassita: sua sopravvivenza nelle infezioni sperimentali intraepatiche dell'hamster e endociecali del ratto albino. — Riv. Parassit. 19, 81-89, 161-168
- CARNERI, IVO DE. (1959). The use of specific antiamebic drugs for comparative taxonomic studies. — Trans. roy. Soc. trop. Med. Hyg. 53, 120-121
- DIAZ MARIN, JOSÉ. (1958). Algunos aspectos parasitológicos en la *Entamoeba histolytica*. — Med. trop. (Madrid) 32, 7-28
- DOLKART, RALPH E. & HALPERN, BERNARD. (1958). A new monophasic medium for the cultivation of *Entamoeba histolytica*. — Amer. J. trop. Med. Hyg. 7, 595-596
- FAUST, ERNEST CARROLL & READ, THOMAS R. (1959). Parasitologic surveys in Cali, Departamento del Valle, Colombia. V. Capacity of *Entamoeba histolytica* of human origin to utilize different types of starches in its metabolism. — Amer. J. trop. Med. Hyg. 8, 293-303
- FREEDMAN, L. & ELSDON-DEW, R. (1959). Size as a criterion of species in the human intestinal amebae. — Amer. J. trop. Med. Hyg. 8, 327-330
- HARINASUTA, CHAMLONG & MAEGRAITH, B. G. (1958). The demonstration of proteolytic enzyme activity of *Entamoeba histolytica* by the use of photographic gelatin film. — Ann. trop. Med. Parasit. 52, 508-517
- MCCONNACHIE, ELSPETH W. (1958). Factors affecting the growth and behaviour of axenic strains of *Entamoeba invadens* Rodhain, 1934. — Parasitology 48, 423-432
- NAKAMURA, MITSURU. (1959). Inhibition of *Entamoeba histolytica* in vitro by specific antibody. — Parasitology 49, 104-107
- PRUSS, JOACHIM. (1959). Züchtungsmethode von *Entamoeba muris* bei einer Temperatur von 37° C. — Z. Tropenmed. Parasit. 10, 30-36
- RICCIARDI, M. L. & GOZZI, E. (1958). Studi sulla biologia di *E. histolytica*. III. Utilità del metodo di Chang per l'incistamento in vitro di *E. histolytica*. — Riv. Parassit. 19, 169-173
- SHAFFER, JAMES G., SCHULER, ROGER W. & KEY, IRIS D. (1958). Studies on the growth requirements of *Entamoeba histolytica*. — Amer. J. trop. Med. Hyg. 7, 302-308
- SHARMA, R. (1959). Effect of cholesterol on the growth and virulence of *Entamoeba histolytica*. — Trans. roy. Soc. trop. Med. Hyg. 53, 278-281
- STAM, A. B. (1958). The relationship between *Entamoeba invadens* Rodhain and its hosts. — Acta Leidensia 28, 1-51
- STAM, A. B. & STAM-MIELZINER, S. J. (1959). The relationship between diameter and virulence of the cysts of *Entamoeba invadens* Rodhain. — Trop. geogr. Med. 11, 174-181
- SWELLENGREBEL, N. H. & RIJPSTRA, A. C. (1958). Het commensalisme van *Entamoeba dysenteriae*. — Nederl. Tijdschr. Geneesk. 102, 2052-2057
- TAYLOR, D. JANE, et al. (1959). Studies of the virulence of monobacterial cultures of one strain of *Entamoeba histolytica* in the guinea pig. — J. Parasit. 45, 269-273

576.893.16 Flagellata

- ALESANDRO, PHILIP A. d'. (1959). Electrophoretic and ultracentrifugal studies of antibodies to *Trypanosoma lewisi*. — J. infect. Dis. 105, 76-95
- ALWAR, V. S. (1958). Experimental transmission of *Trypanosoma evansi*. — Indian vet. J. 35, 412-415

- AMREIN, YOST U. & FULTON, J. D. (1959). Attempts to transfer drug-resistance of trypanosomes in vivo. — *J. Protozool.* 6, 120-122
- ASHCROFT, M. T. (1958). An attempt to isolate *Trypanosoma rhodesiense* from wild animals. — *Trans. roy. Soc. trop. Med. Hyg.* 52, 276-282
- ASHCROFT, M. T. (1959). The effect of cortisone on *Trypanosoma rhodesiense* infections of albino rats. — *J. infect. Dis.* 104, 130-137
- ASHCROFT, M. T. (1959). The importance of African wild animals as reservoirs of trypanosomiasis. — *E. Afr. med. J.* June, 3-11
- ASHCROFT, M. T. (1959). *Trypanosoma rhodesiense* in bushbuck. — *Brit. med. J.*, Jan. 17, 173-174
- ASHCROFT, M. T. (1959). The relative virulence of *Trypanosoma brucei* to young and to adult white rats. — *Ann. trop. Med. Parasit.* 53, 89-92
- BRAND, THEODOR VON & TOBIE, ELEANOR JOHNSON. (1959). Observations on the metabolism of the culture form of *Trypanosoma congolense*. — *J. Parasit.* 45, 204-208
- BRAND, THEODOR VON, et al. (1959). Chemical composition of the culture form of *Trypanosoma cruzi*. — *Exp. Parasit.* 8, 171-181
- CANTRELL, WILLIAM. (1959). Cortisone and the course of *Trypanosoma equiperdum* infection in the rat. — *J. infect. Dis.* 104, 71-77
- CLARK, T. B. (1959). Comparative morphology of four genera of Trypanosomatidae. — *J. Protozool.* 6, 227-232
- COMMITTEE. (1958). International scientific conference for trypanosomiasis research. 6th meeting Salisbury 1956. 216 pp. ill. — London: Comm. tech. Co-Op. Afr. S. Sahara
- FRIEDHEIM, ERNST A. H. & JONGH, R. T. DE. (1959). Mel W, a new trypanosomicidal agent derived from Mel B. — *Trans. roy. Soc. trop. Med. Hyg.* 53, 262-269
- FRIEDHEIM, E., GEIGY, R. & KAUFFMANN, M. (1959). Drug responses of the Sakwa trypanosome (Heisch 1958). — *Acta trop.* 16, 165-169
- FULTON, J. D. & SPOONER, D. F. (1959). Terminal respiration in certain mammalian trypanosomes. — *Exp. Parasit.* 8, 137-162
- GOBLE, FRANS C. & BOYD, JAMES L. (1959). Action of certain tetrapyrrole derivatives in experimental *Trypanosoma congolense* infections. — *Proc. Soc. exp. Biol.* 100, 745-750
- GODFREY, D. G. (1958). Influence of dietary cod liver oil upon *Trypanosoma congolense*, *T. cruzi*, *T. vivax*, and *T. brucei*. — *Exp. Parasit.* 7, 255-268
- GORDON, R. M. & WILLET, K. C. (1958). Studies on the deposition, migration, and development to the blood forms of Trypanosomes belonging to the *Trypanosoma brucei* group. III. The development of *Trypanosoma rhodesiense* from the metacyclic forms, as observed in mammalian tissue and in culture. — *Ann. trop. Med. Parasit.* 52, 346-365
- HEISCH, R. B., GRAINGER, W. E. & HARVEY, A. E. C. (1959). The isolation of a Leishmania from gerbils in Kenya. — *J. trop. Med. Hyg.* 62, 158-159
- HEISCH, R. B., MCMAHON, J. P. & MANSON-BAHR, P. E. C. (1958). The isolation of *Trypanosoma rhodesiense* from a bushbuck. — *Brit. med. J.* Nov. 15, 1203-1204
- HOARE, CECIL A. (1959). Morphological and taxonomic studies on mammalian trypanosomes. IX. Revision of *Trypanosoma dimorphon*. — *Parasitology* 49, 210-231
- JAROSLOW, BERNARD N. (1959). The effects of X or neutron irradiation, India ink blockade, or splenectomy on innate immunity against *Trypanosoma duttoni* in mice. — *J. infect. Dis.* 104, 119-129

- LEHMANN, DONALD L. (1959). *Trypanosoma granulosa* n.sp. from the newt, *Taricha granulosa twittyi*. — J. Protozool. 6, 167-169
- LEVADITI, J.-C., JONCHÈRE H. & HUSSON, R. (1958). Passages intracérébraux ininterrompus effectués de souris à souris avec *Plasmodium berghei*, *Trypanosoma brucei*, *T. equiperdum*, *T. congolense* et *T. gambiense*, en vue de la recherche d'un neurotropisme éventuel. — Bull. Soc. Path. exot. 51, 373-384
- MCGHEE, R. BARCLAY. (1959). The infection of avian embryos with crithidia species and *Leishmania tarentola*. — J. infect. Dis. 105, 18-25
- MEYER, H., OLIVEIRA MUSACCHIO, M. DE & ANDRADE MENDONÇA, I. DE. (1958). Electron microscopic study of *Trypanosoma cruzi* in thin sections of infected tissue cultures and of blood-agar forms. — Parasitology 48, 1-8
- MORAIS RÉGO, SYDNEY F. DE. (1958). Estudos sôbre o *Trypanozoma rangeli* Tejera, 1920. I. Técnica de obtenção de glândula salivar de *Rhodnius prolixus* Stal, 1859. II. Inoculação experimental de cultura em *Didelphis marsupialis* et *D. paraquaviensis paraguayensis* (Gamba). — Hospital (Rio de Janeiro) 53, 339-346. 559-561
- MÜHLPFORDT, HEINZ. (1959). Vergleichende Untersuchung über die Wirkung des Trvdaflavins auf den Blepharoplast verschiedener Trypanosomenarten. — Z. Tropenmed. Parasit. 10, 19-30
- NIEMEGEERS, K. (1958). Durée de survie de *Trypanosoma gambiense* et de *Trypanosoma rhodesiense* dans le sang conservé destiné à des transfusions sanguines. — Ann. Soc. belge Méd. trop. 38, 697-719
- PACKCHANIAN, ARDZROONY. (1959). On the cultivation of *Trypanosoma brucei* in vitro. — Amer. J. trop. Med. Hyg. 8, 168-174
- STAUBER, LESLIE A. (1958). Host resistance to the Khartoum strain of *Leishmania donovani*. — Rice Inst. Pamphlet 45, 80-96
- THURSTON, JUNE P. (1958). The effect of immune sera on the respiration of *Trypanosoma brucei* in vitro. — Parasitology 48, 463-467
- THURSTON, JUNE P. (1958). The effect of some metabolic inhibitors on the oxygen uptake of *Trypanosoma lewisi* and *Trypanosoma equiperdum*. — Parasitology 48, 165-183
- THURSTON, JUNE P. (1958). The oxygen uptake of *Trypanosoma lewisi* and *Trypanosoma equiperdum*, with special reference to oxygen consumption in the presence of aminoacids. — Parasitology 48, 149-164
- VAN DEN BERGHE, L., CHARDOME, M. & PEEL, E. (1958). Les trypanosomes transmis par *Glossina morsitans* au Mutara (Ruanda). — Ann. Soc. belge Méd. trop. 38, 965-970
- WIJERS, D. J. B. (1959). Polymorphism in *Trypanosoma gambiense* and *Trypanosoma rhodesiense* and the significance of the intermediate forms. — Ann. trop. Med. Parasit. 53, 59-68

576.893.19 Sporozoa

- BASTIANELLI, G. (1959). Il globulo rosso e il metabolismo del parassita malarico. — Riv. Malariol. 38, 9-26
- BRAY, R. S. (1959). Range of *Plasmodium gonderi*. — Trans. roy. Soc. trop. Med. Hyg. 53, 300-301
- BROCKLESBY, DAVID W. & HAWKING, FRANK. (1958). Growth of *Theileria annulata* and *T. parva* in tissue culture. — Trans. roy. Soc. trop. Med. Hyg. 52, 414-420
- CLYDE, D. F. & SHUTE, G. T. (1959). Survival of pyrimethamine-resistant *Plasmodium falciparum*. — Trans. roy. Soc. trop. Med. Hyg. 53, 170-172

- COOK, M. KATHERINE & JACOBS, LEON. (1958). Cultivation of *Toxoplasma gondii* in tissue cultures of various derivations. — J. Parasit. 44, 172-182
- COWPER, S. G. & WOODWARD, S. F. (1959). Observations on *Plasmodium berghei* infection in white rats: blood changes and acquired resistance. — Ann. trop. Med. Parasit. 53, 103-112
- COX, HERBERT W. (1959). A study of relapse *Plasmodium berghei* infections isolated from white mice. — J. Immunol. 82, 209-214
- DEMINA, N. A. (1959). Contribution à l'étude de l'influence du régime nycthé- méral de l'hôte sur l'évolution de la multiplication de *Plasmodium relictum*. — Riv. Malariol. 38, 27-44
- GARNHAM, PERCY C. C. (1959). La ricerca del ciclo eso-eritrocitico nella malaria dei mammiferi. — R. C. Ist. sup. Sanità 22, 11 pp. ill.
- GARNHAM, P. C. C., LAINSON, R. & COOPER, W. (1958). The complete life cycle of a new strain of *Plasmodium gonderi* from the drill (*Mandrillus leuco- phaeus*), including its sporogony in *Anopheles aztecus* and its pre-erythro- cytic schizogony in the Rhesus monkey. — Trans. roy. Soc. trop. Med. Hyg. 52, 509-517
- GOLDMAN, MORRIS, CARVER, RUSSELL K. & SULZER, ALEXANDER J. (1958). Re- production of *Toxoplasma gondii* by internal budding. — J. Parasit. 44, 161-171
- GREENBERG, JOSEPH & KENDRICK, LOUISE P. (1958). Parasitemia and survival in mice infected with *Plasmodium berghei*, hybrids between Swiss (high parasitemia) and STR (low parasitemia) mice. — J. Parasit. 44, 492-498
- HUFF, CLAY G. (1958). Host influences on some Haemosporidian parasites. — Rice Inst. Pamphlet 45, 55-79
- HUFF, CLAY G. (1959). Further studies on host-cell preferences by exoerythro- cytic stages of avian malaria. — Exp. Parasit. 8, 163-170
- HUFF, CLAY G., MARCHBANK, DOROTHY F. & SHIROISHI, TSUGIYE. (1958). Changes in infectiousness of malarial gametocytes. II. Analysis of the possible cau- sative factors. — Exp. Parasit. 7, 399-417
- HUFF, CLAY G., MARCHBANK, DOROTHY F. & SHIROISHI, TSUGIYE. (1959). Sus- ceptibility and resistance of avian and mosquito hosts to strains of *Plas- modium relictum* isolated from pigeons. — J. Protozool. 6, 46-51
- JONES, FRANCES E., et al. (1958). A comparison of methods for the isolation of *Toxoplasma* from suspected hosts. — Amer. J. trop. Med. Hyg. 7, 531-535
- KAUFMAN, HERBERT E., et al. (1959). Strain differences of *Toxoplasma gondii*. — J. Parasit. 45, 189-190
- LACAN, A. & PEEL, E. (1958). *Plasmodium ovale* Stephens 1922 en Afrique Equatoriale Française. — Bull. Soc. Path. exot. 51, 167-169
- LAINSON, R. (1959). A note on the duration of *Toxoplasma* infection in the guinea-pig. — Ann. trop. Med. Parasit. 53, 120-121
- LAINSON, R. (1958). Observations on the development and nature of pseudo- cysts and cysts of *Toxoplasma gondii*. — Trans. roy. Soc. trop. Med. Hyg. 52, 396-407
- LAIRD, MARSHALL. (1959). Malayan protozoa. 1. *Plistophora collessi* n.sp. (Sporozoa: Microsporidia), an ovarian parasite of Singapore mosquitoes. — J. Protozool. 6, 37-45
- LAIRD, MARSHALL & LARI, FAIYAZ A. (1958). Observations on *Plasmodium circumflexum* Kikuth and *P. vaughani* Novy and MacNeal from East Pa- kistan. — J. Parasit. 44, 136-152
- LEVADITI, J.-C., JONCHÈRE, H. & HUSSON, R. (1958). Passages intracérébraux ininterrompus effectués de souris à souris avec *Plasmodium berghei*, *Try- panosoma brucei*, *T. equiperdum*, *T. congolense* et *T. gambiense*, en vue de

- la recherche d'un neurotropisme éventuel. — Bull. Soc. Path. exot. 51, 373-384
- MCGHEE, R. BARCLAY. (1958). The reproductive behavior of *Plasmodium cathe-merium* in duck and chick embryos. — J. Parasit. 44, 153-160
- MCGHEE, R. BARCLAY. (1959). The effect of lowered temperatures of the host on the reproductive activity of *Plasmodium cathemerium*. — J. Protozool. 6, 84-88
- PIPKIN, ALAN C. & JENSEN, DINNIEMAUD V. (1958). Avian embryos and tissue culture in the study of parasitic protozoa. I. Malarial parasites. — Exp. Parasit. 7, 491-530
- RAPER, ALAN B. (1959). Further observations on sickling and malaria. — Trans. roy. Soc. trop. Med. Hyg. 53, 110-117
- SERGENT, EDMOND & PONCET, ALICE. (1959). Des variations expérimentales de la virulence de *Plasmodium berghei*. Exaltation. Atténuation. Mithridatisme. — Arch. Inst. Pasteur Algérie 37, 227-255
- SIMITCH, TSCH., et al. (1959). Contribution à la connaissance de la virulence de *Toxoplasma gondii* pour le chat. — Arch. Inst. Pasteur Algérie 37, 286-291
- TRAGER, WILLIAM. (1959). The enhanced folic and folinic acid contents of erythrocytes infected with malaria parasites. — Exp. Parasit. 8, 265-273
- VAN DEN BERGHE, L., LAMBRECHT, F. L. & ZAGHI, A. (1958). Démonstration du cycle sexué de *Plasmodium atheruri* n.sp. au Congo belge. — Ann. Soc. belge Méd. trop. 38, 977-981
- VAN DEN BERGHE, L., et al. (1958). Le cycle asexué de *Plasmodium atheruri* n.sp. du porc-épic *Atherurus africanus centralis* au Congo belge. — Ann. Soc. belge Méd. trop. 38, 971-974

576.894 Mollusca

- FRAGA DE AZEVEDO, J. & CARMO M. DE MEDEIROS, LIDIA DO. (1959). Bases pour la classification des Gastéropodes pulmonés d'eau douce. Sur la nécessité d'uniformiser les méthodes de classification. — Acta trop. 16, 38-62
- FRAGA DE AZEVEDO, J., COSTA FARO, M. M. DA & GONÇALVES PEQUITO, M. MARGARIDA. (1958). Sur l'autofécondation interne de l'*Australorbis glabratus olivaceus*. — An. Inst. Med. trop. 15, 843-853
- MOLLUSCICIDES. (1959). Les M' dans la lutte contre la bilharziose. — Chron. Org. mond. Santé 13, 25-31
- OLIVER-GONZALEZ, JOSÉ & FERGUSON, FREDERICK F. (1959). Probable biological control of Schistosomiasis mansoni in a Puerto Rican watershed. — Amer. J. trop. Med. Hyg. 8, 56-59
- WAGNER, EDWARD D. & WONG CHI, LOIS. (1959). Species crossing in *Oncomelania*. — Amer. J. trop. Med. Hyg. 8, 195-198
- WINKLER, LINDSAY R. & WAGNER, EDWARD D. (1959). A method of comparing geographically distant snail populations by study of their shell composition. — Amer. J. trop. Med. Hyg. 8, 13-15

576.895 Articulata

576.895.1 Vermes

- EZZAT, M. A. & TADROS, G. (1958). Contribution to the helminth fauna of Belgian Congo birds. — Ann. Mus. Congo belge, Tervuren, Zool. 69, 1-81, ill.

576.895.121 Cestoda

- AGOSIN, MOISES & ARAVENA, LUISA. (1959). Enzimas del ciclo de las pentosas en *Echinococcus granulosus*. Comunicación preliminar. — Bol. chilén. Parasit. 14, 30-33

- GIBSON, T. E. (1959). The identification of *Cysticercus bovis* with special reference to degenerate cysticerci. — Ann. trop. Med. Parasit. 53, 25-26
- SCHWABE, CALVIN W., SCHINAZI, LEWIS A. & KILEJIAN, ARAXIE. (1959). Host-parasite relationships in echinococcosis. I. Observations on the permeability of the hydatid cyst wall. II. Age resistance to secondary echinococcosis in the white mouse. — Amer. J. trop. Med. Hyg. 8, 20-36
- VOGE, MARIETTA. (1959). Sensitivity of developing *Hymenolepis diminuta* larvae to high temperature stress. — J. Parasit. 45, 175-181

576.895.122 Trematoda

- BRYGOO, E. R. & RANDRIAMALALA, J. CH. (1959). Différence de colorabilité au Ziehl entre les œufs de *Schistosoma mansoni* et ceux de *Schistosoma haematobium*. — Bull. Soc. Path. exot. 52, 26-27
- DUSANIC, DONALD G. (1959). Histochemical observations of alkaline phosphatase in *Schistosoma mansoni*. — J. infect. Dis. 105, 1-8
- EL RAGGAL, MOHAMED. (1959). Wird das Geschlecht der Schistosomen durch das der Wirtschnecke beeinflusst? — Z. Tropenmed. Parasit. 10, 66-70
- ETUDE. (1959). L'E' de la bilharziose en laboratoire. — Chron. Org. mond. santé 13, 41-56
- EVANS, A. S. & STIREWALT, M. A. (1959). Serologic reactions in *Schistosoma mansoni* infections. 5. Localization of CHR and cercarial agglutinating factors in electrochromatographically fractionated human sera. — Exp. Parasit. 8, 1-9
- MALDONADO, JOSÉ F. (1959). The longevity of the unhatched miracidium of *Schistosoma mansoni* in the tissue of mice. — Amer. J. trop. Med. Hyg. 8, 16-19
- MILLEMANN, RAYMOND E. & THONARD, JOHN C. (1959). Protease activity in schistosome cercariae. — Exp. Parasit. 8, 129-136
- ROBINSON, EDWIN J. (Jr.). (1959). Recovery of *Schistosoma mansoni* from hormonally imbalanced hosts. — Exp. Parasit. 8, 236-243
- ROBINSON, EDWIN J. (Jr.). (1959). Further studies on the effect of abnormal host metabolism on *Schistosoma mansoni*. — J. Parasit. 45, 295-299
- STIREWALT, M. A. (1959). Isolation and characterization of deposits of secretion from the acetabular gland complex of cercariae of *Schistosoma mansoni*. — Exp. Parasit. 8, 199-214
- WYKOFF, DALE E. (1959). Studies on *Clonorchis sinensis*. IV. Production of eggs in experimentally infected rabbits. — J. Parasit. 45, 91-94

576.895.132 Nematoda

- CHABAUD, ALAIN G. & ANDERSON, ROY C. (1959). Nouvel essai de classification des filaires (Superfamille des Filarioidea). II. 1959. — Ann. Parasit. hum. comp. 34, 64-87
- EDESON, J. F. B. & BUCKLEY, J. J. C. (1959). Studies on filariasis in Malaya: on the migration and rate of growth of *Wuchereria malayi* in experimentally infected rats. — Ann. trop. Med. Parasit. 53, 113-119
- HAWKING, F. & TERRY, R. J. (1959). Chemotherapeutic properties of some new quaternary ammonium salts. II. Antifilarial action against *Litomosoides carinii*. — J. Pharm. Pharmacol. 11, 94-98
- JORDAN, P. (1959). A note on the effect of a blood meal on infective larvae of *Wuchereria bancrofti* in *Culex fatigans*. — Trans. roy. Soc. trop. Med. Hyg. 53, 148-150
- JORDAN, P. (1959). The possible rôle of low-density microfilaraemia in the spread of *Wuchereria bancrofti* by *Culex fatigans* in East Africa. — Ann. trop. Med. Parasit. 53, 42-46

- MANSON-BAHR, PHILIP. (1959). The story of *Filaria bancrofti*. A critical review. I. Early history. II. Metamorphosis of *W. bancrofti* in the mosquito and filarial periodicity. III. Advances in the 20th century. IV. Mosquito intermediaries of *W. bancrofti*. — J. trop. Med. Hyg. 62, 53-61, 85-94, 106-117, 138-145
- OYTUN, H. SÜKRÜ & GÜRALP, NEYZAT. (1959). Taxonomic research on the etiology of hookworm disease occurring on the shores of the Black Sea, Turkey. — Acta trop. 16, 76-77
- RODGER, F. C. (1959). The movement of microfilariae of *Onchocerca volvulus* in the human eye from lid to retina. — Trans. roy. Soc. trop. Med. Hyg. 53, 138-141
- ROHDE, KLAUS. (1959). Infektionsversuche mit der Baumwollrattenfilarie *Litomosoides carinii* an weißen Ratten. — Z. Tropenmed. Parasit. 10, 70-78

576.895.2 Arthropoda

- BROWN, A. W. A. (1958). Insecticide resistance in Arthropods. 240 pp. ill. — Geneva: Wld Hlth Org., Monogr. Series No. 38

576.895.4 Arachnoidea

- ARTHUR, D. R. (1959). *Ixodes tatei* n.sp. from Iraq (Acarina: Ixodidae). — Parasitology 49, 108-110
- BAKER, E. W., et al. (1958). Guide to the families of mites. 242 pp. — Univ. Maryland: Inst. Acarology = Contributions of the Institute of Acarology No. 3
- BRENNAN, JAMES M. & JONES, ELEANOR K. (1959). Keys to the chiggers of North America with synonymic notes and descriptions of the new genera (Acarina: Trombiculidae). — Ann. ent. Soc. America 52, 7-16
- CAMPANA-ROUGET, YVONNE. (1959). La tératologie des tiques. — Ann. Parasit. hum. comp. 34, 209-260, 354-431
- FAIN, ALEX. (1959). Les Acariens du genre *Pneumonyssus* Banks, parasites endopulmonaires des singes au Congo belge (Halarachnidae: Mesostigmata). — Ann. Parasit. hum. comp. 34, 126-148
- FLOCH, H. & FAURAN, P. (1958). Ixodides de la Guyane et des Antilles françaises. — Arch. Inst. Pasteur Guyane franç. & Inini, Publ. 446, 94 pp.
- FURMAN, DEANE P. (1959). Feeding habits of symbiotic mesostigmatid mites of mammals in relation to pathogen-vector potentials. — Amer. J. trop. Med. Hyg. 8, 5-12
- GRETILLAT, SIMON & BRYGOO, EDOUARD R. (1959). *Raillettiella chamaeleonis* n.sp. première espèce de Cephalobaenidae (Pentastomida) signalée à Madagascar. — Ann. Parasit. hum. comp. 34, 112-120
- HOOGSTRAAL, HARRY. (1959). On *Allophysalis*, a new subgenus of *Haemaphysalis* (Ixodoidea, Ixodidae). — J. Egypt. publ. Hlth Ass. 34, 37-42
- HOOGSTRAAL, HARRY. (1959). Biological observations on certain Turkish *Haemaphysalis* ticks (Ixodoidea, Ixodidae). — J. Parasit. 45, 227-232
- HOOGSTRAAL, HARRY & KAISER, MAKRAM N. (1958). The ticks (Ixodoidea) of Iraq. Keys, hosts, and distribution. — J. Iraqi med. Prof. 6, 2-3, 22 pp.
- HOOGSTRAAL, HARRY & THEILER, GERTRUD. (1959). Ticks (Ixodoidea, Ixodidae) parasitizing lower primates in Africa, Zanzibar, and Madagascar. — J. Parasit. 45, 217-222
- MOREL, P. C. & MAGIMEL, J. (1959). Les tiques des animaux domestiques de la région de Fort-Lamy (Tchad) et Fort-Foureau (Cameroun). — Rev. Elev. Méd. vét. Pays trop. 12, 53-58

- STARKOFF, OLEG. (1958). Ixodoidea d'Italia. Studio monografico. 385 pp. ill. — Roma: Il Pensiero scientifico
- TAUFFLIEB, R. & MOUCHET, J. (1959). Notes sur les Acariens (Acarina; Laelaptidae et Spinturnicidae) du Cameroun. — Ann. Parasit. hum. comp. 34, 350-353
- WAGNER-JEVSEENKO, OLGA. (1958). Fortpflanzung bei *Ornithodoros moubata* und genitale Übertragung von *Borrelia duttoni*. — Acta trop. 15, 118-168

576.895.7 Hexapoda

- DEL PONTE, EDUARDO. (1958). Manual de entomología medica y veterinaria argentinas. 350 pp. ill. — Buenos Aires: Ediciones Libreria del Colegio.
- FROST, S. W. (1959). Insects captured in black-painted and unpainted light traps. — Ent. News 70, 54-55
- KRIEG, NOEL R., WEDBERG, STANLEY E. & PENNER, LAWRENCE R. (1959). The cockroaches *Blaberus craniifer* and *Blaberus discoidalis* as vectors of *Salmonella typhosa*. — Amer. J. trop. Med. Hyg. 8, 119-123
- SHEPARD, HAROLD H. (1958). Methods of testing chemicals on insects. Vol. I. 356 pp. ill. — Minneapolis: Burgess Publ. Co.
- STEINHAUS, E. A. & SMITH, R. F. (1958/59). Annual review of entomology. Vols. 3 & 4. 520 + 467 pp. ill. — Palo Alto, Cal.: Ann. Rev. Inc.
- VOELCKEL, J. & MOUCHET, J. (1959). Quelques aspects et résultats de la désinsectisation systématique en milieu urbain tropical. — Méd. trop. 19, 266-293

576.895.75 Hemiptera

- BALDWIN, W. F. & SALTHOUSE, T. N. (1959). Oxygen deficiency and radiation damage in the insect *Rhodnius*. — Nature 183, 974
- BENOÎT, P. L. G. & SANDE, M. VAN. (1959). Etude des protéines de l'hémolymphe de *Triatoma infestans* et *Rhodnius prolixus* par ultramicroélectrophorèse en gel de gélose. — Ann. Soc. belge Méd. trop. 39, 135-143
- MORAIS RÊGO, SYDNEY F. DE. (1958). Estudos sobre o *Trypanozoma Rangeli* Tejera, 1920: I. Técnica de obtenção de glândula salivar de *Rhodnius Prolixus* Stal, 1859. — Hospital (Rio de Janeiro) 53, 339-346
- VILLIERS, A. (1959). Hémiptères réduviides de Côte d'Ivoire. — Bull. IFAN 21 A, 326-345

576.895.77 Diptera

576.895.771 Nematocera

- ABONNENC, E. (1959). Etude comparative des femelles de *Phlebotomus papatasi* Scopoli, de *Phlebotomus papatasi* var. *bergeroti* Parrot et de *Phlebotomus duboscqi* Neveu-Lemaire. — Arch. Inst. Pasteur Algérie 37, 329-339
- ABONNENC, E. & LARIVIÈRE, M. (1959). Répartition des Phlébotomes de l'Ouest africain (Diptera-Psychodidae). — Bull. IFAN 21 A, 204-226
- CLASTRIER, J. (1959). Notes sur les Cératopogonidés. VII. Cératopogonidés d'Afrique Occidentale Française. (4). — Arch. Inst. Pasteur Algérie 37, 340-383
- FAIRCHILD, G. B. & HERTIG, M. (1959). Geographic distribution of the *Phlebotomus* sandflies of Central America (Diptera: Psychodidae). — Ann. ent. Soc. America 52, 121-124
- KETTLE, D. S., PARISH, R. H. & PARISH, JEAN. (1959). Further observations on the persistence of larvicides against *Culicoides* and a discussion on the interpretation of population changes in the untreated plots. — Bull. ent. Res. 50, 63-80
- LEWIS, D. J. (1959). Some observations on Ceratopogonidae and Simuliidae (Diptera) in Jamaica. — Ann. Mag. Nat. Hist. 1, 721-732 (1958)

- MITRA, R. D. (1959). Notes on sandflies. Sandflies of Punch and Riasi districts of Kashmir. — Z. Tropenmed. Parasit. 10, 56-66
- RIOUX, J.-A., DESCOURS, S. & PECH, J. (1959). Un nouveau cératopogonide arboricole: *Culicoides haranti* n.sp. (Diptera Heleidae). — Ann. Parasit. hum. comp. 34, 432-438
- VARGAS, L. (1958). Los Culicoides o jejenes de Mexico (Insecta: Diptera) claves graficas para la determinación de los subgeneros. — Rev. Inst. Salubr. Enferm. trop. 18, 75-80

Culicidae

- BROUWER, R. (1958). Geurverschillen bij de mens als oorzaak van interindividuele verschillen in attractie voor malariamuskieten. 110 pp. ill. — Leiden, Thesis
- GALINDO, PEDRO. (1958). Bionomics of *Sabethes chloropterus* Humboldt, a vector of sylvan yellow fever in Middle America. — Amer. J. trop. Med. Hyg. 7, 429-440
- GOMA, L. K. H. (1958). The productivity of various mosquito breeding places in the swamps of Uganda. — Bull. ent. Res. 49, 437-448
- LAARMAN, J. J. (1958). Research on the ecology of Culicine mosquitoes in a forest region of the Belgian Congo. — Acta Leidensia 28, 94-98
- LEESON, H. S. (1958). An annotated catalogue of the Culicine mosquitoes of the Federation of Rhodesia and Nyasaland and neighbouring countries together with locality records for Southern Rhodesia. — Trans. roy. ent. Soc. London 110, 21-51
- MUIRHEAD-THOMSON, R. C. (1958). A pit shelter for sampling outdoor mosquito populations. — Bull. Wld Hlth Org. 19, 1116-1118
- SOMEREN, E. C. C. VAN, HEISCH, R. B. & FURLONG, M. (1958). Observations on the behaviour of some mosquitos of the Kenya coast. — Bull. ent. Res. 49, 643-660
- SURTEES, G. (1959). Influence of larval population density on fluctuations in mosquito number. — Nature 183, 269-270
- TEESDALE, C. (1959). Observations on the mosquito fauna of Mombasa. — Bull. ent. Res. 50, 191-208
- WILLIAMS, M. G., WEITZ, B. & MCCLELLAND, G. A. H. (1958). Natural hosts of some species of *Taeniorhynchus* Lynch Arribalzaga (Diptera, Culicidae) collected in Uganda, as determined by the precipitin test. — Ann. trop. Med. Parasit. 52, 186-190

Culex

- BELLAMY, R. E. & KARDOS, E. H. (1958). A strain of *Culex tarsalis* Coq. reproducing without blood meals. — Mosquito News 18, 132-134
- HAMON, J., et al. (1958). Observations sur le niveau de sensibilité au DDT, au dieldrin et au HCH de *Culex pipiens* ssp. *fatigans* dans la région de Bobo-Dioulasso, Haute-Volta, Afrique Occidentale Française. — Bull. Soc. Path. exot. 51, 393-404
- HAYES, R. O., et al. (1958). Comparison of four sampling methods for measurement of *Culex tarsalis* adult populations. — Mosquito News 18, 218-227

Aedes

- BONNET, DAVID D. & CHAPMAN, HERALD. (1958). The larval habitats of *Aedes polynesiensis* Marks in Tahiti and methods of control. — Amer. J. trop. Med. Hyg. 7, 512-518

- BOORMAN, J. P. T. (1958). Transmission of Uganda S virus by *Aedes (Stegomyia) aegypti* Linn. — Trans. roy. Soc. trop. Med. Hyg. 52, 383-388
- BRANSBY-WILLIAMS, W. R. (1959). Effect of changes of temperature on the susceptibility to dieldrin of adult *Aedes aegypti*. — Bull. Org. mond. Santé 20, 149-150
- COKER, WILLIAM Z. (1958). The inheritance of DDT resistance in *Aedes aegypti*. — Ann. trop. Med. Parasit. 52, 443-455
- COLLESS, D. H. (1958). Notes on the Culicine mosquitoes of Singapore. IV. The *Aedes niveus* subgroup (Diptera, Culicidae: introduction and description of five new species and of one new subspecies. — Ann. trop. Med. Parasit. 52, 468-483
- GILLET, J. D., HADDOW, A. J. & CORBET, PHILIP S. (1959). Observations on the oviposition-cycle of *Aedes (Stegomyia) aegypti* (Linnaeus), II. — Ann. trop. Med. Parasit. 53, 35-41
- LAVOPIERRE, M. M. J. (1958). Biting behaviour of mated and unmated females of an African strain of *Aedes aegypti*. — Nature 181, 1781-1782
- MAHFOUZ, M. S. (1958). Die Wirkung einiger Insektizide auf die Larven von *Aedes aegypti* L. — Z. Tropenmed. Parasit. 9, 156-162
- QUTUBUDDIN, M. (1958). The inheritance of DDT-resistance in a highly resistant strain of *Aedes aegypti* (L.). — Bull. Wld Hlth Org. 19, 1109-1112
- RAHM, U. (1958). Die attraktive Wirkung der vom Menschen abgegebenen Duftstoffe auf *Aedes aegypti* L. — Z. Tropenmed. Parasit. 9, 146-156
- SAUTET, J. & ALDIGHIERI, J. (1958). Résistance artificiellement accrue au DDT des adultes d'*Aedes aegypti*, par contact des larves à l'insecticide. — Bull. Soc. Path. exot. 51, 332-334
- SAUTET, J., ALDIGHIERI, R. et J. & ARNAUD, G. (1958). Comparaison de la sensibilité au DDT des adultes de plusieurs souches d'*Aedes aegypti*. — Bull. Soc. Path. exot. 51, 404-412
- SAUTET, J., ALDIGHIERI, R. et J. & VUILLET, F. (1959). Une nouvelle souche d'*Aedes aegypti* peu sensible au DDT, provenant de Saïgon. — Bull. Soc. Path. exot. 52, 34-36
- SURTEES, G. (1958). The production of DDT resistance in a Southern Nigerian strain of *Aedes (Stegomyia) aegypti* under laboratory conditions. — W. Afr. med. J. 7, 114-116
- WISHART, G. & RIORDAN, D. F. (1959). Flight responses to various sounds by adult males of *Aedes aegypti* (L.) (Diptera: Culicidae). — Canad. Ent. 91, 181-191

Anopheles

- ADAM, J.-P. & HAMON, J. (1958). I. Présence, en Côte d'Ivoire de *Anopheles paludis* Theo 1900 et *A. obscurus* var. *nowlini* Evans 1932. II. Comparaison des terminalia des espèces éburnéennes du sous-genre *Anopheles*. — Ann. Parasit. hum. comp. 33, 509-512
- ADAM, J.-P., et al. (1958). Présence du gène de résistance du dieldrin chez *Anopheles gambiae* Giles en Basse Côte d'Ivoire (AOF). — Bull. Soc. Path. exot. 51, 326-329
- BÜTTIKER, W. (1958). Notes on exophily in anophelines in South-East Asia. — Bull. Wld Hlth Org. 19, 1118-1123
- BÜTTIKER, W. (1958). Observations on the physiology of adult anophelines in Asia. — Bull. Wld Hlth Org. 19, 1063-1071
- BÜTTIKER, W. & BEALES, P. (1959). *Anopheles pampanai*, a new species of mosquito from Cambodia. — Acta trop. 16, 63-69

- CHARLES, L. J. (1959). Observations on *Anopheles (Kertessia) bellator* D. & K. in British Guiana. — Amer. J. trop. Med. Hyg. 8, 160-167
- CHRISTIE, M. (1958). Improved collection of anopheline eggs and analysis of oviposition behaviour in *A. gambiae*. — J. trop. Med. Hyg. 61, 282-286
- CHRISTIE, M. (1959). A critical review of the role of the immature stages of Anopheline mosquitoes in the regulation of adult numbers, with particular reference to *Anopheles gambiae*. — Trop. Dis. Bull. 56, 385-399
- CLYDE, D. F. & SHUTE, G. T. (1958). Selective feeding habits of Anophelines amongst Africans of different ages. — Amer. J. trop. Med. Hyg. 7, 543-545
- COLLIGNON, E. (1959). Observations biologiques sur les Anophèles de la région d'Alger (1932-1956). — Arch. Inst. Pasteur Algérie 37, 263-285
- DAGGY, RICHARD H. (1959). Malaria in oases of Eastern Saudi Arabia. — Amer. J. trop. Med. Hyg. 8, 223-291
- ELLIOTT, R. (1958). A method for the investigation of susceptibility to insecticides in *Anopheles* larvae. — Trans. roy. Soc. trop. Med. Hyg. 52, 527-534
- FOX, RICHARD M. & WEISER, JARASLAV. (1959). A microsporidian parasite of *Anopheles gambiae* in Liberia. — J. Parasit. 45, 21-30
- FRIZZI, G. & KITZMILLER, J. B. (1959). The salivary gland chromosomes of *Anopheles punctipennis* compared with those of the *Anopheles maculipennis* complex (Diptera: Culicidae). — Ent. News 70, 33-39
- FRONTALI, N. & CARTA, S. (1959). Studi sulla resistenza degli anofeli agli insetticidi — IV. Dechlorurazione del DDT in ceppi sensibili e resistenti di *Anopheles atroparvus*. — Riv. Parassit. 20, 107-110
- GARMS, R., WEYER, F. & REHM, W. F. (1959). Jahreszeitliche Schwankungen der Empfindlichkeit gegen DDT bei Freilandpopulationen von *Anopheles atroparvus* und *A. messeae* in Norddeutschland. — Z. Tropenmed. Parasit. 10, 48-55
- GILLIES, M. T. (1958). A review of some recent Russian publications on the technique of age determination in *Anopheles*. — Trop. Dis. Bull. 55, 713-721
- GILLIES, M. T. (1958). A modified technique for the age-grading of populations of *Anopheles gambiae*. — Ann. trop. Med. Parasit. 52, 261-273
- JUMINER, B. (1959). Note sur l'Anophélisme en Tunisie. — Arch. Inst. Pasteur Tunis 36, 37-42
- LAARMAN, J. J. (1958). The host-seeking behaviour of Anopheline mosquitoes. — Trop. geogr. Med. 10, 293-305
- LAARMAN, J. J. (1959). A new species of *Anopheles* from a rain-forest in Eastern Belgian Congo. — Trop. geogr. Med. 11, 147-156
- LACAN, A. (1958). Les Anophèles de l'Afrique Equatoriale Française et leur répartition. — Ann. Parasit. hum. comp. 33, 150-170
- LEWIS, D. J. (1958). The recognition of nulliparous and parous *Anopheles gambiae* by examining the ovarioles. — Trans. roy. Soc. trop. Med. Hyg. 52, 456-461
- MARCHAL, E. (1959). Variation de la population anophélienne d'une mare à salinité variable de la région de Konakri (Guinée française). — Bull. IFAN 21 A, 180-203
- MATHIS, W. & SCHOOF, H. F. (1959). Organophosphorus compounds as residual treatment for adult mosquito control. — Amer. J. trop. Med. Hyg. 8, 1-4
- MOSNA, E., et al. (1958/59). Studies on insecticide-resistant Anophelines. I. Chromosome arrangements in a dieldrin-selected strain of *Anopheles atroparvus*. II. Chromosome arrangements in laboratory-developed DDT-resistant strains of *Anopheles atroparvus*. — Bull. Wld Hlth Org. 19, 297-301; 20, 63-74
- OMARDEEN, T. A. (1959). Resistance of *Anopheles aquasalis*, Curry, to dieldrin in Trinidad. — Nature 183, 131

- RAMAKRISHNA, V. & ELLIOTT, R. (1959). Insecticide resistance in *Anopheles gambiae* in Sokoto province. — Trans. roy. Soc. trop. Med. Hyg. 53, 102-109
- REHM, W. F., GARMS, R. & WEYER, F. (1958). Zur Nachwirkung von Dieldrin bei Anopheles-Larven. — Z. Tropenmed. Parasit. 9, 200-204
- RICKENBACH, A., et al. (1958). Présence en Afrique Occidentale Française de *Anopheles natalensis* Hill et Hayden, 1907 et de *Anopheles squamosus* var. *cydippis* de Meillon, 1931. — Bull. Soc. Path. exot. 51, 329-331
- RISHIKESH, N. (1959). Morphology and development of the salivary glands and their chromosomes in the larvae of *Anopheles stephensi* sensu stricto. — Bull. Org. mond. Santé 20, 47-61
- RONNEFELDT, F. (1959). *Anopheles sundaicus* (Rodewaldt 1926) als Malariaüberträger in Mittel-Java. — Z. Tropenmed. Parasit. 10, 38-47
- SENEVET, G. (1958). Les Anophèles du globe. Révision générale. 215 pp. — Paris: P. Lechevalier = Encyclopédie entomologique, Sér. A. 36
- SMITH, A. (1959). Effect of residual house spraying in the plains on Anopheline densities in huts on the Pare Mountains. — Nature 183, 198-199
- SMITH, A. (1958). Outdoor cattle feeding and resting of *A. gambiae* Giles and *A. pharoensis* Theo. in the Pare-Taveta area of East Africa. — E. Afr. med. J. 35, 559-567
- STAHLER, NATHAN. (1959). Some changes in the biological characteristics of colonized *Anopheles quadrimaculatus* Say. — Ann. ent. Soc. America 52, 214-219
- SUNDARARAMAN, S. (1958). The behaviour of *A. sundaicus* Rodewaldt in relation to the application of residual insecticides in Tjilatjap, Indonesia. — Indian J. Malariol. 12, 129-156
- TOUMANOFF, C. (1959). Etude sur l'anophélisme et le paludisme dans la région du Rio-Nunez (Basse-Guinée). — Méd. trop. 19, 294-311
- VAN DEN ASSEM, J. (1959). A window-trap hut experiment to test the effects of dieldrin under local conditions in the Merauke area (Netherlands New Guinea). — Trop. geogr. Med. 11, 32-43
- VAN DEN ASSEM, J. & DIJK, W. J. O. M. VAN. (1958). Distribution of Anopheline mosquitoes in Netherlands New Guinea. — Trop. geogr. Med. 10, 249-255

Simuliidae

- AUBENTON, F. d' & BLANC, M. (1959). Nouveaux essais d'insecticides concernant la lutte contre l'onchocercose. — Méd. trop. 19, 217-221
- CROSSKEY, R. W. (1958). The body weight in unfed *Simulium damnosum* Theobald, and its relation to the time of biting, the fat-body and age. — Ann. trop. Med. Parasit. 52, 149-157
- DUKE, B. O. L. & BEESLEY, W. N. (1958). The vertical distribution of *Simulium damnosum* bites on the human body. — Ann. trop. Med. Parasit. 52, 274-281
- FREDEEN, F. J. H. (1959). Rearing black flies in the laboratory (Diptera: Simuliidae). — Canad. Ent. 91, 73-83
- GRENIER, P. & GRJÉBINE, A. (1958). Remarques morphologiques et biologiques concernant les «mouka-fouhi» (*Simulium neireti* Roubaud, *S. imerinae* Roubaud) de Madagascar et *S. ambositrae* nom. nov. — Bull. Soc. Path. exot. 51, 981-991
- JÖRG, MIGUEL E. (1958). Apuntes ecologicos sobre larvas de Simuliidae (Diptera). — Neotropica 4, 65-72
- LEWIS, D. J. (1958). Observations on *Simulium damnosum* Theobald at Lokoja in Northern Nigeria. — Ann. trop. Med. Parasit. 52, 216-231
- PETERSON, V. (1959). Observations on mating, feeding, and oviposition of some Utah species of Black Flies (Diptera: Simuliidae). — Canad. Ent. 91, 147-155
- VARGAS, L. & DIAZ NAJERA, A. (1958). Nota sobre *Simulium (Psilopelmia) bivitt-*

tatum Malloch, 1914. (Diptera: Simuliidae). — Rev. Inst. Salubr. Enferm. trop. 18, 12-30

576.895.772 Brachycera

- BERVOETS, W., et al. (1958). La lutte contre *Chrysomya putoria* à Léopoldville et apparition de phénomènes de résistance. — Mém. Acad. roy. Sci. col., Cl. Sci. nat. méd. 7, fasc. 4, 53 pp.
- DUKE, B. O. L. (1958). Studies on the biting habits of *Chrysops*. V. The biting-cycles and infection rates of *C. silacea*, *C. dimidiata*, *C. langi* and *C. centurionis* at canopy level in the rain-forest at Bombe, British Cameroons. — Ann. trop. Med. Parasit. 52, 24-35
- MACKERRAS, I.-M. & RAGEAU, J. (1958). Tabanidae (Diptera) du Pacifique Sud. — Ann. Parasit. hum. comp. 33, 671-742
- OVAZZA, M. & VALADE, M. (1958). Contribution à l'étude des Tabanidae (Diptera) d'Afrique Occidentale Française. II. Sur deux espèces de *Tabanus*: *T. hamoni* n.sp. et *T. sugens* Wiedemann 1828. — Bull. Soc. Path. exot. 51, 992-998
- PARR, H. C. M. (1959). Studies on *Stomoxys calcitrans* (L.) in Uganda, East Africa. I. A method of rearing large numbers of *Stomoxys calcitrans*. — Bull. ent. Res. 50, 165-169

576.895.772.4 Schizophora

- BURSELL, E. (1959). Determination of the age of tsetse puparia by dissection. — Proc. roy. ent. Soc. London 34 A, 23-24
- BURSELL, E. (1958). The water balance of tsetse pupae. — Phil. Trans. roy. Soc. London, B, 241, 179-210
- COMMITTEE. (1958). International scientific C⁷ for trypanosomiasis research. 6th meeting, Salisbury 1956. 216 pp. ill. — London: Comm. techn. Co-Op. Afr. S. Sahara
- DAVIES, J. B. (1958). An attempt to eradicate *Glossina palpalis* (R.-D.) and *G. tachinoides* Westw. from riverine vegetation in Benue Province, Northern Nigeria, by spraying with DDT. — Bull. ent. Res. 49, 427-436
- FOSTER, R. (1958). Laboratory colonies of the tsetse fly *Glossina morsitans*. — Bur. perm. int. Tsetse Tryp., Publ. 217, 7 pp.
- GLASGOW, J. P., et al. (1958). Factors influencing the staple food of tsetse flies. — J. Anim. Ecol. 27, 59-69
- JEWELL, G. R. (1958). Detection of tsetse fly at night. — Nature 181, 1354
- MCDONALD, W. A. & WIJERS, D. J. B. (1959). Anal feeding as a method of infecting tsetse-flies with *Trypanosoma gambiense*. I. The technique. — Ann. trop. Med. Parasit. 53, 69-71
- MAILLOT, L. (1958). Elevage de *Glossina fuscipes quanzensis* Pires à Brazzaville. — Bull. Inst. Et. centrafr. Nos. 15/16, 85-90
- MAILLOT, L. (1959). Infection naturelle de *Glossina fuscipes quanzensis* Pires par *Trypanosoma cazalboui-vivax*. — Bull. Inst. Et. centrafr. Nos. 17/18, 71-86
- MOUCHET, J., GARIOU, J. & RATEAU, J. (1958). Distribution géographique et écologique de *Glossina palpalis palpalis* Rob.-Desv. et *Glossina fuscipes fuscipes* Newst. au Caméroun. — Bull. Soc. Path. exot. 51, 652-661
- NASH, T. A. M. & JORDAN, A. M. (1959). A guide to the identification of the West African species of the *fusca* group of tsetse-flies, by dissection of the genitalia. — Ann. trop. Med. Parasit. 53, 72-88
- PAISANA, F. G. (1958). Reconhecimentos glossinicos efectuados no distrito da Zambesia pelo 5^o sector veterinario da M.C.T. — Bol. Soc. est. Moçambique 27, 1-157
- PEEL, E. & CHARDOME, M. (1958). Observations sur les élevages de *Glossina morsitans* West., au laboratoire. — Ann. Soc. belge Méd. trop. 38, 961-964

- POTTS, W. H. (1958). Sterilization of tsetse-flies (*Glossina*) by gamma irradiation. — Ann. trop. Med. Parasit. 52, 484-499
- RENNISON, B. D., LUMSDEN, W. H. R. & WEBB, C. J. (1958). Use of reflecting paints for locating tsetse fly at night. — Nature 181, 1354-1355
- REPORT. (1958). Colonial Office. Colonial Research 1957-58. Tsetse fly and trypanosomiasis committee. R' for 1957-1958. 347 pp. — London: H. M. Stationery Office
- ROBERTSON, A. G. & BERNACCA, J. P. (1958). Game elimination as a tsetse control measure in Uganda. — E. Afr. agric. J. 23, 254-261
- SIMPSON, H. R. (1958). The effect of sterilized males on a natural tsetse fly population. — Biometrics 14, 159-173
- SKINNER, J. E. (1959). Africa fights the tsetse fly. — SPAN No. 4, 23-26
- SQUIRE, F. A. (1959). Infectibility of tsetse flies, *Glossina palpalis* (R.-D.) and *G. tachinoides* Westw. with *Trypanosoma vivax*. — Bull. ent. Res. 50, 183-189
- VAN DEN BERGHE, L. & LAMBRECHT, F. L. (1958). Preliminary note on the biology of *Glossina vanhoofi* Henrard. — Bull. ent. Res. 49, 291-300
- VAN DEN BERGHE, L., CHARDOME, M. & PEEL, E. (1958). Les trypanosomes transmis par *Glossina morsitans* au Mutara (Ruanda). — Ann. Soc. belg. Méd. trop. 38, 965-970
- WIJERS, D. J. B. (1958). Factors that may influence the infection rate of *Glossina palpalis* with *Trypanosoma gambiense*. I. The age of the fly at the time of the infected feed. — Ann. trop. Med. Parasit. 52, 385-390

576.895.775 Aphaniptera

- JELLISON, WILLIAM L. (1959). Fleas and disease. — Ann. Rev. Ent. 4, 389-414
- KARTMAN, LEO, PRINCE, FRANK M. & QUAN, STUART F. (1958). Studies on *Pasteurella pestis* in fleas. VII. The plague-vector efficiency of *Hystrichopsylla linsdalei* compared with *Xenopsylla cheopis* under experimental conditions. — Amer. J. trop. Med. Hyg. 7, 317-322
- MOHR, CARL O. (1958). Relation of mean number of fleas to prevalence of infestation on rats. — Amer. J. trop. Med. Hyg. 7, 519-522

Rezensionen — Analyses — Reviews.

Smithburn, et al.: **La Vaccination antiamarile.** 243 pp. ill. — Genève: Org. mond. Santé, 1956. (Med. Verlag Hans Huber, Bern.)

Während sich früher die Bekämpfung des Gelbfiebers hauptsächlich auf die Vertilgung des Gelbfieberüberträgers, d. h. der Gelbfiebertmücke beschränken mußte, so konnte 1934 in Westafrika und 1937 in Brasilien zum ersten Male mit der systematischen Durchführung von Schutzimpfungen begonnen werden.

Dies wurde möglich indem es nach längjährigen, mühevollen Forschungen gelang, Impfstoffe herzustellen, welche beim Menschen eine hochgradige, lange dauernde Immunität erzeugen, wobei unangenehme Nebenerscheinungen, soweit sie beobachtet werden, im allgemeinen gering und ungefährlich sind.

Auf Veranlassung der O.M.S. verfaßten einige Forscher, welche bei der Herstellung der Gelbfiebervakzine und ihrer praktischen Anwendung in hervorragendem Maße beteiligt sind, die vorliegende Monographie.

Im 1. Kapitel befaßt sich SMITHBURN mit der *Immunologie* des Gelbfiebers. Als wichtige Punkte sind angeführt, daß der Mensch nach Überstehen einer Gelbfiebererkrankung zeitlebens gegen eine Reinfektion immun ist. Eine *passive Immunität* durch Einverleibung von Gelbfieberserum ist möglich; der dadurch erhaltene Schutz ist jedoch nur von sehr begrenzter Dauer. Eine *kongenitale Immunität* wird bei Säuglingen bis zum 3. Monat post partum beobachtet, falls