

**Zeitschrift:** IABSE reports of the working commissions = Rapports des commissions de travail AIPC = IVBH Berichte der Arbeitskommissionen

**Band:** 2 (1968)

**Artikel:** Conclusions

**Autor:** Elliott, A.L.

**DOI:** <https://doi.org/10.5169/seals-3995>

#### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Siehe Rechtliche Hinweise.

#### Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. Voir Informations légales.

#### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. See Legal notice.

**Download PDF:** 18.03.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

## CONCLUSIONS

Conclusions

Schlußfolgerungen

A.L. ELLIOTT  
USA

In summarizing the Theme III section of the Thin Deck Symposium, it would seem well to return to the requirements we outlined in the introduction. We are seeking a surfacing which thus far apparently has eluded us. We have seen many experimental applications from all over the world. It is most gratifying to see that so many people in such widely separated locations are all striving to reach the same answer. The many applications of small test sections must surely eventually yield some valuable information. Some of the applications have been more successful than others. Many of the applications have been undertaken with almost laboratory care. Extreme efforts have been made to assure that cleanliness and near perfect conditions prevailed. Yet, even with this care there have been few successes.

Of course, what we are seeking is something more foolproof. It is neither possible nor practical to expect that laboratory care will be used in placing the surfacing as a normal construction operation. Also, long stretches of bridge deck cannot be placed with the same care that a small experimental patch can be given. We must have materials and methods which we can turn over to the average construction crew and still get a satisfactory application.

**Leere Seite**  
**Blank page**  
**Page vide**