Zeitschrift:	Bauen + Wohnen = Construction + habitation = Building + home : internationale Zeitschrift
Band:	21 (1967)
Heft:	7

Rubrik: Summary

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. <u>Siehe Rechtliche Hinweise.</u>

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. <u>Voir Informations légales.</u>

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. <u>See Legal notice.</u>

Download PDF: 09.11.2024

ETH-Bibliothek Zürich, E-Periodica, https://www.e-periodica.ch

de l'assemblage l'une est totalement contenue dans l'autre ou si les deux

de l'assemblage l'une est totalement contenue dans l'autre ou si les deux sont totalement séparées.« La convergence est importante pour effectuer la distinction entre le demi-assemblage et l'arbre. Plus important encore est le fait que le graphe anti-symmetrique est potentiellement une structure beaucoup plus complexe que l'arbre. A ce sujet, voici un exemple éloquent: un arbre, formé de 20 élé-ments, pourrait contenir au maximum 19 autres quantités partielles de ces 20 éléments. En revanche, un demi-assemblage à la base de ces 20 élé-ments pourrait contenir plus d'un mil-lion de différentes quantités partielles. Cette multiplicité considérable est le signe de la grande complexité struc-turale que possède un graphe anti-symmetrique, contrairement à la sim-plicité structurale d'un arbre. Le man-que de complexité structurale qui est la caractéristique des arbres paralyse notre vision de la ville.

Villes artificielles qui sont des arbres Considérons quelques conceptions modernes de la ville pour démontrer qu'elle représente, dans ses parties

Fig. 1: Columbia, Maryland/Commu-nity Research and Development Inc.: Des pâtes rapprochés de maisons, par groupes de 5, forment des «villages». Un réseau de circulation rattache les villages à un nouveau centre urbain. L'organisation est celle d'un arbre! Fig. 2: Greenbelt, Maryland/Clarence

Stein. Cette ville-jardin a été divisée en su-perblocs. Chacun de ces derniers contient des écoles, des parcs et un certain nombre de groupes de mai-sons construites autour des parkings. L'organisation est un arbre.

Fig. 3: Greater London Plan (1943 / Abercrombie et Forshaw.

Abercrombie et Forshaw. Le dessin indique la structur prévue pour Londres, structure mise au point par Abercrombie. Il y a ici un nombre considérable de «communes» où cha-cune est visiblement séparée de l'autre. La ville est prévue comme arbre avec deux superficies princi-pales. Les communes sont les plus grandes unités de la structure. Ein 4.9 Iban de Tokyo/Kenzo Tappe

Fig. 4: Plan de Tokyo/Kenzo Tange Voici un exemple particulièrement éloquent. Le plan consiste en une série d'anneaux qui s'étendent au-dessus de la baie de Tokyo. Il y a dessus de la baie de Tokyo. Il y a quatre anneaux principaux dont cha-cun contient trois anneaux moyens. Au deuxième anneau principal, un anneau moyen renferme la gare, un autre le port. En outre, chacun des anneaux inférieurs qui abritent des quar-tiers d'habitation. Fig. 5: Mess Citudante Scher

Fig. 5: Mesa City/Paolo Soleri

Fig. 5: Mesa City/Paolo Soleri A première vue, les formes organi-ques nous paraissent moins raides que dans les exemples précédents. Mais à l'examen, nous retrouvons le même principe d'organisation. Regar-dons le centre universitairel lci, le centre de la ville est divisé en une université et en une zone d'habita-tion. Cette dernière est de nouveau divisée en un certain nombre de «vil-lages» (en réalité, il s'agit de tours d'appartements) abritant 4 mille habi-tants. Chaque village est à nouveau divisé et entouré de groupes d'unités d'habitation toujours plus petites. Fig. 6: Chandigarh (1951) / Le Corbu-

Fig. 6: Chandigarh (1951) / Le Corbu-

sier L'ensemble de la ville est alimenté par un centre commercial situé au milieu et qui est relié au centre ad-ministratif situé à la périphérie. Deux zones commerciales supplémentaires s'étendent le long des routes princi-pales, en direction nord-sud. En plus, il existe d'autres centres commer-ciaux et administratifs, correspondant à chacun des 20 secteurs de la ville. Fig. 7: Brasilia / Lucio Costa

a chacun des 20 secteurs de la ville. Fig. 7: Brasilia / Lucio Costa Toute l'installation est symétrique par rapport à l'axe central. Chacune des deux moitiés est alimentée par une seule artère de circulation principale. Cette dernière est elle-même ali-mentée par des artères secondaires parallèles. Enfin, il y a des rues en-tourant les superblocs qui aboutissent dans les artères. Le structure est un arbre. arbre.

Fig. 8: Communitas / Percival et Paul Goodman. Communitas est exactement construit

comme un arbre. Tout d'abord, elle est divisée en quatre ceintures prin-cipales. Celle de l'intérieur est un

centre commercial, la suivante une université, la 3ème renferme des appartements et des cliniques et la

quatrième est un paysage ouvert. A l'intérieur de chacune, il y a encore d'autres divisions. Toute l'organisa-tion est un arbre.

Fig. 9: Celui-ci est le meilleur exemple Fig. 9: Celui-ci est le meilleur exemple car il cerne parfaitement le problème. Il a été publié dans l'ouvrage «La nature des villes«, de Hilbersheimer qui décrit le fait que certaines cités romaines ont leur origine dans des camps militaires. Ensuite, il présente l'image d'un camp militaire moderne comme étant une sorte d'archétype de la ville moderne.

Toutes ces structures étaient des arbres. Les unités qui forment une ville artificielle sont toujours orga-nisées à l'image de l'arbre. La défi-nition de l'arbre est donc la suivante: Une structure d'arbre signifie qu'à l'intérieur de cette structure aucune partie d'une unité quelconque n'est liée à d'autres parties si ce n'est à l'unité comme un tout. l'unité comme un tout.

Une ville vivante doit être un graphe antisymmetrique. Examinons maintenant les villes na-

Examinons maintenant les villes na-turellesquiseprésententcomme graphe antisymmetriqus. Par exemple, la ville naturelle de Middlesborough cor-respond à la structure d'un graphe anti-symmetrique, tandis que dans la con-ception artificielle de la ville, les con-vergences naturelles et caractéristi-ques sont modifiées.

ques sont modifiées. La séparation totale des lieux d'habi-tation et de travail n'est pas un prin-cipe idéal et pourtant on le trouve dans chaque ville artificielle. Les zo-nes doivent converger pour rendre la ville vivante et saine. Il en est de même avec la division de la ville en «communes» isolées. Le plan d'Aber-crombie pour Londres par exempla «communes» isolées. Le plan d'Aber-crombie pour Londres, par exemple, est une structure d'arbre. Cependant, les communes isolées ne correspon-dent pas à la réalité. Dans la capitale britannique, comme dans toute autre grande ville, personne ne trouve du travail à proximité de son lieu d'habi-tation. Ainsi, les habitants d'une com-mune travaillent dans des fabriques situées dans d'autres zones. C'est pourquoi les systèmes «lieu de travail – habitation» doivent être convergents et les unités doivent former un graphe antisymmetrique. antisymmetrique.

L'origine de penser en forme d'arbre: Bien que l'arbre offre une voie simple et claire pour diviser un tout com-plexe en unités, il ne représente pas correctement la véritable structure de correctement la veritable structure de la ville vivante, pas plus d'ailleurs que la structure des villes dont nous avons besoin. On se demande alors pourquoi tant d'urbanistes ont conçu des villes en arbres alors que la structure naturelle est dans le graphe antisymmetriquel IIs l'ontfait, vraisem-blablement, parce qu'ils ne peuvent pas atteindre la complavité d'un craphe blablement, parce qu'ils ne peuvent pas atteindre la complexité d'un graphe antisymmetrique par un procédé de réf-lexion. L'esprit ne peut pas saisir aisément cette complexité à cause des convergences multiples du graphe antisymmetrique. Les urbanistes sont constamment confrontés à ce pro-blème. L'arbre est compréhensible et facile à manipuler. Le graphe antisym-metrique est difficilement saisissable pour l'esprit, on ne le manie donc pas aisément. aisément.

loutes les expériences indiquent que les hommes, lorsqu'ils sont confron-tés à une organisation trop complexe, essaient de la réorganiser spirituelletes a une organisationer spirituelle-essaient de la réorganiser spirituelle-ment en membres d'unités non-con-vergentes, complexité du graphe anti-symmetrique fait place à la simplicité de la forme de l'arbre. Des études se poursuivent dans le dessein de discerner et de préciser les conver-aences requises par la ville moderne. On tente aussi de transformer ces convergences adéquates en conditions physiques et plastiques. Car la ville n'est pas et ne doit pas être un arbre. Si nous construisons des cités à Si nous construisons des cités à l'image de l'arbre, notre vie sera morcelée de manière inadmissible.



Kiyonori Kikutake, Japan (Pages 256-282)

Visons 1960

Tower Shape Community (1959)

Tower Shape Community (1959) The problems raised by the planning of Tokyo appear to be inextricable and insoluble. This agglomeration of ten million inhabitants extends hori-zontally since the average height of its buildings is 1.3 floors. Kikutake does not present a complete solution of the problem, but his proposal con-tains a possibility of imposing shape on the complex of the city by opposing to the horizontal city the other extreme of the vertical city, by replacing the traditional relations of the individual with the earth by a relation of the entire community with the soil. In the future city the place of residence will be fixed on artificial ground, on a tower trunk. The tower is to be the monument of modern life, the symbol of living in the urban community. This "terrestrial surface" in the shape of a partition wall contains the service network i.e., water, gas, electricity, sewerage, as well as the vertical communications system. The tower will accommodate around 5 thousand persons in 1250 residence units. It will attain a height of 300 meters. The cylindrical trunk will be constructed according to the principle of exterior growth and interior regeneration. 2) Oceanic Civilization (1959) "Marine City" proposes to mankind

growth and interior regeneration. 2) Oceanic Civilization (1959) "Marine City" proposes to mankind the realization of his world of the future. The earth is not growing in size, but the population of the earth is increasing constantly. The purpose of "Marine City" is not to create new ground or to exile man from the soil, but simply to modify the accient reground or to exile man from the soil, but simply to modify the ancient re-lations between man and the soil. When a unit of the ocean city no longer satisfies its users, it will be taken out to sea and sunk. "Marine City" has no definite location. It can be taken wherever man desires to City' has no definite location. It can be taken wherever man desires to have it ... A main floating body will produce all the parts needed. The production facilities will be below sea level, while the residential zones will be above the surface of the water. The sea, which constitutes 70% of the surface of the globe, will be man's new environment.

3) Unabara 1960 The ocean city of Unabara is a floating industrial city of 500,000 inhabitants. Located in Sagami Bay, near Tokyo, Unabara will be the central part of the Japanese industrial belt along the Pacific coast. The big cities will spread out towards the sea and will be pread The superiese industrial bert along the Pacific coast. The big cities will spread out towards the sea and will be pro-gressively detached from the coast. This is why Unabara will not remain at one fixed location but will be moved to the places where it is re-quired. In its final stage, Unabara will be made up of two concentric rings, the exterior ring for production and the interior one for residence. The two rings will meet at one point: the administration centre consisting of a control tower. Unabara will grow as long as the control tower can survey the whole extent of the city. If the city becomes too large, the erection of a new control tower will be decided on, which will be at the same time the point of departure of the next island. On the residence ring there will be

On the residence ring there will be erected MOVA blocks composed of a mast and three "sails". A mast 100 meters high will accommodate 10,000 persons in its sails. The MOVA block rests on a concrete ship. Six

of its units constitute a large unit which, along with six others, consti-tute a whole city equipped with parks on the interior. The city accommo-dates universities, convention halls, museums, etc. on the surface of the "ship". A block has a life span of 50 to 100 years, after which it will be replaced replaced.

Vision of a new society

With the advent of oceanic civilization With the advent of oceanic civilization there is a chance of modifying the relations of man with the earth. The relation of the individual with the soil will be replaced by the relation of the total community with the earth. This will be a civilization without any tra-dition, a veritable liberation from the surface of the earth and from the human desire to possess, constantly, material objects. However, this type of civilization will create a new rela-tion among men and also between the individual and his environment in the sense that "the whole community will work for the welfare of the individual".

Civilization, communications network In this extremely artificial civilization, the individual will no longer be able to orient himself with the aid of his instincts alone. In a system that is at once highly articulated and fragile, the security provided by the instincts will be replaced by systems of infor-mation and communication. The cen-tral control tower stands guard over the organization, the construction and the maintenance of the civilization; circulation ducts serve to intercon-nect the various elements and units; complicated installations are available to users, while a mobile mechanism is employed to alter the orientation, the situation of the residence units. This is a perfect technocracy, a sphere in which all mechanisms and communi-cations are totally regulated. Biological analogy Civilization, communications network

Biological analogy

Here is another typical feature of Unabara: it is an artificial system of production with exterior growth and interior regeneration, which constantly replaces elements rendered out of date by new improved elements. This is made possible by the conception of an environing zone made up of units that are independent, limited, well defined and detachable.

Theory

Kiyonori Kikutake

Research into human values

Hesearch into human values In our century, science has brought about profound changes. Moreover, mankind is becoming more and more conscious of the necessity of draw-ing up plans, in all fields, while taking into consideration human values at the same time. We are obliged to reflect if we are to determine the lines of the new architecture de-manded by the new reality in which we live. For this purpose our greatest task is the elaboration of methods.

Shape and system - Katachi and Kata Shape and system - Katachi and Kata Shape - KATACHI - becomes ap-parent in every plan. There is no plan without a given shape, there is no plan which is inaccessible to the senses. Katachi is the fruit of archi-tecture, as it were. To understand architecture means, then, to look for Katachi from the outset. Let us examine Katachi as it appears in lananese architecture. The most

Let us examine Katachi as it appears in Japanese architecture: The most famous example of traditional archi-texture is the Ise Shrine and the Katsura Villa. The term KATA, or system, is employed to designate the basic principle behind KATACHI. If a KATACHI is treated solely as a shape, it becomes lifeless formalism. Only the basic KATA, with its power-ful and decisive influence, is the pro-per point of departure af a KATACHI. The fundamental task of modern ar-chitecture is to discover a KATA which permits the free expression of which permits the free expression of individuality

A three-step procedure

In raising the question "what is the nature of KATA?", Kikutake arrives at a conception procedure comprising three steps. This conception takes as its point of departure the stages in which phenomena are perceived, moves towards substances and finally reaches the level of actual nature. This procedure is not only utilizable because it is theoretically correct, but because nature itself is also based on a similar structure. The three steps in this procedure are as follows:

KATACHI: shape, morphological plan 2nd step KATA: type, substantial plan

3rd step KA: image, natural plan

Bealizations

Kivonori Kikutake

The "Sky House'

In the case of the Sky House plan, there has been taken as the point of departure the contradictions existing at the present time in the construction of housing. The Sky House is suppos-ed to correspond to the transforma-tions in the social structure and in family standards of living.

Competition for the International Conference Palace in Kyoto

Conference Palace in Kyoto The successful competitors in this competition which was held in 1963 were S. Otani (1st Prize), M. Otaka (2nd Prize), K. Kikutake (also 2nd Prize) and others. In order to present the characteristic features of these plans, we are contrasting Otaka's and Otani's projects with those of Kikutake. Otani's projects with those of Kikutake. In the case of Otaka, we find the typical signs of a functional archi-tecture in the most classical sense of the word. The conception of a spe-cific shape, a specific design, is re-flected in the groups of principal func-tions in the great hall, the small hall and the office building on several levels connected with supplementary premises by means of a2-storey foyer. Otani's and Kikutake's plans are based on a different conception method. Ortan is and Kikutake splans are based on a different conception method. Instead of developing specific shapes for specific functions, they attempt to obtain a building that is closed in and that integrates various needs via a general principle: Otani employs the principle of continual production in specific rooms and Kikutake that of historarbic order hierarchic order.

Hotel Tokoen, Kaike Spa. Yonago. Tottori Prefecture, 1963-64

Tottori Prefecture, 1963-64 The new building was incorporated in the centre of an old Ryokan (Japa-nese hotel) whose rooms were group-ed, in the traditional manner, around small courtyards and a central garden. The hotel is situated on the coast of the Sea of Japan. It commands a splendid view over the coast and a mountain. Contrary to the principle of the ancient Ryokan, whose rooms were disposed around gardens, Kiku-take creates a contrast by greatly take creates a contrast by greatly elevating the residence floors and the neighbouring structures in order to get a panoramic view. The public rooms, the bedrooms and the restau-rant on the roof were grouped verti-cally in accordance with their functions.

Hotel Pacific. Chigasaki City. Kanagawa Prefecture, 1965-66

Kanagawa Prefecture, 1965-66 This hotel was constructed near Tokyo, on the Pacific coast. Its complex program contains, in addition to bed-rooms, two swimming pools, an indoor pool and an outdoor one, a bowling alley, restaurants, bars and a drive-in restaurant. As in the Hotel Tokoen, we find here an apparent differentia-tion between the serving and the serv-ed elements. The two hotels in fact both have the same distribution of functions: there are first the public rooms and, above them, the private zone. However, in the Hotel Pacific, the bedrooms are grouped spirally in a tower.

Publications

Publications Generous extracts from the complete works of Kiyonori Kikutake have been published in the review "Kenchiku", in November 1961, September 1963, April and October 1965 and July 1966. The periodical "Kokusai Kenchiku", in January 1959, published "Tower Shape City", in February 1959 "Marine City", and in April 1966 there appear-ed in "Shinkenchiku" an article en-titled "Pear City". The work entitled "Metabolism 1960" was put out by Bijutsu Shuppan in Tokyo. Guenter Nitschke published an irticle

Tokyo. Guenter Nitschke published an irticle on the Metabolists in Building+Home, No. 5, 1965 and in the review Ar-chitectural Design, October 1964. He deals, in detail, with the theory and the plans of the metabolists against the background of the gigantic urban chaos of Tokyo.

"Sky House" has been presented in Building+Home

Biography of Kiyonori Kikutake

He was born in Kurume, Japan, on April 1, 1928. In 1950 he completed his architectural studies, graduating from Waseda University in Tokyo. In 1953 he created the architecture he created the architectar e ''Kikutake Architect & Asso office

office "Kikutake Architect & Asso-ciates". In 1959-60, during the preliminary work for the World Design Conference in Tokyo, a group of young architects prepared its suggestions and visionary projects regarding a new organization of the city of Tokyo. At the time of the World Design Conference, their group was formally established and their publication entitled "Metabo-lism 1960" came out, its full title being "Metabolism 1960, proposal of a new type of town-planning". Since 1960, the members of the "Me-tabolism 1960, group have been meet-ing regularly. This year again, they will bring out a second volume "Me-tabolism 1965. Towards the metapolis". In 1964, Kikutake received the "Pan Pacific Architecture" prize of the In-stitute of American Architects in Ha-waii as well as 2 prizes for the ad-ministration building at the Izumo Shrine. In 1965, he received a prize for the Hotel Tokoen from the "Build-ing Contractors Society". Kikutake is a member of the Asso-

The hoter token role token role build-ing Contractors Society". Kikutake is a member of the Asso-clation of Japanese Architects as well as of the Town-Planning Committee of the Institute of Architecture of Japan.

Christopher Alexander, Berkeley A City is not a Tree

(Pages 283-290)

The tree of my title is not a tree with green leaves. It is the name of an abstract structure. It will be con-trasted to another more complicated complex which is called "semi-lattice". A city is a semi-lattice and not a tree. Natural cities and artificial cities

Natural cities and artificial cities I designate natural cities those which have grown more or less sponta-neously over a long period, while artificial cities have been constructed by town-planners. Siena, Liverpool, Kyoto and Manhattan are examples of natural cities, and Levittown, Chan-digarh and the British New Towns are typical artificial cities. It is generally admitted nowadays that our modern attempts to create artifi-cial cities have not been successful What they all lack is something abso-lutely esential: the human side. Our problem now is to rediscover what it is, in the old cities, that gives life and creates atmosphere, so that we can incorporate these characteristics in our own artificial cities. The natural city is the formation of a semi-lattice, whereas when we organize an arti-ficial city it becomes a tree whereas when we organize an arti-ficial city, it becomes a tree.

Trees and semi-lattice

The tree as well as the semi-lattice constitute means of formation of a large set by way of numerous small systems which thus become a large complex system. In general, the two designate set structures of the second complex system. In general, the two designate set structures. A mass, in the sense employed here, is an set of elements which, for certain reasons, we consider as the total complex. If the elements of a set cooperate or work together, we call the set of ele-ments "system". If the structure fills certain conditions, it is a semi-lattice. It is called "tree" when it meets other limited conditions.

It is called "tree" when it meets other limited conditions. Here is the axiom of the semi-lattice: "An set of elements constitutes a semi-lattice when two convergent sets form part of the system and when the same number of elements of these two sets are found in the system".

satis are found in the system". And here is the axiom of the tree: "An set of elements forms a tree if, of any 2 sets of the system, one is entirely contained in the other or if the two are completely separated". The convergence is important for effecting a distinction between the semi-lattice and the tree. Still more important is the fact that the semi-lat-tice is potentially a much more com-pelx structure than the tree. On this point, here is a very revealing example: a tree, made up of 20 elements, could complexity possessed by a semi-lat-hand, a semi-lattice based on these 20 elements could contain more than a million different partial quantities.

This considerable multiplicity is the sign of the high degree of structural contain up to 19 other partial quantities of these 20 elements. On the other tice, contrary to the structural simplic-ity of a tree. The lack of structural complexity which is the characteristic of trees paralyzes our vision of a city.

Artificial cities which are trees

Let us consider a few modern con-ceptions of the city in order to show that it represents, in its basic consti-tuents, the image of a tree:

Fig. 1: Columbia, Maryland / Com-munity Research and Development Inc. Dense blocks of houses, in groups of 5, constitute "villages". A traffic network connects the villages with a new urban centre. The organization is that of a treal is that of a tree!

Fig. 2: Greenbelt, Maryland / Clarence Stein.

Stein. This garden-city has been divided into super-blocks. Each of these contains schools, parks and a certain number of groups of houses constructed around parking sites. The organiza-tion is a tree.

Fig. 3: Greater London Plan (1943) /

Abercrombie and Forshaw. The drawing indicates the structure envisaged for London, a structure perfected by Abercrombie. There are here a considerable number of "neigh-bourhoods", each one being visibly bourhoods', each one being visibly separated from the next. The city is planned as a tree with two principal surfaces. The neighbourhoods are the largest units in the structure.

Fig. 4: Plan of Tokyo / Kenzo Tange. Here is a particularly eloquent example. The plan consists of a series of rings which extend above Tokyo Bay. There are four principal rings, each one of which contains three medium-size rings. In the second principal ring, a medium ring encloses the railway station and another the the railway station and another the harbour. Moreover, each of the me-dium rings possesses three smaller rings accommodating the residential areas

Fig. 5: Mesa City / Paolo Soleri.

Fig. 5: Mesa City / Paolo Soleri. At first sight, the organic shapes seem less rigid than in the preceding examples. However, on closer exami-nation, we encounter the same orga-nizational principle. Just consider the university city! Here the centre of the city is divided into a university and a residential zone. The latter is again divided into a certain number of "vil-lages" (in reality, there are involved in this case apartment towers) hous-ing 4 thousand residents. Each village ing 4 thousand residents. Each village is again divided up and surrounded by still smaller groups of residence units.

Fig. 6: Chandigarh (1951) / Le Corbu-

sier. The total complex of the city is ser-viced by a business centre located in the centre and connected with the administrative centre situated on the periphery. Two supplementary com-mercial zones extend along the main traffic arteries, in the north-south axis. Moreover, there are other com-mercial and covergence centers commercial and government centres cor-responding to each of the 20 sectors of the city.

Fig. 7: Brasilia / Lucio Costa. The entire installation is symmetrical in relation to the central axis. Each of the two halves is serviced by one single main traffic artery. The latter is in turn serviced by parallel second-ary arteries. Finally, there are streets surrounding the super-blocks which lead into the main arteries. The struc-ture is a tree. ture is a tree.

Fig. 8: Communitas / Percival and

Fig. 8: Communitas / Percival and Paul Goodman. Communitas is constructed exactly like a tree. First of all, it is divided into four principal belts. The inner one is a business centre, the next a university city, the third accommo-dates apartments and hospitals and the fourth is open country. In the inside of each there are still other divisions. The entire organization is a tree. a tree.

Fig. 9: This is the best example, for Fig. 9: This is the best example, for it perfectly circumscribes the whole problem. It has been published in the work entitled "On the nature of cities" by Hilbersheimer, who points out the fact that certain Roman cities originated in military camps. Then, he presents a modern military camp as being a kind of archetype of the modern city. All of these structures were trees, in the sense employed here. The units which make up an artificial city are all organized in the image of a tree. Therefore the tree, in this sense, can be defined as follows: A tree struc-ture means that on the inside of this structure no part of any unit is con-nected with other parts unless it is connected with the unit as a whole.

A living city ought to be a semi-lattice. A fiving city ought to be a semi-fattice. Let us now examine the natural cities which appear as demi-assemblages. For example, the natural city of Middles-borough corresponds to the structure of the semi-lattice, whereas in the natural and characteristic convergences are modified are modified.

are modified. The total separation of places of resi-dence and places of work is not an ideal principle; nevertheless, it is a feature of every artificial city. The zones ought to converge in order to make the city vital and viable. The same thing applies to the division of the city into "neighbourhoods" iso-lated one from the other. Abercrom-ble's plan for London, for instance, is a tree structure However these isobie's plan for London, for instance, is a tree structure. However, these iso-lated neighbourhoods correspond to nothing in reality. In the British ca-pital, as in every other large city, no one finds work close to his place of residence. Thus, the residents of one neighbourhood unit work in factories located in other zones. That is why the "place of work - place of resi-dence" systems ought to be conver-gent and the units ought to form a semi-lattice. semi-lattice.

The origin of the "tree" concept

Although the tree offers a clear and simple way of dividing a whole comsimple way of dividing a whole com-plex into units, it does not correctly represent the real structure of the living city, any more than it does of the cities we need. The question arises, then, why so many town-plan-ners have designed cities as tree structures, whereas the natural struc-ture is the semi-lattice! They have proceeded in this way, probably, because they are unable to approach the complexity of a semi-lattice by way of a process of intellectual reflec-tion. The mind cannot easily grasp this complexity because of the mul-tiple convergences of the semi-lattice. The town-planners are constantly con-fronted by this problem. The tree is fronted by this problem. The tree is comprehensible and easy to manipu-late. The semi-lattice is difficult for the mind to grasp, and it cannot be mani-pulated so easily.

All experience indicates that men, All experience indicates that men, when they are confronted by an excessively complex organization, attempt to reorganize it mentally into non-convergent units. The complexity of the semi-lattice gives way to the simplicity of the tree shape. Stu-dies are now being conducted to discern and to define the convergen-cer required by the modern city. An discern and to define the convergen-ces required by the modern city. An attempt is also being made to trans-form these adequate convergences into physical and plastic conditions, for the city is not and ought not to be a tree structure. If we build cities in the image of a tree, our life will be compartmentalized in a wholly un-warrantable memory. warrantable manner.