

Zeitschrift: Elemente der Mathematik
Herausgeber: Schweizerische Mathematische Gesellschaft
Band: 72 (2017)
Heft: 2

Artikel: Short note on the proof of Ptolemy's Lemma
Autor: Pauni, Dura / Wanner, Gerhard
DOI: <https://doi.org/10.5169/seals-730835>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. [Siehe Rechtliche Hinweise.](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. [Voir Informations légales.](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. [See Legal notice.](#)

Download PDF: 15.03.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

Short note On the proof of Ptolemy's Lemma

Dura Paunić and Gerhard Wanner

Ptolemy's Lemma. *Let $ABCD$ be a quadrilateral inscribed in a circle with sides a, b, c, d and diagonals e, f , then (see Figure 2 (1))*

$$ac + bd = ef . \tag{1}$$

This lemma enabled Ptolemy to compute his famous table of chords ($= 2 \sin \frac{\alpha}{2}$) and thus initiate the developments of modern Astronomy, Geography and Trigonometry (see [1]). Its historical importance is thus beyond any doubt. When the quadrilateral is a rectangle, then (1) becomes $a^2 + b^2 = e^2$, i.e., Pythagoras' theorem.





Figure 1 Ptolemy's proof in Copernicus' autograph
De revolutionibus [4] (left); Callagy's picture from [2] (right).

Ptolemy's Proof. This proof remained the standard one for more than thousand years (see, e.g., Figure 1, left). It consisted in drawing a line be (notation of that picture) such that the angles abe and dbc are the same. This creates two pairs of similar triangles abe and dcb as well as bec and bad . Thales' theorem then allows the calculation of ae and ec respectively and finally to prove (1) (for more details see, e.g., [5], Section 5.1).

This proof is short and simple, but it does not reflect the geometric content of the formula, namely $ac + bd = ef$ states that the sum of the areas of two rectangles is that of another

rectangle. Or, if the areas are multiplied by a constant $k = \sin \varphi$, it would be nice to see, without any calculation, that a parallelogram is the sum of two different parallelograms with the same angle φ . Such a proof can be made using ideas by Callagy [2] (see Figure 1, right) ¹.




Figure 2 The parallelogram area proof in four acts.

Parallelogram area proof of Ptolemy's Lemma. First we double the area \mathcal{A} of a cyclic quadrilateral $ABCD$ by circumscribing it by the parallelogram parallel to the diagonals (Callagy calls this “a well-known exercise in second year geometry”, see Figure 2 (2)). The main idea is then the following: move A to E on the circle, with AE parallel to DB (Figure 2 (3)). Thus the angle φ between the diagonals is reproduced at A (Eucl. I.29), then at B (Eucl. III.21), at D (Eucl. III.22) and finally (Eucl. I.29, Figure 2 (4)) at E . The triangle EDB is mirror symmetric to ADB , with a and d exchanged. Therefore both triangles have the same area, i.e., $\mathcal{D} + \mathcal{B} = \mathcal{A}$. For the areas of the parallelograms in Figures 2 (2) and (4) we thus obtain

$$2 \cdot \mathcal{D} + 2 \cdot \mathcal{B} = 2 \cdot \mathcal{A}. \quad (2)$$

All these parallelograms possess the same angle φ , hence (1) is just (2) divided by $k = \sin \varphi$.

Remark added in proof. Our colleague Jan Hogendijk (Univ. Utrecht) has remarked a nice connection of our proof with Ptolemy's: If in Ptolemy's picture the line be is extended

¹For an obituary notice on the Irish mathematician James Callagy (1908–1988) see [3].

until the second point of intersection with the circle, one obtains precisely the line CE in our Figure 2, (3) and (4), i.e., the common diagonal of the two parallelograms. This could serve as a second motivation for the proof of Ptolemy's Lemma presented here.

References

- [1] G. van Brummelen, *The Mathematics of the Heavens and the Earth, The Early History of Trigonometry*, Princeton UP (2009).
- [2] J.J. Callagy, *Ptolemy's Theorem by Area Formulae*, The Mathematical Gazette, Vol. 44, No. 348 (May, 1960) p. 112.
- [3] T. Christofides, *James Callagy (1908–1988)*, Irish Math. Soc. Bull., Vol. 22 (1989) pp. 9–11.
- [4] N. Copernicus (Mikołaj Kopernik), *De revolutionibus orbium caelestium*, Nürnberg 1543; second impression Basel 1566; "Autograf" preserved in Biblioteka Jagiellońska, Kraków, Poland; digitalized Neurosoft 1996.
- [5] A. Ostermann, G. Wanner, *Geometry by its History*, Springer (2012).
- [6] Ptolemy, *Epitoma in Almagestum Ptolemaei*, written (appr. 150 A.D., Latin (commented) translation by G. Peu[e]rbach & J. Regiomontanus, Venice 1496.

Dura Paunić

University of Novi Sad

e-mail: djura@dmi.uns.ac.rs

Gerhard Wanner

University of Geneva

e-mail: Gerhard.Wanner@unige.ch