

Zeitschrift: Eclogae Geologicae Helvetiae
Herausgeber: Schweizerische Geologische Gesellschaft
Band: 47 (1954)
Heft: 1

Artikel: Schweremessungen nordwestliche von Zürich und ihre geologische Interpretation
Autor: Gretener, Peter
Kapitel: Summary
DOI: <https://doi.org/10.5169/seals-161832>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. [Siehe Rechtliche Hinweise.](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. [Voir Informations légales.](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. [See Legal notice.](#)

Download PDF: 13.03.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

X	Y	H	g'	T	%-g
69 760	72 230	365,8	719,36	0,81	52,49
69 820	80 655	389,3	712,26	0,72	54,83
269 945	666 025	334,1	980 731,00	0,57	47,83
70 135	78 295	355,4	721,67	0,67	52,78
70 185	79 210	350,3	722,09	0,84	53,29
70 385	64 805	359,5	726,79	1,05	46,63
70 400	63 680	393,3	720,45	1,16	45,83
70 610	64 250	369,3	725,52	0,83	46,26
70 745	65 270	321,8	735,25	0,54	46,82
71 285	64 525	338,3	732,98	0,84	45,79

SUMMARY

The present paper contains the results of a detailed gravity survey carried out on the Swiss Plateau during the summer of 1952 with a Worden gravity meter. 780 stations have been established in an area of 250 square miles situated NW of Zurich. As this was the first modern gravity survey in this region some problems of general character had to be solved beside the geological interpretation.

The first part of the paper deals with some of these problems. In particular the topographic correction, the distribution of stations and the rock densities are discussed. The last question needs still further investigations.

In the second part the geological interpretation is given. The elimination of the regional gradient is described and the continuation of the «Laegern-Anticline» and other geological structures are discussed. The construction of a «Molasse Map» and a «Quarternary Map» is probably of special interest. The «Molasse Map» is based entirely on stations which are situated on either Tertiary (Molasse) or Mesozoic. The «Quarternary Map» was constructed by subtracting the «Molasse Map» from the «Bouguer Map II». The latter was drawn utilizing all the gravity data available, thus including stations situated on Quarternary deposits. The regional gradient is removed in all these maps and is only contained in the «Bouguer Map I».

The third part summarizes experiences of general value which will be useful for future comprehensive gravimetric research on the Swiss Plateau. The fourth part – including the tables – gives the numerical data for each station.

The following conclusions were drawn:

1. The «Laegern-Anticline» continues in NE-direction and joins the «Irchel-Anticline».
2. The thickness of Quarternary deposits in the Limmat-, Glatt- and Furt-Valley is considerable and increases towards the south.
3. The thickness of Tertiary (Molasse) sediments in the region of Zurich is about $\frac{2}{3}$ – 1 mile.
4. It proved useful to draw a «Molasse Map» (Plate XII).
5. The same can be said in special cases for the «Quarternary Map» (Plate XII).
6. The regional gradient in this area (N 30° W, 1,9 mgl/mi) is a consequence of the following facts:
 - a) The mass deficiency under the Alps.
 - b) The ascending surface of the «Grundgebirge» (old crystalline rocks) towards the Black Forest.
 - c) The ascending surface of the Mesozoic rocks towards NNW.