

Zeitschrift: Eclogae Geologicae Helvetiae
Herausgeber: Schweizerische Geologische Gesellschaft
Band: 87 (1994)
Heft: 1

Artikel: Depositional trends in the Valdorbia Section (central Italy) during the Early Jurassic, as revealed by micropaleontology, sedimentology and geochemistry
Autor: [s.n.]
Bibliographie: References
DOI: <https://doi.org/10.5169/seals-167447>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. [Siehe Rechtliche Hinweise.](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. [Voir Informations légales.](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. [See Legal notice.](#)

Download PDF: 19.03.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

REFERENCES

- AGER, D. V. 1974: Storm deposits in the Jurassic of the Moroccan High Atlas. *Palaeogeogr., Palaeoclimatol., Palaeoecol.* 15, 83–93.
- ARIAS, C. F. 1991: Asociaciones de Ostrácodos del Domeriense superior y Toarciense inferior de la Cordillera Ibérica. *Coloquios de Paleontología* 43, 79–99.
- BARAHONA, E. 1974: Arcillas de ladrillería de la provincia de Granada: evaluación de algunos ensayos de materias primas. Ph. D. Thesis. Univers. of Granada, Spain (unpublished).
- BARCHI, M., LAVECCHIA, G. & MINELLI, G. 1989: Sezione geologica bilanciata attraverso il sistema a pieghe Umbro-Marchigiano: 2 – La sezione Scheggia-Serra S. Abbondio. *Boll. Soc. Geol. Ital.* 108, 69–81.
- BARTENSTEIN, H. 1974: Upper Jurassic-Lower Cretaceous primitive arenaceous Foraminifera from DSDP Sites 259 and 261, eastern Indian ocean. In: *Init. Repts. DSDP*, Washington, U.S. Govt. Printing Office, (Ed. by J. J. Veevers, J. R. Heirtzler, et al.) 27, 683–695.
- BARTOLINI, A., NOCCHI, M., BALDANZA, A. & PARISI, G. 1992: Benthic life during the early Toarcian anoxic event in the southwestern Tethyan Umbria-Marche Basin, Central Italy. *Studies in Benthic Foraminifera, Benthos '90*, Sendai, Japan, Tokai Univ. Press 323–338.
- BASOV, I. A. & KRASHENINNIKOV, V. A. 1983: Benthic Foraminifera in Mesozoic and Cenozoic sediments of the Southwestern Atlantic as an indicator of paleoenvironment, Deep Sea Drilling Project Leg 71. In: *Init. Repts. DSDP*, Washington, U.S. Govt. Printing Office (Ed. by W. J. Ludwig, V. A. Krasheninnikov, et al.) 71 (2), 739–787.
- BATHURST, R. G. C. 1975: *Carbonate sediments and their diagenesis*. Elsevier, Amsterdam.
- 1987: Diagenetically enhanced bedding in argillaceous platform limestones: stratified cementation and selective compaction. *Sedimentology* 34, 749–778.
- BAUDIN, F., HERBIN, J. P., BASSOULET, J. P., DERCOURT, J., LACHKAR, G., MANIVIT, H. & RENARD, M. 1990: Distribution of organic matter during the Toarcian in the Mediterranean Tethys and Middle East. In: *Deposition of Organic facies* (Ed. by A. Y. Huc), AAPG Studies in Geology 30, 73–91.
- BERNARD, J. M. 1986: Characteristic assemblages and morphologies of benthic foraminifera from anoxic, organic-rich deposits: Jurassic through Holocene. *Journ. Foram. Res.* 16 (3), 207–215.
- BIELECKA, W. & POZARYSKA, W. 1954: Micropaleontological stratigraphy of the Upper Malm in Central Poland. *Inst. Geol. Prace* 12, 139–206.
- BLOOS, G. 1982: Shell beds in the lower Lias of south Germany: facies and origin. In: *Cyclic and Event stratification* (Ed. by G. Einsele & A. Seilacher), Springer-Verlag, Berlin, Heidelberg, New York, 223–239.
- BOLTOSKOY, E. & WRIGHT, R. 1976: Recent foraminifera. Dr. W. Junk, The Hague.
- BOUMA, A. 1962: Sedimentology of some flysch deposits. Amsterdam Elsevier Sci. Publ., pp., 1–168.
- BRENNER, R. L. & DAVIES, D. K. 1973: Storm-generated coquinoid sandstone: genesis of high energy marine sediments from the Upper Jurassic of Wyoming and Montana. *Geol. Soc. of Am. Bull.* 84, 1685–1698.
- BROMLEY, R. G. 1990: Trace fossils, biology and taphonomy. Unwin Hyman Ed., London.
- BROMLEY, R. G. & EKDALE, A. A., 1984: Chondrites: a trace fossil indicator of anoxia in sediments. *Science* 224, 872–874.
- CECCA, F., CRESTA, S., PALLINI, G. & SANTANTONIO, M. 1990: Il Giurassico di Monte Nerone (Appennino Marchigiano, Italia Centrale): biostratigrafia, litostratigrafia ed evoluzione paleogeografica. *Mem. Descr. Carta Geol. d'Italia* 40, 51–126.
- CENTAMORE, E., CHIOCCHINI, M., DEIANA, G., MICARELLI, A. & PIERUCCINI, V. 1969: Considerazioni preliminari su alcune serie mesozoiche dell'Appennino Umbro-Marchigiano. *Mem. Soc. Geol. It.* 8 (3), 237–263.
- 1971: Contributo alla conoscenza del Giurassico dell'Appennino Umbro-Marchigiano. *Studi Geol. Camerti* 1, 7–89.
- CHAMLEY, H. 1989: *Clay Sedimentology*. Springer Verlag, New York.
- CHAMNEY, T. P. 1976: Foraminiferal morphogroup symbol for paleoenvironmental interpretation: Artic America, Albian continental margin. In: *Maritime sediments* (Ed. by Ch. T. Shafer & B. R. Pelletier), Spec. Publ. 1, 585–624.
- CHANNELL, J. E. T., LOWRIE, W., PIALLI, P. & VENTURI, F. 1984: Jurassic magnetic stratigraphy from Umbrian (Italian) land sections. *Earth and Planetary Science Letters*, Elsevier Sc. Publ. 309–325.
- COLACICCHI, R. & BALDANZA, A. 1986: Carbonate turbidites in a Mesozoic pelagic basin: Scaglia Formation, Apennines – comparison with siliciclastic depositional models. *Sedimentary Geology* 48, 81–105.
- COLACICCHI, R. & BIGOZZI, A. 1992: Tentative event stratigraphy on a carbonate platform-basin system: Jurassic of Central Apennine. In: *SEPM/IAS Conference Carbonate Stratigraphic Sequences Boundary and Associated Facies* (Abstract), Laseu Spain 1–3 Sept. 1992.

- COLACICCHI, R., NOCCHI, M., PARISI, G., MONACO, P., BALDANZA, A., CRESTA, S. & PALLINI, G. 1988: Palaeoenvironmental analysis from Lias to Malm (Corniola to Maiolica Formations) in the Umbria-Marche basin, Central Italy (preliminary report). In: 2nd Int. Symp. on Jurassic Stratigraphy (Ed. by R. B. Rocha & A. F. Soares), Sept. 1987, Lisboa 2, 717–728.
- COLACICCHI, R., PASSERI, L. & PIALLI, G. 1970: Nuovi dati sul Giurese Umbro-Marchigiano ed ipotesi per un suo inquadramento regionale. *Mem. Soc. Geol. It.* 9, 839–874.
- CONTI, M. A. & CRESTA, S. 1982: Considerazioni stratigrafiche e paleoecologiche sui “livelli a Posidonia” (AUCT.) dell’Appennino Umbro-Marchigiano. *Paleontologia stratigrafica ed Evoluzione*, Quaderno 2, 73–80.
- CONTI, M. A., & MONARI, S., 1992: Thin-shelled bivalves from the Jurassic Rosso Ammonitico and Calcarei a Posidonia Formations of the Umbrian-Marchean Apennine (central Italy). *Paleopelagos* 2, 193–213.
- COPESTAKE, P. 1989: Jurassic. Offprints from Jenkins/Murray Stratigraphical Atlas of Fossil Foraminifera 2/e 6, 125–272.
- CRESTA, S., CECCA, F., SANTANTONIO, M., PALLINI, G., BRÖNNIMANN, P., BALDANZA, A., COLACICCHI, R., MONACO, P., NOCCHI, M., PARISI, G. & VENTURI, F. 1988: Stratigraphic correlations in the Jurassic of the Umbria-Marche Apennines (Central Italy). In: 2nd Int. Symp. on Jurassic Stratigraphy (Ed. by R. B. Rocha & A. F. Soares), Sept. 1987, Lisboa 2, 729–744.
- CRESTA, S., PALLINI, G. & VENTURI, F. 1989: Associazioni ad Ammoniti nella sezione giurassica di Valdorbìa. In: *Mesozoic-Cenozoic stratigraphy in the Umbria-Marche area* (Ed. by S. Cresta, S. Monechi & G. Parisi), *Mem. descr. Carta geol. d’Italia*. 39, 89–94.
- CUBAYNES, R., BOUTET, C., DELFAUD, J. & FAURÉ, PH. 1984: La megasequence d’ouverture du Lias Quercynois (bordure sud-ouest du Massif central Français. *Bull. Elf. Aquit.* 8 (2), 333–370.
- CUBAYNES, R., REY, J., RUGET, C., COURTINAT, B. & BODERGAT, A. M. 1990: Relations between systems tracts and micropaleontological assemblages on a Toarcian carbonate shelf (Quercy, southwest France). *Bull. Soc. géol. France* 6 (6), 989–993.
- CUBAYNES, R. & RUGET, CH. 1987: Relation séquence d’ouverture – déroulement du genre *Lenticulina* (Foraminifère). Un exemple dans le Domerien du Sud-Quercy. *Cahiers Inst. Catho. Lyon, sér. Sci* 1, 113–122.
- CUBAYNES, R., RUGET, C. & NICOLLIN, J. P. 1991: La population, marqueur de l’environnement et signal des variations eustatiques. *Cahiers Univ. Catho. Lyon, sér. Sci.* 4, 161–170.
- CUBAYNES, R., RUGET, C. & REY, J. 1989: Essai de caractérisation des prismes de depot d’origine eustatiques par les associations de Foraminifères benthiques: exemple du Lias moyen et supérieur sur la bordure est du Bassin aquitain. *C. R. Acad. Sci. Paris* 308 (2), 1517–1522.
- CURTOIS, CH. & HOFFERT, M. 1979: Distribution des terres rares dans les sédiments superficiels du Pacifique sud-est. *Bull. Soc. géol. France* 19, 1245–1251.
- DAM, G. 1990: Palaeoenvironmental significance of trace fossils from the shallow marine Lower Jurassic Neill Klintor Formation, East Greenland. *Palaeogeogr., Palaeoclimatol., Palaeoecol.* 79, 221–248.
- DONOVAN, D.T. 1958: The Ammonites Zones of the Toarcian (Ammonitico Rosso Facies) of southern Switzerland and Italy. *Eclog. Geol. Helv.* 51, 33–60.
- DUKE, W. L. 1985: Hummocky cross-stratification, tropical hurricanes, and intense winter storms. *Sedimentology* 32, 167–194.
- EBERLI, G. P. 1991: Calcareous turbidites and their relationship to sea-level fluctuations and tectonism. In: *Cycles and Events in Stratigraphy* (Ed. by G. Einsele, W. Ricken & A. Seilacher), Springer-Verlag, Berlin, Heidelberg 1991, 340–359.
- EINSELE, G. 1991: Submarine mass flow deposits and turbidites. In: *Cycles and Events in Stratigraphy* (Ed. by G. Einsele, W. Ricken & A. Seilacher), Springer-Verlag, Berlin, Heidelberg 1991, 313–339.
- EKDALE, A. A. 1985: Paleoecology of the marine endobenthos. *Palaeogeogr., Palaeoclimatol., Palaeoecol.* 50, 63–81.
- ELMI, S. 1981a: Classification typologique et genetique des Ammonitico-Rosso et des facies noduleux ou grumeleux: essai de synthese. In: *Rosso Ammonitico Symposium Proc.* (Ed. by A. Farinacci & S. Elmi), Ediz. Tecnoscienza, Roma 233–249.
- 1981b: Sedimentation rythmique et organisation sequentielle dans les Ammonitico-Rosso et les facies associes du Jurassique de la Mediterranee occidentale. Interpretation des grumeaux et des nodules. In: *Rosso Ammonitico Symposium Proc.* (Ed. by A. Farinacci & S. Elmi) Ediz. Tecnoscienza, Roma 251–300.
- FARINACCI, A. 1965: I Foraminiferi di un livello marnoso nei calcari diasprigni del Malm (M. Martani, Umbria). *Geol. Rom.* 4, 229–258.

- FURINACCI, A. & ELMI, S. (Eds.) 1981: Rosso Ammonitico Symposium Proceedings. Edizioni Tecnoscienza, Roma.
- FARINACCI, A., LORD, A., PALLINI, G. & SCHIAVINOTTO, F. 1978: The depositional environment of the Domerian-Toarcian sequence of Strettura (Umbria). *Geol. Rom.* 17, 303–323.
- FARINACCI, A., MARIOTTI, N., NICOSIA, U., PALLINI, G. & SCHIAVINOTTO, F. 1981: Jurassic sediments in the Umbro-Marchean Apennines: an alternative model. In: Rosso Ammonitico Symposium Proc. (Ed. by A. Farinacci & S. Elmi) Ediz. Tecnoscienza, Roma 335–398.
- FAZZINI, P. & MANTOVANI, M. P. 1965: La geologia del Gruppo di M. Subasio. *Boll. Soc. Geol. It.* 84, 71–142.
- GALLITELLI WENDT, M. F. 1969: Ammoniti e stratigrafia del Toarciano Umbro-Marchigiano (Appennino centrale). *Boll. Soc. Paleont. It.* 8 (1), 11–62.
- GAVSHIN, V. M. 1991: Sea water as a source of metals in black shales. Proc. of the SGA Meeting: source, transport and deposition of metals. Nancy 519–522.
- GIANNINI, E., LAZZAROTTO, A. & ZAMPI, P. 1970: Studio stratigrafico e micropaleontologico della Montagna dei Fiori (Ascoli Piceno-Teramo). *Mem. Soc. Geol. It.* 9 (1), 29–54.
- GORDON, W. A. 1970: Biogeography of Jurassic Foraminifera. *Geol. Soc. Am. Bull.* 81 (6), 1689–1703.
- GRADSTEIN, F. M. 1983: Paleocology and stratigraphy of Jurassic abyssal foraminifera in the Blake-Bahama Basin, Deep Sea Drilling Project Site 534. In: *Init. Repts. DSDP*, Washington, U.S. Govt. Printing Office (Ed. by R. E. Sheridan, F. M. Gradstein, et al.) 76, 537–559.
- GRADSTEIN, F. M. & BERGGREN, W. A. 1981: Flysch-type agglutinated foraminifera and the Maestrichtian to Paleogene history of the Labrador and North Seas. *Marine Micropaleont.* 6, 211–268.
- HALLAM, A. 1967: The depth significance of shales with bituminous laminae. *Marine Geology* 5, 481–494.
- 1988: A reevaluation of Jurassic eustasy in the light of new data and the revised Exxon curve. In: *Sea-level changes – An integrated Approach*, SEPM, Spec. Publ. N°42, 261–273.
- HARMS, J. C., SOUTHARD, J. B., SPEARING, D. R. & WALKER, R. G. 1975: Depositional environments as interpreted from primary sedimentary structures and stratification sequences. *Soc. Econ. Paleont. Mineral., Tulsa, Short Course N°2*.
- JENKYN, H. C. 1988: The early Toarcian (Jurassic) anoxic event: stratigraphic, sedimentary and geochemical evidence. *Amer. Journ. of Science* 288, 101–151.
- & CLAYTON, C. 1986: Black shale and carbon isotope in pelagic sediments from the Tethyan lower Jurassic. *Sedimentology* 33, 87–106.
- JOHNSON, B. 1976: Ecological ranges of selected Toarcian and Domerian (Jurassic) foraminiferal species from Wales. *1st Int. Symposium on Benthonic Foraminifera of Continental Margins. Maritime Sediments Special Publ. 1 B*, 545–556.
- KAIHO, K. 1989: Morphotype changes of deep-sea benthic foraminifera during Cenozoic Era and their paleoenvironmental implications. *Fossils & Strata* 47, 1–23.
- 1991: Global changes of Paleogene aerobic/anaerobic benthic foraminifers and deep-sea circulation. *Palaeogeogr., Palaeoclimatol., Palaeoecol.* 83, 65–85.
- KAUFFMAN, E. G. 1981: Ecological reappraisal of the German Posidonienschiefer (Toarcian) and the stagnant basin model. In: *Communities of the Past* (Ed. by J. Gray, A. J. Boucot and W. B. N. Berry), 311–381.
- KOEHN ZANINETTI, L. 1969: Les foraminifères du Trias de la région de l'Almtal (Haute – Autriche). *Jahrb. Geol. Bund.* 14, 1–155.
- KREISA, R. D. 1981: Storm-generated sedimentary structures in subtidal marine facies with examples from the middle and upper Ordovician in southwestern Virginia. *Journ. of Sediment. Petrol.* 51, 823–848.
- KREISA, R. D. & BAMBACH, R. K. 1982: The role of storm processes in generating shell beds in Paleozoic shelf environments. In: *Cyclic and Event stratification* (Ed. by G. Einsele & A. Seilacher), Springer-Verlag, Berlin, Heidelberg, 200–207.
- KUZNETSOVA, K. I. 1974: Distribution of benthonic foraminifera in Upper Jurassic and Lower Cretaceous deposits at Site 261, DSDP Leg 27, in the eastern Indian Ocean. In: *Init. Repts. DSDP*, Washington, U.S. Govt. Printing Office (Ed. by J. J. Veevers, J. R. Heirtzler, et al.) 27, 673–681.
- KUZNETSOVA, K. I. & SEIBOLD, I. 1978: Foraminifers from the Upper Jurassic and Lower Cretaceous of the eastern Atlantic (DSDP Leg 41, Sites 367 and 370). In: *Init Repts. DSDP*, Washington, U.S. Govt. Printing Office (Ed. by Y. Lancelot, E. Seibold et al.) 41, 515–537.
- LEISCHNER, W. 1961: Zur Kenntnis der Mikrofauna und -flora der Salzburger Kalkalpen. *N. Jb. Geol. Paläont. Abh.* 112, 1–47.
- LIPINA, O. A. 1961: Zavisimost foraminifer ot fathij v otlozhenijakh famenskogo jarusa verkhnego devona i turnejnskogo jarusa karbona zapadnogo sklona Urala. *Vopr. Micropal.* 5, 147–161.

- LOEBLICH, A. R., Jr. & TAPPAN, H. 1988: Foraminiferal Genera and their classification. Van Nostrand Reinhold Company Inc., New York, 869 Plates/separate volume.
- LØFOLDLI, M. & THUSU, B. 1979: Micropaleontological studies of the Upper Jurassic and Lower Cretaceous of Andoya, Northern Norway. *Palaeontology* 22, (2), 413–425.
- LOWE, D. R. 1982: Sediment gravity flows: II. Depositional models with special reference to the deposits of high-density turbidity currents. *Journ. Sedim. Petrol.* 52, 279–297.
- LUTERBACHER, H. 1972: Foraminifera from the Lower Cretaceous and Upper Jurassic of the northwestern Atlantic. In: *Init. Repts. DSDP*, Washington, U.S. Govt. Printing Office (Ed. by C. D. Hollister, J. I. Ewing, et al.) 11, 561–593.
- MARSAGLIA, K. M. & KLEIN, G. de V. 1983: The paleogeography of Paleozoic and Mesozoic storm depositional system. *Journ. of Geology* 91, 117–142.
- MOLINA, J. M., RUIZ-ORTIZ, P. A. & VERA, J. A. 1987: Capas de tormentas (tempestitas) en el Juràsico del Subbético Externo (Cordilleras Béticas). *Acta Geologica Hispanica* 21–22, 167–175.
- MONACO, P. 1992: Hummocky cross-stratified deposits and turbidites in some sequences of the Umbria-Marche area (central Italy) during the Toarcian. *Sediment. Geol.* 77, 123–142.
- 1993: Calcareni bioclastiche a stratificazione incrociata “hummocky” e altri depositi di tempesta in alcune sequenze Toarciane dell’Appennino Umbro-Marchigiano. *Paleopelagos* 2, 5–19.
 - in press a: Trace-fossil assemblages in some Toarcian regressive sequences of the Umbria-Marche area (central Italy). *Reunión Mon. de S. G. E., “Biosedimentation”*, Oviedo, 20–22 Feb. 1992.
 - in press b: Hummocky cross-stratification and trace-fossils in the middle Toarcian of some sequences of Umbria-Marche Apennines. 3ème Symp. Intern. de Stratigr. du Jurassique, Poitiers, 20–29 Sept. 1991, *Geobios*. 1992.
 - in press c: Trace-fossil communities and substrate characteristics of some Jurassic pelagic deposits in the Umbria-Marche basin, central Italy. E. P. A., Lyon, 7–9 July 1993, *Geobios*. 1993.
- MORRIS, P. H. 1982: Distribution and palaeoecology of Middle Jurassic Foraminifera from the Lower Inferior Oolite of the Cotswolds. *Palaeogeogr., Palaeoclim., Palaeoecol.* 37, 314–319.
- MURRAY, J. 1984: Benthic Foraminifera: some relationships between ecological observations and palaeological interpretations. *Benthos '83, Sec. Int. Symp. Benthic Foram.* (Pau, 1983), 465–469.
- MUTTI, E. 1992: Facies con hummocky cross-stratification prodotte da flussi gravitativi in sistemi confinati di fandelta di acque basse (shelf-type fan deltas). In: 76a Riun. est. Soc. Geol. It.: “l’Appennino settentrionale”, Firenze, 21–23 Sett. 1992 (abstract), 102–105.
- NAGY, J. & JOHANSEN, H. O. 1991: Delta-influenced foraminiferal assemblages from the Jurassic (Toarcian-Bajocian) of the northern North Sea. *Micropaleontology* 37 (1), 1–40.
- NAGY, J., PILSKOG, B. & WILHELMSSEN, R. M. 1990: Facies controlled distribution of Foraminifera in the Jurassic Northern Sea Basin. In: *Paleoecology, Biostratigraphy, Paleoceanography and Taxonomy of Agglutinated Foraminifera*, (Ed. by C. Hemleben, et al.), The Netherlands, 621–657.
- NICOLLIN, J. P. & RUGET, C. 1988: Microfaune du Toarcien inférieur (Zone à *Tenuicostatum* et *Serpentinum*). *Benthos '86. Rev. Paléob. Spec. Publ.* 2, 183–189.
- NOCCHI, M. 1992: Associazioni a microforaminiferi bentonici del Bacino Umbro-Marchigiano e loro variazioni durante il Lias. *Paleopelagos* 2, 37–53.
- NOCCHI, M. & BARTOLINI A., in press. Investigation of Late Domerian-Early Toarcian *Lagenina* and *Glomospirella* assemblages in the Umbria-Marche Basin (Central Italy). 3rd Intern. Symp; Jura. Strat., Poitiers, France. 1991.
- NOCCHI, M., COLACICCHI, R., MONACO, P., BALDANZA, A. & PARISI, G. 1991. Benthic life and sediments during the early Toarcian anoxic event in the southwestern Tethyan Umbria-Marche basin, central Italy. VI E. U. G., *Terra Cognita*, Vol. 3, N 1, 27/4 Strasbourg, March 1991, p. 291.
- ORTEGA-HUERTAS, M., MONACO, P. & PALOMO, I. 1993: First data on clay mineral assemblages and geochemical characteristics of Toarcian sedimentation in the Umbria-Marche basin (central Italy). *Clay Minerals* 28, 297–310.
- PASSERI, L. 1971: Stratigrafia e sedimentologia dei calcari Giurassici del m.te Cucco (Appennino Umbro). *Geologica Romana* 10, 93–130.
- PIALLI, G. 1969a: Un episodio marnoso del Lias superiore nel bacino Umbro-Marchigiano: le Marne del M. Serrone. *Boll. Soc. Natur. Napoli* 78, 3–23.
- 1969b: Geologia delle Formazioni Giuresi dei monti ad est di Foligno (Appennino Umbro). *Geologica Romana* 9, 1–30.

- PIPER, D. J. W. & STOW, D. A. V. 1991: Fine-grained turbidites. In: *Cycles and Events in Stratigraphy* (Ed. by G. Einsele, W. Ricken & A. Seilacher), Springer-Verlag, Berlin, Heidelberg, 360–376.
- PRAVE, A. R. & DUKE, W. L. 1990: Small-scale hummocky cross-stratification in turbidites: a form of antidune stratification? *Sedimentology* 37, 531–539.
- RADOICIC, R. 1966: Microfacies du Jurassique des Dinarides externes de la Yougoslavie. *Geologija* 9, 377.
- REALE, V. 1988: Biostratigrafia a nannofossili calcarei, biogeografia e paleogeografia del Giurassico inferiore e medio nelle successioni dell'Appennino Umbro-Marchigiano. Unpublished thesis, Dip. Sc. della Terra, Firenze.
- 1989: Jurassic calcareous nannofossils and benthic foraminifera of the Valdorbia section. In: *Mesozoic-Cenozoic stratigraphy in the Umbria-Marche area* (Ed. by S. Cresta, S. Monechi & G. Parisi), *Mem. Descr. Carta Geol. Ital.* 39, 80–88.
- REALE, V., BALDANZA, A., MONECHI, S. & MATTIOLI, E. 1991: Calcareous nannofossil biostratigraphic events from the Early-Middle Jurassic sequences of the Umbria-Marche area (central Italy). *Mem. Sc. Geol. Univ. Padova* 43, 41–75.
- RHOADS, D. C. & MORSE, J. W. 1971: Evolutionary and ecologic significance of oxygen-deficient marine basins. *Lethaia* 4, 413–428.
- RIEGRAF, W., LUTERBACHER, H. & LECKIE, R. M. 1984: Jurassic Foraminifers from the Mazagan Plateau, Deep Sea Drilling Project Site 547, Leg 79, off Morocco. In: *Init. Repts. DSDP*, Washington, U.S. Govt. Printing Office (Ed. by K. Hinz, E. L. Winterer, et al.) 79, 671–692.
- RONOV, A. B., BALASHOV, Y. A. & MIGDISOV, A. A. 1967: Geochemistry of the rare earths in the sedimentary cycle. *Geochem. Int.* 4, 1–17.
- RUGET, C. 1980: Evolution et biostratigraphie des Lagénideés (Foraminifères) dans le Lias de l'Europe occidentale. *Bull. Soc. géol. France* 22 (4), 623–626.
- SAVRDA, C. E. & BOTTJER, D. J. 1986: Trace-fossil model for reconstruction of paleo-oxygenation in bottom waters. *Geology* 14, 3–6.
- 1989: Trace-fossil model for reconstructing oxygenation histories of ancient marine bottom waters: application to upper cretaceous Niobrara Formation, Colorado. *Palaeogeogr., Palaeoclimatol., Palaeoecol.* 74, 49–74.
- SCARSELLA, F. 1951: Un aggruppamento di pieghe dell'Appennino Umbro-Marchigiano. *Boll. Serv. Geol. d'Ital.* 73, 307–320.
- SCHULTZ, L. G. 1964: Quantitative interpretation of mineralogical composition from x-ray and chemical data for the Pierre Shale. *U.S. Geol. Surv. Prof. Papers* 391-C, 1–31.
- SEILACHER, A. 1962: Paleontological studies on turbidite sedimentation and erosion. *Journ. Geol.* 70, 227–234.
- 1964: Sedimentological classification and nomenclature of trace fossils. *Sedimentology* 3, 253–256.
- SLITER, W. V. 1980: Mesozoic foraminifers and deep-sea benthic environments from Deep Sea Drilling Project Sites 415 and 416, eastern North Atlantic. In: *Init. Repts. DSDP*, Washington, U.S. Govt. Printing Office (Ed. by Y. Lancelot, E. L. Winterer, et al.) 50, 353–427.
- SPECHT, R. W. & BRENNER, R. L. 1979: Storm-wave genesis of bioclastic carbonates in upper Jurassic epicontinental mudstones, east-central Wyoming. *Journ of Sedim. Petrol.* 49, 1307–1322.
- STAM, B. 1986: Quantitative analysis of Middle and Late Jurassic Foraminifera from Portugal and its implications for the Grand Banks of Newfoundland. *Utrecht Microp. Bull.* 34, 1–168.
- VAN MORKHOVEN, F. P. C. M. & BERGGREN, W. A. 1986: Cenozoic cosmopolitan deep-water benthic Foraminifera. *Bull. Cent. Res. Explor. Prod. Elf-Aquitaine* 11, 1–421.
- VENTURI, F. 1981: Le "Rosso Ammonitico" du Toarcien inferieur dans quelques localités de l'Apennin de Marche-Ombrie. Consequences sur la stratigraphie et la taxonomie des Ammonitina. In: *Rosso Ammonitico Symposium Proc.* (Ed. by A. Farinacci & S. Elmi), Ediz. Tecnoscienza, Roma, 581–602.
- in press: Biostratigrafia del Toarciano inferiore dei M. Martani. *Boll. Soc. Pal. It.*
- WALKER, R. G. 1984: Shelf and shallow marine sands. In: *Facies Models 2nd Edition* (Ed. by R. G. Walker), *Geoscience Canada Reprint Series* 1, May 1984, 141–170.
- WALZBUCK, J. P. 1982: Bedding types of the Toarcian black shales in NW-Greece. In: *Cyclic and Event Stratification* (Ed. by E. Einsele & A. Seilacher), Springer-Verlag, Berlin, Heidelberg, 512–525.
- WERNLI, R. 1971: *Planii involuta carinata* Leischer, 1961 (Foraminifère) dans l'Aalénien Supérieur du Jura Méridional (France). *Arch. Sc. Genève* 24, 219–226.

Manuscript received April 8, 1993

Revision accepted October 7, 1993