

Zeitschrift: L'Enseignement Mathématique
Herausgeber: Commission Internationale de l'Enseignement Mathématique
Band: 37 (1991)
Heft: 1-2: L'ENSEIGNEMENT MATHÉMATIQUE

Artikel: PERIODIC KNOTS, SMITH THEORY, AND MURASUGI'S CONGRUENCE

Autor: Davis, James F. / Livingston, Charles

Bibliographie

DOI: <https://doi.org/10.5169/seals-58725>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Siehe Rechtliche Hinweise.

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. Voir Informations légales.

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. See Legal notice.

Download PDF: 14.03.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

$$(**) \quad \Delta_K(t) = \Delta_{\bar{K}}(t)^2(t^{(1-\lambda)/2} + \dots + 1 + \dots + t^{(\lambda-1)/2}) + 2f(t),$$

where $f(t) \in \mathbf{Z}[t, t^{-1}]$ satisfies $f(t) = f(t^{-1})$. Writing

$$f(t) = a_n t^{-n} + \dots + a_0 + \dots + a_n t^n,$$

we see $f(1) \equiv f(-1) \pmod{4}$. Since $\Sigma \rightarrow \Sigma/G$ is a 2-fold cover branched over K , $|\Delta_K(-1)| = |H_1(\Sigma)| = 1$. So $1 = \Delta_K(1) \equiv \Delta_K(-1) \pmod{4}$, and we see $\Delta_K(-1) = 1$. Take equation $(**)$ and plug in $t = 1$ and $t = -1$:

$$\begin{aligned} 1 &= 1 \cdot \lambda + 2 \cdot f(1) \\ 1 &= 1 \cdot (-1)^{(\lambda-1)/2} + 2 \cdot f(-1). \end{aligned}$$

Thus $\lambda \equiv (-1)^{(\lambda-1)/2} \pmod{8}$ so $\lambda \equiv \pm 1 \pmod{8}$.

Applying the high-dimensional version of Murasugi's congruence ones sees that if $G \times H \cong C_2 \times C_2$ acts on a homology q -sphere Σ so that Σ^G is a homology $q-2$ sphere and Σ^H is a circle disjoint from Σ^G , then their linking number λ is congruent to ± 1 modulo 8. This and considerations from L -theory lead us to conjecture that if $G \times H \cong C_2 \times C_2$ acts on a homology q -sphere Σ so that Σ^G is a homology k -sphere and Σ^H is a homology $q-k-1$ -sphere disjoint from Σ^G , then their linking number λ is congruent to ± 1 modulo 8.

Acknowledgements. This work was partially supported by an NSF Postdoctoral Fellowship and an NSF grant. We would like to thank Alejandro Adem for a careful reading of an earlier version of this manuscript.

REFERENCES

- [C] da CRUZ, R. N. *Periodic knots*. Thesis (New York University 1987).
- [D-D] DAVIS, J. F. and T. TOM DIECK. Some exotic dihedral actions on spheres. *Indiana Univ. Math. J.* 37 (1988), 431-450.
- [F] FLOYD, E. On periodic maps and the Euler characteristics of associated spaces. *Trans. Amer. Math. Soc.* 72 (1952), 138-147.
- [H] HILLMAN, J. A. New proofs of two theorems on periodic knots. *Arch. Math. (Basel)* 37 (1981), 457-461.

- [L] LEVINE, J. A method for generating link polynomials. *Amer. J. Math.* 89 (1967), 69-84.
- [Mac] MAC LANE, S. *Homology* (Springer-Verlag 1963).
- [Mi] MILNOR, J. Infinite cyclic covers. *Conf. on topology of manifolds*, ed. J. G. Hocking (Prindle, Weber, and Schmidt, 1968), 115-133.
- [Mu] MURASUGI, K. On periodic knots. *Comment. Math. Helv.* 46 (1971), 162-174.

(Reçu le 4 août 1989)

James F. Davis
Charles Livingston

Department of Mathematics
Indiana University
Bloomington, Indiana 47405

Vide-leer-empty