

Zeitschrift: L'Enseignement Mathématique
Herausgeber: Commission Internationale de l'Enseignement Mathématique
Band: 43 (1997)
Heft: 1-2: L'ENSEIGNEMENT MATHÉMATIQUE

Artikel: BOTT-CHERN FORMS AND ARITHMETIC INTERSECTIONS
Autor: Tamvakis, Harry
Kurzfassung
DOI: <https://doi.org/10.5169/seals-63270>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. [Siehe Rechtliche Hinweise.](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. [Voir Informations légales.](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. [See Legal notice.](#)

Download PDF: 01.04.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

BOTT-CHERN FORMS AND ARITHMETIC INTERSECTIONS

by Harry TAMVAKIS

ABSTRACT. Let $\bar{\mathcal{E}} : 0 \rightarrow \bar{S} \rightarrow \bar{E} \rightarrow \bar{Q} \rightarrow 0$ be a short exact sequence of hermitian vector bundles with metrics on S and Q induced from that on E . We compute the Bott-Chern form $\tilde{\phi}(\bar{\mathcal{E}})$ corresponding to any characteristic class ϕ , assuming \bar{E} is projectively flat. The result is used to obtain a new presentation of the Arakelov Chow ring of the arithmetic Grassmannian.

1. INTRODUCTION

Arakelov theory is an intersection theory for varieties over rings \mathcal{O}_F of algebraic integers, analogous to the usual one over fields. The fundamental idea is that in order to have a good theory of intersection numbers, one has to include information at the infinite primes.

The work of Arakelov in dimension two has been generalized by Gillet and Soulé to higher dimensional *arithmetic varieties* X , by which we mean regular, projective and flat schemes over $\text{Spec } \mathbf{Z}$. They define an *arithmetic Chow ring* $\widehat{CH}(X)_{\mathbf{Q}}$ whose elements are represented by cycles on X together with Green currents on $X(\mathbf{C})$. The theory is a blend of arithmetic, algebraic geometry and complex hermitian geometry. For example, the Faltings height of an arithmetic variety X is realized as an “arithmetic degree” with respect to a hermitian line bundle over X .

A *hermitian vector bundle* $\bar{E} = (E, h)$ over X is an algebraic vector bundle E on X together with a hermitian metric h on the corresponding holomorphic vector bundle $E(\mathbf{C})$ on the complex manifold $X(\mathbf{C})$. To such an object one associates arithmetic Chern classes $\widehat{c}(\bar{E})$ with values in $\widehat{CH}(X)$. These satisfy most of the usual properties of Chern classes, with one exception: given a short exact sequence of hermitian vector bundles