

# Bibliographie

Objektyp: **ReferenceList**

Zeitschrift: **Acta Tropica**

Band (Jahr): **21 (1964)**

Heft 3

PDF erstellt am: **09.08.2024**

## **Nutzungsbedingungen**

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

## **Haftungsausschluss**

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

# Bibliographie.

## 5 Naturwissenschaften — Sciences naturelles — Natural Sciences

- 576.8 Mikrobiologie, Bakteriologie, Parasitologie  
576.85 Systematische Bakteriologie  
576.89 Tiere als Parasiten. Krankheitsüberträger  
576.893.1 Protozoa  
576.895 Articulata
- 

## 5 Naturwissenschaften — Sciences naturelles — Natural Sciences

576.8 Mikrobiologie. Bakteriologie. Parasitologie — Microbiologie. Bactériologie. Parasitologie — Microbiology. Bacteriology. Parasitology

- ADVANCES IN PARASITOLOGY. (1963). Ed. by Ben Dawes. Vol. 1. 347 pp. ill. — New York: Academic Press  
MANSON-BAHR, P. E. C. (1963). Parasites and parasitology. — J. Parasit. 49, 529  
SPRENT, J. F. A. (1963). Parasitism. 145 pp. — London: Bailliere, Tindall & Cox Ltd.  
TAYLOR, A. E. R. (Ed.) (1964). Host-parasite relationships in the invertebrate hosts. 2nd symposium of the British Society for Parasitology. 144 pp. — Oxford: Blackwell Scientific Publ.  
TAYLOR, A. E. R. (Ed.) 1963). Techniques in parasitology. 1st symposium of the British Society for Parasitology. 116 pp. ill. — Oxford: Blackwell Scientific Publ.

### 576.851 Eubacteriales

- BIOZZO, G. et al. (1963). Etude quantitative de l'effet opsonisant des immun-sérums sur la phagocytose des *Salmonella* par les cellules du système réticulo-endothélial *in vivo*. — Ann. Inst. Pasteur, 105, 635-666  
LE MINOR, L. & COYNAULT, C. (1963). Conversions antigéniques chez les *Salmonella*. 4. Acquisition du facteur O 1 par des *Salmonella* des groupes R. et T. sous l'effet de la lysogénéisation. — Ann. Inst. Pasteur, 105, 879-896  
PARNAS, J. & BURDZY, K. (1964). La sensibilité de *Brucella melitensis* et de *Brucella suis* au brucellophage Tb. — Ann. Inst. Pasteur, 106, 132-138  
RENOUX, G. (1964). Recherche des microorganismes dans les tissus animaux après broyage en masse des échantillons. Application aux *Brucella*. — Ann. Inst. Pasteur, 106, 126-131  
RYTER, A. & PIÉCHAUD, M. (1963). Etude au microscope électronique de quelques souches de *Moraxella*. — Ann. Inst. Pasteur, 105, 1071-1079  
STOENNER, H. (1963). The behavior of *Brucella neotomae* and *Brucella suis* in reciprocal superinfection experiments in mice and guinea pigs. — Amer. J. vet. Res. 24, 376-380  
VASALLO, M. F. (1964). El *Escherichia coli* en el intestino de los roedores y su interes epidemiológico. — Med. trop. (Madrid), 40, 12-32

576.851.7 Rickettsia. Bartonella

- BURGDORFER, W. (1963). Investigation of transovarial transmission of *Rickettsia rickettsii* in the wood tick. — Exp. Parasit. 14, 152-159
- CAPPONI, M. & KAIDAR, I. (1963). Culture de *Rickettsia burneti* sur cellules KB et conservation du pouvoir pathogène. — Bull. Soc. Path. exot. 56, 8-13
- DEDUIT, Y. (1963). Rickettsiose expérimentale humaine à *Rickettsia quintana* avec manifestations oculaires. — Bull. Soc. Path. exot. 56, 13-17
- FOLIGUET, J. M. (1963). Méthodes et techniques. — Bull. Soc. Path. exot. 56, 660-672
- HOYER, B. H. et al. (1963). Differentiation of phase I and phase II *Coxiella burnetii* by equilibrium density gradient sedimentation. — Nature 197, 573-574
- MELNOTTE, P. (1963). Le laboratoire des rickettsioses (considérations générales). — Bull. Soc. Path. exot. 56, 655-660
- PHILIP, C. B. (1963). Recent advances in knowledge of tick-associated rickettsia-like organisms. — J. Egypt. Publ. Hlth Ass. 38, 61-100
- PINTO, M. R. (1963). Le diagnostic de laboratoire de la fièvre Q et le problème de la variation antigénique de *C. burneti*. — Bull. Soc. Path. exot. 56, 643-655

576.856 Spirochaetales

- AREÁN, V. M. & HENRY, J. B. (1964). Studies on the pathogenesis of leptospirosis. 4. The behavior of transaminase and oxidative enzymes in experimental leptospirosis: a histochemical and biochemical assay. — Amer. J. trop. Med. Hyg. 13, 430-442
- GEIGY, R. & AESCHLIMANN, A. (1964). Langfristige Beobachtungen über transovarische Übertragung von *Borrelia duttoni* durch *Ornithodoros moubata*. — Acta trop. 21, 87-91
- HABERKORN, A. (1963). Untersuchungen über das Verhalten von Rückfallfieber-spirochaeten, insbesondere der *Borrelia crocidurae*-Gruppe in der Kleiderlaus. — Z. Tropenmed. Parasit. 14, 95-114; 209-239
- KIRSCHNER, L. (1963). Satellitism on solid media of virulent *Leptospira icterohaemorrhagiae*. — Trop. geogr. Med. 15, 65-69
- MOOSER, H. (1963). Die Konservierung eines ägyptischen Stammes von *Borrelia crocidurae* in *Ornithodoros moubata*. — Acta trop. 20, 369-372

576.858 Virus

- AITKEN, T. H. G. et al. (1964). St. Louis encephalitis virus isolations in Trinidad, West Indies, 1953-1962. — Amer. J. trop. Med. Hyg. 13, 450-451
- BELLE, E. A., GRANT, L. S. & PAGE, W. A. (1964). The isolation of St. Louis encephalitis virus from *Culex nigripalpus* mosquitoes in Jamaica. — Amer. J. trop. Med. Hyg. 13, 452-454
- BUCKLEY, S. & SRIHONGSE, S. (1963). Production of hemagglutinin by Dengue virus in HeLa cells. — Proc. Soc. exp. Biol. Med. 113, 284-288
- CAREY, D. E., MYERS, R. M. & REUBEN, R. (1964). Dengue types 1 and 4 viruses in wild-caught mosquitoes in South India. — Science, 143, 131-132
- CASALS, J. (1963). Relationship among arthropod-borne animal viruses determined by cross challenge tests. — Amer. J. trop. Med. Hyg. 12, 587-596
- CASALS, J. (1964). Antigenic variants of Eastern equine encephalitis virus. — J. exp. Med. 119, 547-565
- CAUSEY, O. R. et al. (1963). Aura and Una, two new group A arthropod-borne viruses. — Amer. J. trop. Med. Hyg. 12, 777-781
- COLLINS, W. E. (1963). Transmission of St. Louis encephalitis virus by larval-

- infected *Culex quinquefasciatus* mosquitoes. — Ann. ent. Soc. (America), 56, 237-239
- DOMINGUEZ, C. A. & BARUCH, E. (1963). Histopathology of the central nervous system in Swiss mice intracerebrally inoculated with 17-D strain of yellow fever virus. — Amer. J. trop. Med. Hyg. 12, 815-819
- DOWNES, W. G. et al. (1963). Tacaribe virus, a new agent isolated from *Artibeus* bats and mosquitoes in Trinidad, West Indies. — Amer. J. trop. Med. Hyg. 12, 640-646
- JOHNSON, H. N. (1963). Selection of a variant of Western encephalitis virus of low pathogenicity for study as a live virus vaccine. — Amer. J. trop. Med. Hyg. 12, 604-610
- MCINTOSH, B. M. et al. (1964). Further studies on the Chikungunya outbreak in Southern Rhodesia in 1962. 1. Mosquitoes, wild primates, and birds in relation to the epidemic. — Ann. trop. Med. Parasit. 58, 45-51
- PATERSON, H. E. & MCINTOSH, B. M. (1964). Further studies on the Chikungunya outbreak in Southern Rhodesia in 1962. 2. Transmission experiments with the *Aedes furcifer taylori*-group of mosquitoes and with a member of the *Anopheles gambiae* complex. — Ann. trop. Med. Parasit. 58, 52-55
- PELEG, J. F. & TRAGER, W. (1963). Cultivation of insect tissues *in vitro* and their application to the study of arthropod-borne viruses. — Amer. J. trop. Med. Hyg. 12, 820-824
- POND, W. L. (1963). Arthropod-borne virus antibodies in sera from residents of South-East Asia. — Trans. roy. Soc. trop. Med. Hyg. 57, 364-371
- SPENCE, L. et al. (1964). Trinita virus, a new agent isolated from Trinidadian mosquitoes. — Amer. J. trop. Med. Hyg. 13, 114-117
- SUDIA, W. D. & CHAMBERLAIN, R. W. (1964). Experimental infection of *Culex nigripalpus* Theobald with the virus of St. Louis encephalitis. — Amer. J. trop. Med. Hyg. 13, 469-471
- THOMAS, L. A. (1963). Distribution of the virus of Western equine encephalomyelitis in the mosquito vector *Culex tarsalis*. — Amer. J. Hyg. 78, 150-165

#### 576.893.1 Protozoa

- CORLISS, J. O. (1963). Application of modern techniques to problems in the systematics of the protozoa. — Proc. 16th internat. Congress Zoology, Washington, Aug. 20-27 1963, vol. 4, 97-102
- CORLISS, J. O. (1963). Importance des nouvelles règles internationales de nomenclature zoologique en protozoologie. — Bull. biol. France Belgique 97, 335-342
- DUNN, F. L. (1964). Blood parasites of South-East Asian primitive primates. — J. Parasit. 50, 214-216
- STAUBER, L. A. (1963). Some aspects of immunity to intercellular protozoan parasites. — J. Parasit. 49, 3-11
- VICKERMAN, K. (1963). The role of mitochondria in some protozoan life cycles. — Proc. Linn. Soc. London 174, 46-49

#### 576.893.12 Amoebozoa

- ATCHLEY, F. O., AUERNHEIMER, A. H. & WASLEY, M. A. (1963). Precipitate patterns in agar gel with sera from human amebiasis and *Entamoeba histolytica* antigen. — J. Parasit. 49, 313-315
- KATES, J. R. & GOLDSTEIN, L. (1964). A comparison of the protein composition of three species of amoebae. — J. Protozool. 11, 30-35
- NARASIMHAMURTI, C. C. (1964). Nuclear division in *Entamoeba invadens* Rodhain, 1934. — Parasitology, 54, 95-103

- PHILLIPS, B. P. (1964). Studies on the ameba-bacteria relationship in amebiasis. 3. Induced amebic lesions in the germfree guinea pig. — Amer. J. trop. Med. Hyg. 13, 391-395
- SHAFFER, J. C. & IRALU, V. (1963). The selective ability of strains of *Entamoeba histolytica* to hemolyse red blood cells. — Amer. J. trop. Med. Hyg. 12, 315-317
- SIDDIQUI, W. A. (1963). Comparative studies of effect to temperature on three species of *Entamoeba*. — J. Protozool. 10, 480-485

#### 576.893.16 Flagellata

- BROWN, K. N. & WILLIAMSON, J. (1964). The chemical composition of trypanosomes. 4. Location of antigens in subcellular fractions of *Trypanosoma rhodesiense*. — Exp. Parasit. 15, 69-86
- COX, H. W. (1964). Immune response of rats and mice to trypanosome infections. — J. Parasit. 50, 15-22
- CUNNINGHAM, M. P., LUMSDEN, W. H. R. & WEBBER, W. A. F. (1963). Preservation of viable trypanosomes in lymph tubes of low temperature. — Exp. Parasit. 14, 280-284
- DESCHIENS, R. & MOLINARI, V. (1963). Le comportement des trypanosomes aux basses températures. — Ann. Soc. belge Méd. trop. 43, 811-820
- FEDERICI, E. E., ABELMANN, W. H. & NEVA, F. A. (1964). Chronic and progressive myocarditis and myositis in C<sub>3</sub>H mice infected with *Trypanosoma cruzi*. — Amer. J. trop. Med. Hyg. 13, 272-280
- FELDMANN, E. (1963). Die Vermehrungsweise von *Trypanosoma brucei* im Versuchstier (Maus und Ratte). — Z. Tropenmed. Parasit. 14, 317-357
- FONER, A. (1963). Preservation of *Leishmania* sp. at low temperature. — Israel J. exp. Med. 11, 69
- FOSTER, R. (1963). Infection of *Glossina* ssp. Wiedemann 1830 (Diptera) and domestic stock with *Trypanosoma* ssp. Gruby 1843 (Protozoa) in Liberia. — Ann. trop. Med. Parasit. 57, 383-393
- GEIGY, R. & KAUFFMANN, M. (1964). On the effect of substances found in *Glossina* tissues on culture trypanosomes of the *brucei*-subgroup. — Acta trop. 21, 169-173
- HAWKING, F. (1963). Action of drugs upon *Trypanosoma congolense*, *T. vivax* and *T. rhodesiense* in the tsetse flies and in culture. — Ann. trop. Med. Parasit. 57, 255-261
- HAWKING, F. (1963). Drug-resistance of *Trypanosoma congolense* and other trypanosomes to quinapyramine, phenanthridines, Berenil and other compounds in mice. — Ann. trop. Med. Parasit. 57, 262-282
- JAFFÉ, J. J. (1963). *In vivo* activity of L-azaserine against *Trypanosoma equiperdum*. — J. Protozool. 10, 431-435
- JOHNSON, P., NEAL, R. A. & GALL, D. (1963). Protective effect of killed trypanosome vaccines with incorporated adjuvants. — Nature, 200, 83
- LAINSON, R. & STRANGWAYS-DIXON, J. (1964). The epidemiology of dermal Leishmaniasis in British Honduras. 2. Reservoir hosts of *Leishmania mexicana* among forest rodents. — Trans. roy. Soc. trop. Med. Hyg. 58, 136-153
- LAPIERRE, J. & COSTE, M. (1963). Trypanosomose expérimentale à *Trypanosoma gambiense* (FEO). Manifestations neurotropes chez le cobaye. — Ann. Soc. belge Méd. trop. 43, 801-808
- LEHMANN, D. L. (1964). An autoclaved medium for the growth and possible differentiation of African trypanosomes. — Ann. trop. Med. Parasit. 58, 6-8
- LEHMANN, D. L. (1964). Some physico-chemical means and a cultural method

- of differentiating *Trypanosoma rhodesiense*, *T. brucei* and *T. congolense*. — Ann. trop. Med. Parasit. 58, 9-12
- LINCICOME, D. F., ROSSAN, R. N. & JONES, W. C. (1963). Growth of rats infected with *Trypanosoma lewisi*. — Exp. Parasit. 14, 54-65
- LUMSDEN, W. H. R. et al. (1963). A method for the measurement of the infectivity of trypanosome suspensions. — Exp. Parasit. 14, 269-279
- LUMSDEN, W. H. R. (1964). Changing patterns of Trypanosomiasis research in East Africa. — Trans. roy. Soc. trop. Med. Hyg. 58, 97-135
- MATTERN, P., FROMENTIN, H. & PILO-MORON, E. (1963). Comportement de la  $\beta_2$ -macroglobuline sérique chez le singe expérimentalement infecté par un trypanosome sp. souche Féo. — Bull. Soc. Path. exot. 56, 301-305
- MÜHLPFORDT, H. (1963). Über die Bedeutung und Feinstruktur des Blepharoplasten bei parasitischen Flagellaten. — Z. Tropenmed. Parasit. 14, 357-399; 475-501
- NEAL, R. A. & MILES, R. A. (1963). Heated blood agar medium for the growth of *Trypanosoma cruzi* and some species of *Leishmania*. — Nature, 198, 210-211
- NUSSENZWEIG, V., DEANE, L. M. & KLOETZEL, J. (1963). Differences in antigenic constitution of strains of *Trypanosoma cruzi*. — Exp. Parasit. 14, 221-232
- NUSSENZWEIG, V., KLOETZEL, J. & DEANE, L. M. (1963). Acquired immunity in mice infected with strains of immunological types A and B of *Trypanosoma cruzi*. — Exp. Parasit. 14, 233-239
- ORMEROD, W. E. (1963). A comparative study of growth and morphology of strains of *Trypanosoma rhodesiense*. — Exp. Parasit. 13, 374-385
- ORMEROD, W. E., HEALEY, P. & ARMITAGE, P. (1963). A method of counting trypanosomes allowing simultaneous study of their morphology. — Exp. Parasit. 13, 386-394
- PETANA, W. B. (1963). Method for counting trypanosomes using Gram's iodine as diluent. — Trans. roy. Soc. trop. Med. Hyg. 57, 382-383
- PETANA, W. B. (1964). The action of oxytetracycline upon African trypanosomes *in vitro*. — Ann. trop. Med. Parasit. 58, 13-16
- SANABRIA, A. (1963). Ultrastructure of *Trypanosoma cruzi* in mouse myocardium. 1. Trypanosome form. — Exp. Parasit. 14, 81-91
- SANABRIA, A. (1964). Ultrastructure of *Trypanosoma cruzi* in mouse myocardium. 2. Crithidial and leishmanial forms. — Exp. Parasit. 15, 125-137
- SATI, M. H. (1963). A new experimental host of *Leishmania donovani*. — Exp. Parasit. 14, 52-53
- SEED, J. R. (1963). The characterization of antigens isolated from *Trypanosoma rhodesiense*. — J. Protozool. 10, 380-389
- STEPHEN, L. E. (1963). On the validity of *Trypanosoma montgomeryi* Laveran, 1909. — Ann. trop. Med. Parasit. 57, 397-403
- STEPHEN, L. E. (1963). A morphological and biometrical study of the blood forms of *Trypanosoma suis* Ochmann, 1905. — Parasitology, 53, 217-223
- TRAGER, W. & RUDZINSKA, M. A. (1964). The riboflavin requirement and the effect of acriflavin on the fine structure of the kinetoplast of *Leishmania tarentolae*. — J. Protozool. 11, 133-145
- VAN DEN BERGHE, L., CHARDOME, M. & PEEL, E. (1963). An African bat trypanosome in *Stricticimex brevispinosus* Usinger, 1959. — J. Protozool. 10, 135-138
- VAN DEN BERGHE, L., CHARDOME, M. & PEEL, E. (1963). Sur l'extrême variation de virulence des souches de trypanosomes du groupe *brucei* isolées de *Glossina morsitans* au Mutara (Rwanda). — Ann. Soc. belge Méd. trop. 43, 169-178
- VAN DEN BERGHE, L., CHARDOME, M. & PEEL, E. (1963). Démonstration par

- transmission cyclique du rôle possible de quatre petits mammifères africains comme réservoirs de trypanosomes du groupe *brucei*. — Ann. Soc. belge Méd. trop. 43, 157-162
- VAN DEN BERGHE, L., CHARDOME, M. & PEEL, E. (1963). Trypanosomes of the African lemurs, *Perodicticus potto ibeanus* and *Galago demidovi thomasi*. — J. Protozool. 10, 133-135
- VAN DEN BERGHE, L., PEEL, E. & CHARDOME, M. (1963). Les trypanosomes transmis par *Glossina vanhoofi*. — Ann. Soc. belge Méd. trop. 43, 151-156
- VOLLER, A., SHAW, J. J. & BRYANT, C. (1963). — The effects of two antimony drugs on the *in vitro* metabolism of radioactive glucose by culture forms of *Leishmania tropica* (Wright, 1903). — Ann. trop. Med. Parasit. 57, 404-414
- WARREN, L. G. & GUEVARA, A. (1964). Metabolism of *Schizotrypanum cruzi* Chagas. 4. Evidence in favor of the presence of a hexokinase. — J. Protozool. 11, 107-108
- WILLIAMS, J. S. et al. (1963). Fluorescent antibody reactions in *Trypanosoma rhodesiense* and *T. gambiense* in experimental animals. — J. Parasit. 49, 380-384
- WILLIAMSON, J. (1963). The chemical composition of trypanosomes. 2. Cytoplasmic constituents and drug resistance. — Exp. Parasit. 13, 348-366
- WILLIAMSON, J. & BROWN, K. N. (1964). The chemical composition of trypanosomes. 3. Antigenic constituents of *Brucei* trypanosomes. — Exp. Parasit. 15, 44-68
- WERTLIEB, D. M. & GUTTMANN, H. N. (1963). Catalase in insect trypanosomatids. — J. Protozool. 10, 108-111
- YAEGER, R. G. & MILLER, N. O. (1963). Effect of malnutrition on susceptibility of rats to *Trypanosoma cruzi*. 5. Vitamin A deficiency. — Exp. Parasit. 14, 9-14

#### 576.893.19 Sporozoa

- ADLER, S. & FONER, A. (1963). Further observations on *Plasmodium vinckei* in hamsters and mice. The problem of virulence. — Israel J. exp. Med. 11, 24-28
- ANWAR, M. (1963). Mechanical transmission of malaria. — Exp. Parasit. 14, 49-51
- BALL, G. H. (1964). *In vitro* culture of the mosquito phase of avian malaria. — J. Parasit. 50, 3-10
- BECKMAN, H. (1963). The nature of *Plasmodium gallinaceum* host specificity. 1. Apparent site of sporozoite arrest in the non-susceptible species. — Amer. J. trop. Med. Hyg. 12, 519-523
- BERTRAM, D. S., SRIVASTAVA, S. C. & MSANGI, A. S. (1964). Transmission of *Plasmodium gallinaceum* Brumpt to chicks by *Aedes aegypti* (L.) sterilised by an alkylating agent, thiotepa. — J. trop. Med. Hyg. 67, 51-57
- BILBEY, D. L. J., COX, F. E. G. & NICOL, T. (1963). Elimination of *Plasmodium berghei* by way of the respiratory tract in mice. — Trans. roy. Soc. trop. Med. Hyg. 57, 271-274
- BRAY, R. S. (1963). The malaria parasites of anthropoid apes. — J. Parasit. 49, 888-891
- CONTACOS, P. C. & COATNEY, R. C. (1963). Experimental adaptation of simian malaria to abnormal hosts. — J. Parasit. 49, 912-918
- CORRADETTI, A., GARNHAM, P. C. C. & LAIRD, M. (1963). New classification of the avian malaria parasites. — Parasitologia, 5, 1-4
- COX, H. W. (1964). Measurements of the acquired resistance of rats and mice to *Plasmodium berghei* infections. — J. Parasit. 50, 23-29

- CULTIVATION of Plasmodia and Immunology of Malaria. (1964). A series of nine papers and formal discussions. Proceedings of an International Panel Workshop, Walter Reed Army Institute of Research. — Amer. J. trop. Med. Hyg. 13, 145-241
- DUNN, F. L. & LAMBRECHT, F. L. (1963). The hosts of *Plasmodium brasilianum* Gonder and von Berenberg-Gossler, 1908. — J. Parasit. 49, 316-319
- EYLES, DON E. (1963). The species of simian malaria: taxonomy, morphology, life cycle and geographical distribution of the monkey species. — J. Parasit. 49, 866-887
- GARNHAM, P. C. C. (1963). Distribution of simian malaria parasites in various hosts. — J. Parasit. 49, 905-911
- GARNHAM, P. C. C. (1963). A new sub-species of *Plasmodium knowlesi* in the long-tailed macaque. — J. trop. Med. Hyg. 66, 156-158
- GARNHAM, P. C. C., BAKER, J. R. & NESBITT, P. E. (1963). Transmission of *Plasmodium brasilianum* by sporozoites, and the discovery of an exoerythrocytic schizont in the monkey liver. — Parasitologia 5, 5-9
- JACOBS, R. L., ALLING, D. W. & CANTRELL, W. F. (1963). An evaluation of antimalarial combinations against *Plasmodium berghei* in mouse. — J. Parasit. 49, 920-925
- KREIER, J. P. & RISTIC, M. (1964). Detection of *Plasmodium berghei*-antibody complex formed *in vivo*. — Amer. J. trop. Med. Hyg. 13, 6-10
- KRETSCHMAR, W. (1963). Weitere Untersuchungen über die Immunität bei der Nagetiermalaria. — Z. Tropenmed. Parasit. 14, 41-48
- KRETSCHMAR, W. & JERUSALEM, CHR. (1963). Milz und Malaria. Der Infektionsverlauf (*Plasmodium berghei*) in splenektomierten NMRI-Mäusen und seine Deutung anhand der histopathologischen Veränderungen der Milz nicht-splenektomierter Mäuse. — Z. Tropenmed. Parasit. 14, 279-309
- MICHIELS, G. (1963). Observation sur la gamétogénèse du *Plasmodium berghei*. — Ann. Soc. belge Méd. trop. 43, 67-82
- MICHIELS, G. (1963). Observations sur la transmission cyclique du *Plasmodium berghei*. — Ann. Soc. belge Méd. trop. 43, 83-90
- PETERS, W. (1963). Penetration of a mouse erythrocyte by a merozoite of *Plasmodium berghei* as revealed by electron microscopy. — Trans. roy. Soc. trop. Med. Hyg. 57, 269-270
- ROSSAN, R. N. et al. (1964). The localization of infective pre-erythrocytic forms of *Plasmodium cynomolgi*. — Trans. roy. Soc. trop. Med. Hyg. 58, 159-163
- SHORTT, H. E., BAKER, J. R. & NESBITT, P. E. (1963). The pre-erythrocytic stage of *Plasmodium osmaniae*. — J. trop. Med. Hyg. 66, 127-129
- TRAGER, W. (1964). Cultivation and physiology of erythrocytic stages of *Plasmodia*. — Amer. J. trop. Med. Hyg. 13, 162-166
- WESTPHAL, A. (1963). Die Pigmentbildung von *Plasmodium berghei*. — Z. Tropenmed. Parasit. 14, 49-57
- WESTPHAL, A. (1963). Untersuchungen zur Parasitenanreicherung bei Malaria-infektionen (*Plasmodium berghei*) durch Zentrifugieren in Kapillarschläuchen. — Z. Tropenmed. Parasit. 14, 310-317
- ZUCKERMAN, A. (1964). The antigenic analysis of *Plasmodia*. — Amer. J. trop. Med. Hyg. 13, 209-213

576.895 Articulata

576.895.1 Vermes

576.895.121 Cestoda

- BOGITSH, B. J. (1963). Histochemical studies on *Hymenolepis microstoma* (Cestoda: Hymenolepidae). — J. Parasit. 49, 989-997

- HOSSAIN, M. M. & JONES, A. W. (1963). The chromosomes of *Hymenolepis microstoma* (Dujardin, 1845). — *J. Parasit.* 49, 305-307
- PHIFER, K. O. (1963). Some biochemical effects of three anthelmintics on *Hymenolepis diminuta*. — *Bull. S. Carolina Acad. Sci.* 26, 35-40
- RAUSCH, R. L. & NELSON, G. S. (1963). A review of the genus *Echinococcus* Rudolphi, 1801. — *Ann. trop. Med. Parasit.* 57, 127-135
- SWEATMAN, G. K., ROBINSON, R. G. & MANKTELOW, B. W. (1963). Comparative observations on the scolex and germinal membrane of *Echinococcus granulosis* as a source of secondary hydatid cysts. — *Amer. J. trop. Med. Hyg.* 12, 199-213
- VOGE, M. (1963). Observations on the structure of cysticerci of *Taenia solium* and *Taenia saginata* (Cestoda: Taeniidae). — *J. Parasit.* 49, 85-90
- VOGE, M. (1964). Development of *Hymenolepis microstoma* (Cestoda: Cyclophyllidae) in the intermediate host *Tribolium confusum*. — *J. Parasit.* 50, 77-80
- VOGE, M. & GRAIWER, M. (1964). Development of oncospheres of *Hymenolepis diminuta* hatched *in vivo* and *in vitro*, in the larvae of *Tenebrio molitor*. — *J. Parasit.* 50, 267-270

#### 576.895.122 Trematoda

- BÉNEX, J. & DESCHIENS, R. (1963). Incidence des facteurs externes sur la longévité et la vitalité des miracidiums de *Schistosoma mansoni*. — *Bull. Soc. Path. exot.* 56, 987-992
- BROWNE, H. C. & THOMAS, J. I. (1963). A method for isolating pure, viable Schistosoma eggs from host tissues. — *J. Parasit.* 49, 371-374
- BRUCE, J. I. & SADUN, E. H. (1963). The suppressive activity of sodium antimony dimercaptosuccinate (TWSb) in experimental infections with *Schistosoma mansoni*. — *Amer. J. trop. Med. Hyg.* 12, 184-187
- CARNERI, I. DE. (1963). Coppie omosessuali di maschi di *Schistosoma mansoni* nel topo. — *Riv. Parassit.* 24, 179-183
- DAVIS, J. R., LI HSÜ, S. Y. & HSÜ, H. F. (1963). Comparative histopathological study on *Schistosoma japonicum* infection in immunized and non-immunized Rhesus monkeys. — *Z. Tropenmed. Parasit.* 14, 21-36
- HEARNSHAW, G. R. et al. (1963). The effect of schistosomiasis upon activity and growth in mice. — *Ann. trop. Med. Parasit.* 57, 481-498
- HSÜ, H. F. et al. (1963). Histopathology in albino mice and Rhesus monkeys infected with irradiated cercariae of *Schistosoma japonicum*. — *Z. Tropenmed. Parasit.* 14, 240-261
- HSÜ, H. F., LI HSÜ, S. Y. & OSBORNE, J. W. (1963). Further studies on Rhesus monkeys immunized against *Schistosoma japonicum* by administration of X-irradiated cercariae. — *Z. Tropenmed. Parasit.* 14, 402-412
- JACHOWSKI, L. A., ANDERSON, R. I. & SADUN, E. H. (1963). Serological reactions to *Schistosoma mansoni*. 1. Quantitative studies on experimentally infected monkeys (*Macaca mulatta*). — *Amer. J. Hyg.* 77, 137-145
- LAGRANGE, E. & BEAUPRÉ, J. DE. (1964). Sur quelques anomalies de développement de *Schistosoma mansoni*. — *Riv. Parassit.* 25, 13-20
- LICHTENBERG, F. v. & SADUN, E. H. (1963). Parasite migration and host reaction in mice exposed to irradiated cercariae of *Schistosoma mansoni*. — *Exp. Parasit.* 13, 256-265
- LI HSÜ, S. Y. & HSÜ, H. F. (1963). Further studies on Rhesus monkeys immunized against *Schistosoma japonicum* by administration of cercariae of the Formosan strain. — *Z. Tropenmed. Parasit.* 14, 506-512
- LI HSÜ, S. Y. & HSÜ, H. F. (1964). Serum protein changes in Rhesus monkeys

- during immunization and following challenge by *Schistosoma japonicum*. — Z. Tropenmed. Parasit. 15, 43-56
- MEISENHELDER, J. E. & THOMPSON, P. E. (1963). Comparative observations on experimental *Schistosoma mansoni* infections in African green and Rhesus monkeys. — J. Parasit. 49, 567-570
- MENEZES, H. (1963). Experimental intrahepatic portal embolism induced by adult *Schistosoma mansoni*. — Amer. J. trop. Med. Hyg. 12, 741-744
- MICHELSON, E. H. (1964). Miracidia-immobilizing substances in extracts prepared from snails infected with *Schistosoma mansoni*. — Amer. J. trop. Med. Hyg. 13, 36-42
- MOORE, D. V., CRANDALL, R. B. & HUNTER III, G. W. (1963). Studies on Schistosomiasis. 20. Further studies on the immunogenic significance of *Schistosoma mansoni* eggs in albino mice when subjected to homologous challenge. — J. Parasit. 49, 117-120
- NEWSOME, J. (1963). Observations on corticosteroid treatment of Schistosomiasis in hamsters and baboons. — Trans. roy. Soc. trop. Med. Hyg. 57, 425-432
- NIMMO-SMITH, R. H. & STANDEN, O. D. (1963). Phosphomonoesterases of *Schistosoma mansoni*. — Exp. Parasit. 13, 305-322
- PELLEGRINO, J., OLIVEIRA, C. A. & PARIÁ, J. (1963). The oogram in the study of the relapse in experimental chemotherapy of *Schistosomiasis mansoni*. J. Parasit. 365-370
- RITCHIE, L. S., GARSON, S. & KNIGHT, W. B. (1963). The biology of *Schistosoma mansoni* in laboratory rats. — J. Parasit. 49, 571-578
- RITCHIE, L. S. et al. (1963). Effect of the duration of *Schistosoma mansoni* infections on the degree of protection against subsequent exposures. — Trans. roy. Soc. trop. Med. Hyg. 57, 375-378
- SADUN, E. H. & BRUCE, J. I. (1964). Resistance induced in rats by previous exposure to and by vaccination with fresh homogenates of *Schistosoma mansoni*. — Exp. Parasit. 15, 32-43
- STIREWALT, M. A. (1963). Cercaria vs. Schistosomule (*Schistosoma mansoni*): Absence of the pericercarial envelope *in vivo* and the early physiological and histological metamorphosis of the parasite. — Exp. Parasit. 13, 395-407
- STOHLER, H. R. & FREY, J. R. (1963). Chemotherapy of experimental *Schistosomiasis mansoni*: prophylactic and protective activity of the clinically active compounds in mice and hamsters. — Ann. trop. Med. Parasit. 57, 466-480
- SWANSON, V. L. & WILLIAMS, J. E. (1963). Pathology of *Schistosoma japonicum* in the Taiwanese monkey (*Macaca cyclopis*). 1. Comparison of Formosan and Japanese strains. — Amer. J. trop. Med. Hyg. 12, 748-752
- TARGETT, G. A. T. (1963). Electrophoresis of blood from intermediate and non-intermediate snail hosts of Schistosomes. — Exp. Parasit. 14, 143-151
- THURSTON, J. P. (1964). Schistosomes from *Hippopotamus amphibius* L. 2. The morphology of *Schistosoma edwardiense* sp. nov. — Parasitology, 54, 67-72
- WARREN, K. S. (1964). Experimental pulmonary schistosomiasis. — Trans. roy. Soc. trop. Med. Hyg. 58, 228-233
- WILLIAMS, J. E. & SWANSON, V. L. (1963). Pathology of *Schistosoma japonicum* in the Taiwanese monkey (*Macaca cyclopis*). 2. Effect of passing the Formosan strain through Japanese snails. — Amer. J. trop. Med. Hyg. 12, 753-757

#### 576.895.132 Nematoda

- ALICATA, J. E. (1963). The incidence of *Angiostrongylus cantonensis* (Chen) among rats and molluscs in New Caledonia and nearby Islands and its

- possible relation to eosinophilic meningitis. — S. Pacific Techn. Paper, no. 139, 9 pp.
- BURTON, G. J. (1963). *Wuchereria bancrofti* and *Dirofilaria immitis* larvae in palpi and antennae of vector mosquitoes. — J. Parasit. 49, 771-772
- BURTON, G. J. (1963). Natural and experimental infection of bedbugs with *Wuchereria bancrofti* in British Guiana. — Amer. J. trop. Med. Hyg. 12, 541-547
- BURTON, G. J. (1963). Encapsulation of *Wuchereria bancrofti* in seven species of mosquitoes in British Guiana. — Amer. J. trop. Med. Hyg. 12, 870-876
- CHABAUD, A.-G., BRYGOO, E.-R. & DURETTE, M.-C. (1963). Spiruridés, parasites d'oiseaux malgaches. — Ann. Parasit. hum. comp. 38, 93-108
- DUKE, B. O. L. (1964). Studies on factors influencing the transmission of onchocerciasis. 3. Observations on the effect of the peritrophic membrane in limiting the development of *Onchocerca volvulus* microfilariae in *Simulium damnosum*. — Ann. trop. Med. Parasit. 58, 83-88
- FOSTER, R. (1963). Infestation of *Glossina palpalis* R.-D. 1890 (Diptera) by larval mermithidae Braun 1883 (Nematoda) in West Africa, with some comments on the parasitization of man by the worms. — Ann. trop. Med. Parasit. 57, 347-358
- HAWKING, F. (1964). The periodicity of microfilariae. 8. Further observations on *Wuchereria bancrofti*. — Trans. roy. Soc. trop. Med. Hyg. 58, 212-227
- JAYEWARDENE, L. G. (1963). Larval development of *Brugia ceylonensis* Jayewardene, 1962, in *Aedes aegypti*, with a brief comparison of the infective larva with those of *Brugia* spp., *Dirofilaria repens* and *Artionema digitata*. — Ann. trop. Med. Parasit. 57, 359-370
- PREMVATI. (1963). Effect of temperature on the development of free-living adults of *Strongyloides papillosus* (Wedl. 1856). — Parasitology 53, 483-490
- WEINSTEIN, P. P. et al. (1963). *Angiostrongylus cantonensis* infection in rats and Rhesus monkeys, and observations on the survival of the parasite *in vitro*. — Amer. J. trop. Med. Hyg. 12, 358-377

#### 576.895.4 Arachnoidea

- AESCHLIMANN, A. (1963). Observations sur la morphologie, la biologie et le développement d'*Amblyomma compressum* (Macalister, 1872), la tique des pangolins d'Afrique occidentale. — Acta trop. 20, 153-177
- CHABAUD, A.-G. & DURETTE, M.-C. (1963). Interfécondité de deux souches d'*Ornithodoros moubata* et remarques sur les phénomènes de spéciation particuliers au genre. — Ann. Parasit. hum. comp. 38, 109-112
- DOMROW, R. (1963). The genus *Adreacarus* in Australia (Acarina: Laelapidae). — J. ent. Soc. Queensland, 2, 9-12
- DOMROW, R. (1963). The genus *Radfordia* in Australia (Acarina: Myobiidae). — J. ent. Soc. Queensland, 2, 13-16
- DOMROW, R. & NADCHATRAM, M. (1963). Two field collections of Malayan ticks and mites. — Malayan Nature J. 17, 145-164
- HOOGSTRAAL, H. & TRAPIDO, H. (1963). *Haemaphysalis silvafelis* sp. n., a parasite of the jungle cat in Southern India (Ixodoidea, Ixodidae). — J. Parasit. 49, 346-349
- HOOGSTRAAL, H. & TRAPIDO, H. (1963). *Haemaphysalis kutchensis* sp. n., a common larval and nymphal parasite of birds in Northwestern India (Ixodoidea, Ixodidae). — J. Parasit. 49, 489-497
- HOOGSTRAAL, H., TRAPIDO, H. & REBELLO, M. J. (1963). *Haemaphysalis paraturturis* sp. n., a carnivore parasite of the *H. turturis* group in India (Ixodoidea, Ixodidae). — J. Parasit. 49, 686-692

- HOOGSTRAAL, H. (1963). Notes on African *Haemaphysalis* ticks. 5. Redescription and relationships of *H. silacea* Robinson, 1912 from South Africa (Ixodoidea, Ixodidae). — J. Parasit. 49, 830-837
- HOOGSTRAAL, H. & TRAPIDO, H. (1963). Redescription of cotypes and all stages of *Haemaphysalis intermedia* Warbuton and Nutall, 1909 (= *H. parva* Neumann, 1908, preoccupied) from Ceylon and India (Ixodoidea, Ixodidae). — J. Parasit. 49, 838-846
- HOOGSTRAAL, H. et al. (1963). Ticks (Ixodidae) on birds migrating from Europe and Asia to Africa, 1959-61. — Bull. Wld Hlth Org. 28, 235-262
- KAISER, M. N., HOOGSTRAAL, H. & KOHLS, G. M. (1964). The subgenus *Persicargas*, new subgenus (Ixodoidea, Argasidae, Argas) 1. *A. (P.) arboreus*, new species, an Egyptian persicus-like parasite of wild birds, with redefinition of the subgenus *Argas*. — Ann. ent. Soc. America, 57, 60-69
- KARRAR, G., KAISER, M. N. & HOOGSTRAAL, H. (1963). Ecology and host relationships of ticks (Ixodoidea) infesting domestic animals in Kassala Province, Sudan, with special reference to *Amblyomma lepidum* Dönitz. — Bull. ent. Res. 54, 509-522
- MOREL, P.-C. (1963). Identité d'*Ixodes ovatus* Neumann, 1899 (Acariens, Ixodoidea). — Ann. Parasit. hum. comp. 38, 925-928
- NAGAR, S. K. (1963). A revised key for the Delhi genus *Hyalomma* Koch (Acarina: Ixodidae). — Ann. Zool. Acad. Zool. Agra, 4, 39-46
- NEWELL, I. M. (1963). Feeding habits in the genus *Balaustium* (Acarina, Erythraeidea) with special attacks on man. — J. Parasit. 49, 498-502
- RAJAGOPALAN, P. K. (1963). *Haemaphysalis megalaimae* sp.n. a new tick from the small green barbet (*Megalaima viridis*) in India. — J. Parasit. 49, 340-345
- SCHUMACHER, H. H. & HOEPLI, R. (1963). Histochemical reactions to Trombiculid mites, with special reference to the structure and function of the "stylosome". — Z. Tropenmed. Parasit. 14, 192-208
- UILENBERG, G. (1963). Existence de *Ornithodoros porcinius* Walton, 1962 (Argasidae) à Madagascar. — Rev. Elev. Méd. vét. Pays trop. 16, 147-150
- TRAPIDO, H., HOOGSTRAAL, H. & VARMA, M. G. R. (1963). Redescription of the holotype and description of all stages of *Haemaphysalis turturis* Nuttall and Warburton from Ceylon and India (Ixodoidea, Ixodidae). — J. Parasit. 49, 678-685
- TRAPIDO, H., HOOGSTRAAL, H. & VARMA, M. G. R. (1964). Status and description of *Haemaphysalis p. papuana* Thorell (n. comb.) and of *H. papuana kinneari* Warburton (n. comb.) (Ixodoidea, Ixodidae) of Southern Asia and New Guinea. — J. Parasit. 50, 172-189
- WALKER, J. B. & PARSONS, B. T. (1964). The laboratory rearing of *Amblyomma sparsum* Neumann, 1899. — Parasitology, 54, 173-175

#### 576.895.7 Hexapoda

- KNIGHT, R. H. & SOUTON, H. A. W. (1963). A simple method for marking haematophagous insects during the act of feeding. — Bull. ent. Res. 54, 379-328
- RÉSISTANCE aux insecticides et lutte contre les vecteurs. (1963). 13<sup>e</sup> rapport du Comité OMS d'experts des insecticides. 242 pp. — Genève: Org. mond. Santé = Série des Rapports techniques, N° 265

#### 576.895.77 Diptera

- DETINOVA, T. S. (1963). Méthodes à appliquer pour classer par groupes d'âge les diptères présentant une importance médicale, notamment certains vec-

teurs du paludisme. En annexe une étude (avec glossaire) sur l'ovaire et les ovarioles des moustiques par *D. S. Bertram*. 220 pp. ill. — Genève: Org. mond. Santé = Série de monographies, N° 47

MINTER, D. M. (1963). Three new sandflies (Diptera, Psychodidae) from East Africa, with notes on other species. — Bull. ent. Res. 64, 483-495

### Culicidae

CLEMENTS, A. N. (1963). The physiology of mosquitoes. 393 pp. ill. — Oxford etc.: Pergamon Press = International Series of Monographs on Pure and Applied Biology, Division Zoology, vol. 17

CORBET, P. S. (1963). The oviposition-cycles of certain sylvan culicine mosquitoes (Diptera, Culicidae) in Uganda. — Ann. trop. Med. Parasit. 57, 371-381

CORBET, P. S. (1963). Seasonal patterns of age-composition of sylvan mosquito populations in Uganda (Diptera, Culicidae). — Bull. ent. Res. 54, 213-227

GILLIES, M. T. (1963). Observations on nulliparous and parous rates in some common East African mosquitoes. — Ann. trop. Med. Parasit. 57, 435-442

HECHT, O. & HERNANDEZ-CORZO, J. (1963). On the visual orientation of mosquitoes in their search of resting places. — Entomol. exp. appl. (Amsterdam), 6, 63-74

ISMAIL, I. A. H. (1964). Comparative study of sense organs in the antennae of Culicine and Anopheline female mosquitoes. — Acta trop. 21, 155-168

SERVICE, M. W. (1963). The ecology of the mosquitoes of Northern Guinea Savannah of Nigeria. — Bull. ent. Res. 64, 601-632

STEWART, C. C. & ATWOOD, C. E. (1963). The sensory organs of the mosquito antenna. — Canad. J. Zool. 41, 577-594

TEMPELIS, C. H. & LOFY, M. F. (1963). A modified precipitin method for identification of mosquito blood-meals. — Amer. J. trop. Med. Hyg. 12, 825-831

WILLIAMS, M. C. (1963). Studies on mosquitoes (Diptera, Culicidae) biting birds, using twenty-four hour catches, in the Entebbe Area, Uganda. — Bull. ent. Res. 54, 407-424

### Aedes

ALDIGHIERI, J. et al. (1963). Interprétation mathématique simple de la sensibilité d'*Aedes aegypti* aux insecticides à base D.D.T. — Bull. Soc. Path. exot. 56, 239-243

BURTON, G. J. (1963). Coastal survey of *Aedes aegypti*-breeding in British Guiana. — Ann. trop. Med. Parasit. 57, 446-451

KLASSEN, W. & HOCKING, B. (1963). Control of *Aedes* dispersing along a deep river valley. — Mosquito News, 23, 23-26

MCCLELLAND, G. A. H. & WEITZ, B. (1963). Serological identification of the natural hosts of *Aedes aegypti* (L.) and some other mosquitoes (Diptera, Culicidae) caught resting in vegetation in Kenya and Uganda. — Ann. trop. Med. Parasit. 57, 214-224

MACDONALD, W. W. (1963). Further studies on a strain of *Aedes aegypti* susceptible to infection with sub-periodic *Brugia malayi*. — Ann. trop. Med. Parasit. 57, 452-460

MACDONALD, W. W. (1963). A preliminary cross-over value between the gene Fm (filarial susceptibility, *Brugia malayi*) and the sex locus in *Aedes aegypti*. — Ann. trop. Med. Parasit. 57, 461-465

MURTHY, M. R. V. & MICKS, D. W. (1964). Transamination in *Aedes aegypti*. — J. econ. Entomol. 57, 12-14

RAMACHANDRAN, C. P. et al. (1963). *Aedes (Finlaya) togoi* Theobald, a useful

- laboratory vector in studies of filariasis. — *Ann. trop. Med. Parasit.* 57, 443-445
- SOMEREN, E. C. C. VAN & FURLONG, M. (1964). The biting habits of *Aedes (skusea) pemaensis* Theo. and some other mosquitos of Faza, Pate Island, East Africa. — *Bull. ent. Res.* 55, 97-124

### Anopheles

- BERTRAM, D. S. (1963). Observations on the chemosterilant effect of an alkylating agent, thio-tepa, on wild-caught *Anopheles gambiae* var. *melas* (Theo.) in Gambia, West Africa, and on laboratory-bred *A. g. gambiae* Giles and *Aedes aegypti* (L.). — *Trans. roy. Soc. trop. Med. Hyg.* 57, 322-335
- CHAUVET, G. et al. (1964). Contribution à l'étude biologique des vecteurs du paludisme à Madagascar, Résultats de 5 années d'études (1958-1962). — *Méd. trop.* 24, 27-44
- GIGLIOLI, M. E. C. (1963). The female reproductive system of *Anopheles gambiae melas*. — *Riv. Malariol.* 42, 149-176
- GILLIES, M. T. & WILKES, T. J. (1963). Observations on nulliparous and parous rates in a population of *Anopheles funestus* in East Africa. — *Ann. trop. Med. Parasit.* 57, 204-213
- GILLIES, M. T. (1964). The role of secondary vectors of malaria in North-East Tanganyika. — *Trans. roy. Soc. trop. Med. Hyg.* 58, 154-158
- GILLIES, M. T. & FURLONG, M. (1964). An investigation into the behaviour of *Anopheles parensis* Gillies at Malindi on the Kenya Coast. — *Bull. ent. Res.* 55, 1-16
- HAMON, J., DYEMKOUMA, A. & OUÉDRAOGO, C. S. (1963). Présence en Afrique occidentale d'*Anopheles argenteolobatus* et *A. salbaii* et nouvelles localités pour *A. dthali* et *A. rufipes* var. *bruce-chwatti*. — *Bull. Soc. Path. exot.* 56, 309-313
- ROZEBOOM, L. E. (1963). Penetrance of the gene for dieldrin resistance in *Anopheles albimanus* Wiedemann. — *Amer. J. trop. Med. Hyg.* 12, 249-253
- SERVICE, M. W. (1964). An analysis of the number of *Anopheles gambiae* Giles and *A. funestus* Giles (Diptera, Culicidae) in huts in Northern Nigeria. — *Bull. ent. Res.* 55, 29-34
- SERVICE, M. W. (1964). The behaviour of malaria vectors in huts sprayed with DDT and with mixture of DDT and malathion in Northern Nigeria. — *Trans. roy. Soc. trop. Med. Hyg.* 58, 72-79
- SERVICE, M. W. (1964). The behaviour of *Anopheles nili* Theo. in sprayed huts in Northern Nigeria. — *J. trop. Med. Hyg.* 67, 11-12
- SMITH, A. (1964). Studies on *Anopheles gambiae* Giles and malaria transmission in the Ubugwe Area of Tanganyika. — *Bull. ent. Res.* 55, 125-137
- WARREN, M. & WHARTON, R. H. (1963). The vectors of simian malaria: identity, biology, and geographical distribution. — *J. Parasit.* 49, 892-904
- WHARTON, R. H. et al. (1964). Studies to determine the vectors of monkey malaria in Malaya. — *Ann. trop. Med. Parasit.* 58, 56-77

### Simuliidae

- BENNET, G. F. (1963). The salivary gland as an aid in the identification of some simuliids. — *Canad. J. Zool.* 41, 947-952
- OVAZZA, M. & VALADE, M. (1963). Recherches sur la prophylaxie de l'onchocercose humaine en Afrique de l'Ouest de langue française. 2. Essais de larvicides sur le terrain et du laboratoire. — *Bull. Inst. franç. Afr. Noire*, 25 A, 1215-1234
- WENK, P. & SCHLÖRER, G. (1963). Wirtsorientierung und Kopulation bei blut-saugenden Simuliiden (Diptera). — *Z. Tropenmed. Parasit.* 14, 178-191

## 576.895.772 Brachycera

- ABBASSIAN-LINTZEN, R. (1963). Tabanidae (Diptera) of Iran. On the horsefly fauna of Khuzistan (Southwest Iran). — Bull. Soc. Path. exot. 56, 77-89
- ITARD, J., FINELLE, P. & RICKENBACH, A. (1963). Contribution à l'étude des *Tabanidae* (Diptera) d'Afrique Centrale. — Rev. Elev. Méd. vét. Pays trop. 16, 159-174
- PHILIP, C. B. (1963). Further notes on Far Eastern Tabanidae. 2. Description of two new chrysopine flies. — Pac. Insects, 5, 1-3

## 576.895.772.4 Schizophora

- ABEDI, Z. H. & MILLER, M. J. (1963). Tsetse fly puparia: a new collecting technique. — Science, 141, 264
- ABEDI, Z. H. & MILLER, M. J. (1964). Roadside tsetse hazard in Liberia. — Amer. J. trop. Med. Hyg. 13, 499-504
- BALDRY, D. A. T. (1964). Observations on a close association between *Glossina tachinoides* and domestic pigs near Nsukka, Eastern Nigeria. — Ann. trop. Med. Parasit. 58, 32-44
- CHADWICK, P. R. (1964). A study of resting sites of *Glossina swynnertoni* Aust. in Northern Tanganyika. — Bull. ent. Res. 55, 23-28
- COCKBILL, G. F., LOVEMORE, D. F. & PHELPS, R. J. (1963). The control of tsetse flies (*Glossina*: Diptera, Muscidae) in a heavily infested area of Southern Rhodesia by means of insecticide discharged from air-craft followed by settlement of indigenous people. — Bull. ent. Res. 54, 93-106
- FINELLE, P. et al. (1963). Répartition des glossines en République Centrafricaine. Etat actuel des connaissances. — Rev. Elev. Méd. vét. Pays trop. 16, 337-348
- FOSTER, R. (1964). Contributions to the epidemiology of human sleeping sickness in Liberia; bionomics of the vector *Glossina palpalis* (R.-D.) in a forest habitat. — Bull. ent. Res. 54, 727-744
- FOSTER, R. (1964). An unusual protozoal infection of tsetse flies (*Glossina* Weidemann 1830 spp.) in West Africa. — J. Protozool. 11, 100-106
- GLASGOW, J. P. (1963). The distribution and abundance of tsetse. 241 pp. ill. — Oxford: Pergamon Press = Internat. Series of Monographs on Pure and Applied Biology, Zool. Div. Vol. 20
- HARLEY, J. M. B. (1963). New trends in entomological research in trypanosomiasis. — Bull. Wld Hlth Org. 28, 825-830
- JORDAN, A. M. (1963). The distribution of the *fusca* group of the tsetse flies (*Glossina*) in Nigeria and West Cameroun. — Bull. ent. Res. 54, 307-324
- JORDAN, A. M. (1963). The structure and possible function of the signum of *Glossina tabaniformis* Westwood. — Parasitology 53, 145-153
- MACLENNAN, K. J. R. & AITCHISON, P. J. (1963). Simultaneous control of three species of *Glossina* by the selective application of insecticide. — Bull. ent. Res. 54, 199-212
- NASH, T. A. M. (1963). Progress and problems in the establishment and maintenance of laboratory colonies of tsetse flies. — Bull. Wld Hlth Org. 28, 831-836
- VAN DEN BERGHE, L., CHARDOME, M. & PEEL, E. (1963). Réceptivité variable de *Glossina morsitans* selon l'espèce zoologique de l'hôte porteur de *Trypanosoma cruzi*. — Ann. Soc. belge Méd. trop. 43, 163-168
- VAN DEN BERGHE, L. & LAMBRECHT, F. L. (1963). The epidemiology and control of human trypanosomiasis in *Glossina morsitans* fly-belts. — Amer. J. trop. Med. Hyg. 12, 129-164

## 576.895.775 Siphonaptera

- HOEPLI, R. (1963). Early references to the occurrence of *Tunga penetrans* in tropical Africa. — Acta trop. 20, 143-153
- HOOGSTRAAL, H. & TRAUB, R. (1963). The fleas (Siphonaptera) of Egypt. Host-parasite relationships of insectivora and chiroptera. — J. Egypt. publ. Hlth Ass. 38, 111-130
- KLEIN, J. M. (1963). Nouvelles puces (Insecta, Siphonaptera) de l'Iran. Deuxième et troisième communication. — Bull. Soc. Path. exot. 56, 251-273
- LEWIS, R. E. (1964). A collection of fleas (Siphonaptera) from Northern Saudi Arabia. — J. Parasit. 50, 313-318
- SHULOV, A. & NAOR, D. (1964). Experiments on the olfactory responses and host-specificity of the oriental rat flea (*Xenopsylla cheopis*), Siphonaptera: Pulicidae). — Parasitology, 54, 225-231
- TRAUB, R. (1963). The fleas of Egypt, *Hopkinsipsylla occulta*, a new genus and species of flea parasitizing Jerboas. — Proc. ent. Soc. Washington, 65, 1-13
- TRAUB, R. (1963). The fleas of Egypt, two new fleas of the genus *Nosopsyllus* Jordan 1933 (Siphonaptera: Ceratophyllidae). — Proc. ent. Soc. Washington, 65, 81-97

---

### Rezensionen — Analyses — Reviews.

**Höring, Felix O.: Klinische Infektionslehre.** Einführung in die Pathogenese der Infektionskrankheiten. Dritte Auflage. 309 pp. ill. — Berlin, Göttingen, Heidelberg: Springer-Verlag, 1962 DM 48.—.

Der Autor behandelt im ersten Teil die Infektion vom allgemein biologischen Gesichtspunkt aus und betont dabei, daß es sich bei den Infektionskrankheiten nicht um ein Zufallsgeschehen handelt, sondern um einen Vorgang zwischen Wirt und Erreger (Gast), wobei das biologische Endziel darin bestehe, daß sowohl Wirt wie Erreger überleben. Dieses Überleben bedingt auf der Seite des Wirtes Abwehrmaßnahmen, die den Wirtsorganismus vor Dauerschäden schützen, auf Seite des Gastes (Erregers) Anpassung an den Wirtsorganismus, die ihm eine Weiterexistenz erlaubt.

Die Darstellung des Infektionsgeschehens, wie sie F. O. HÖRING gibt, ist etwas ungewohnt, aber doch sehr einleuchtend, haben wir uns doch allzusehr daran gewöhnt, die Krankheitserreger, unabhängig von jedem biologischen Denken, als den Feind des menschlichen Organismus zu betrachten, den es mit allen Mitteln zu vernichten gilt. Bei dieser Auffassung würde es sich bei den Infektionskrankheiten um einen rein zufallsmäßigen Vorgang handeln, bei dem es darum ginge, entweder den Wirt oder den Gast zu vernichten.

Ausgehend von der überzeugenden Hypothese, daß das biologische Endziel bei Infektionen nicht der Tod des einen der Beteiligten sei, sondern vielmehr ein Gleichgewicht zwischen Wirt und Erreger, bei dem beide sich so anpassen, daß sie weiterleben können, erörtert dann der Autor die klinisch-serologisch erfaßbaren Vorgänge, die sich im menschlichen Organismus abspielen. — Im speziellen Teil des Buches geht HÖRING auf die einzelnen Gruppen von Infektionskrankheiten ein und unterteilt diese in sogenannte cyclische und lokale Infektionen. Im letzten Teil werden therapeutische und prophylaktische Maßnahmen erörtert, immer aber unter dem Gesichtspunkt der Biologie, d. h. des Strebens nach einem Gleichgewicht zwischen Erreger und Wirt.