

**Zeitschrift:** Boissiera : mémoires de botanique systématique  
**Band:** 70 (2016)

**Artikel:** A taxonomic revision of the genus *Noronhia* Stadtm. ex Thouars (Oleaceae) in Madagascar and the Comoro Islands  
**Kapitel:** *Noronhia incurvifolia*  
**Autor:** Hong-Wa, Cynthia  
**DOI:** <https://doi.org/10.5169/seals-1036126>

### **Nutzungsbedingungen**

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. [Siehe Rechtliche Hinweise.](#)

### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. [Voir Informations légales.](#)

### **Terms of use**

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. [See Legal notice.](#)

**Download PDF:** 19.10.2024

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

**35. *Noronhia incurvifolia*** (H. Perrier) Hong-Wa & Besnard in Mol. Phylogenet. Evol. 67: 376. 2013 (Fig. 25).

≡ *Linociera incurvifolia* H. Perrier in Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 2: 280. 1949.

≡ *Chionanthus incurvifolius* (H. Perrier) Stearn in Bot. J. Linn. Soc. 80: 199. 1980.

**Lectotypus** (designated here): **MADAGASCAR. Prov. Antsiranana:** collines et plateaux calcaires de l'Ankarana, près d'Ambodimagadro, [13°01'S 49°08'E], 150-200 m, XII.1937-I.1938, *Humbert 19011* (P [P03559141]!; isolecto-: BR [BR0000006266523] image seen, G [G00014068] image seen, K [K000233205] image seen, P [P03559139, P03559142]!). **Syntypi:** **MADAGASCAR. Prov. Antsiranana:** env. de Diégo-Suarez, [12°16'S 49°19'E], *Alleizette s.n.* (P, not found); Ankarana, près d'Ambondrofe, [12°49'S 49°01'E], 250 m, XII.1937-I.1938, *Humbert 18912* (BR [BR0000006267841] image seen, G [G00014068] image seen, P [P00413212, P00413213]!).

**Description** *Shrubs* to trees to 13 m tall, trunk to 15 cm diameter; young twigs cylindrical, 0.7-2.3 mm diameter, glabrous; bark medium brown, smooth, sometimes lenticellate. *Leaves* opposite, persistent; bud scales rarely persistent; blades medium green above, lighter below, lanceolate to ovate, usually abaxially folded along the midvein and curved, 6-10 × 1.5-3.5 cm, coriaceous, glabrous, domatia absent, base rounded to acute, margin flat to slightly undulate, apex acuminate, the acumen 4-15 mm long, midrib flat above, raised below, secondary veins conspicuous mostly below, 7-21 per side, 5-12 mm apart, looping 1-3 mm from the margin; petiole yellowish, 10-20 × 0.6-1.5 mm, not woody, glabrous. *Thyraxes* geminate, pauciflorous, somewhat diffuse; peduncle 16-22 mm long, sparsely pubescent; pedicel 0.7-3 mm long, sparsely pubescent; calyx sparsely pubescent outside, glabrous inside, lobes triangular, 0.7-1 × 0.7-1 mm; corolla white, subrotate, petals almost free, 3-4.5 mm long, glabrous on both sides, the tube 0.5-1 mm long, lobes ovate, apex slightly acute; corona absent; stamens 1.8-3 mm long, anthers oblong, 1.4-2.2 mm long; pistil 1.4-2.2 mm long, stigma bilobed. *Fruiting* pedicel 2.5-11 × 1-2.5 mm; young fruits green, brownish when mature, ovoid, 18.5-23 × 10.5-16 mm, surface slightly ribbed, sometimes covered with a white pellicle, apex rostrate, the rostrum flattened, ridged, truncate; dry pericarp 0.4-0.9 mm thick; endocarp woody; seed 13-14 × 7.5-11 mm.

**Distribution, ecology and phenology**

*Noronhia incurvifolia* occurs in low-elevation dry forests on lavas and limestones in northern Madagascar, from Antsisikala to Ankarana (Fig. 19). It produces flowers and fruits from September to March.

**Conservation status** Ten collections representing 10 localities were available for analysis, which resulted in an EOO of 912 km<sup>2</sup>, an AOO of 36 km<sup>2</sup>, and six subpopulations representing five locations, of which two occur within a protected area (Ankarana). *Noronhia incurvifolia* is now mostly found in heavily modified habitat as a result of expanding agriculture and traditional grazing. Therefore, with a restricted distribution and continuing decline in habitat quality as well as projected habitat loss in the near future, *N. incurvifolia* is assigned a preliminary status of “Endangered” [EN B1ab(i,ii,iii,iv,v)+2ab(i,ii,iii,iv,v)].

**Notes** *Noronhia incurvifolia* can be recognized by its non-woody petioles, folded and curved leaf blades, short pedicels, subrotate to rotate, white flowers that lack a corona, and distinctly rostrate fruits. This species was based on three syntypes (*Alleizette s.n.*, *Humbert 19011* and *19012*). However, the citation of *Humbert 19012* in the protologue was in fact a typographic error for *Humbert 18912*, which PERRIER DE LA BÂTHIE (1952) corrected in the “Flore des Madagascar et des Comores”. While he annotated the single sheet of *Humbert 18912* in the Paris herbarium as the type, because of the mistake in the protologue, I have chosen to designate one of the sheets of *Humbert 19011* as the lectotype in order to assure strict compliance with the Code (Art. 9.2 and 9.12; McNEILL et al., 2012). Both *Humbert 18912* and *19011* comprise good quality specimens and are represented by several duplicates.

**Additional specimens examined** MADAGASCAR. **Prov. Antsiranana:** Ankarana RS, 10 km E de Matsaborimanga, 12°54'59"S 49°06'24"E, 180 m, 6.VII.1994, *Andrianantoanina & Rabeharinosy 717* (K, MO, TAN); Mosorolava, Mahagaga, forêt d'Analabe, 12°45'46"S 49°00'42"E, 76 m, 23.IX.2007, *Andriamihajarivo et al. 1401* (G, MO, P, TAN); Ankarana, from Campement des Anglais towards Lac Vert, 12°50'47"S 49°06'18"E, 82 m, 26.V.1999, *De Block 1020* (BR, G, MO, P, TAN, WAG); Ankarana, near Mahamasina, from Perte d'Eau to Campement de Prince, 12°50'47"S 49°06'18"E, 82 m, 15.I.2002, *De Block 1243* (BR, G, MO, P, TAN, WAG); Ankarana, near Campement des Anglais, 12°54'S 49°08'E, 150 m, 29.I.1994, *Leeuwenberg 14340* (MO, TAN); Ankarana RS, 12°51'S 49°04'E, 100-200 m, 22-26.XI.1992, *Malcomber et al. 1904* (K, MO, P); Andranovondronina, Antsisikala, forêt d'Analabe, 12°11'49"S 49°11'51"E, 184 m, 11.XII.2005, *Randrianaivo et al. 1330* (CNARP, MO, P, TAN); Mosorolava, Ampombiantambo, 12°41'24"S 48°56'59"E, 75 m, 27.IX.2007, *Ratovoson et al. 1361* (CNARP, G, MO, P, TAN); Ankarana, [12°49'S 49°01'E], 11.III.1954, *Service Forestier 9387* (MO, TEF).