

Zeitschrift: IABSE congress report = Rapport du congrès AIPC = IVBH
Kongressbericht

Band: 8 (1968)

Artikel: Free discussion

Autor: Bryan, E.R.

DOI: <https://doi.org/10.5169/seals-8766>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Siehe Rechtliche Hinweise.

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. Voir Informations légales.

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. See Legal notice.

Download PDF: 28.04.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

DISCUSSION LIBRE / FREIE DISKUSSION / FREE DISCUSSION

E. R. BRYAN
University of Manchester

In the Preliminary Publication several General Reporters on various themes referred to the stiffening effect of cladding in buildings. In particular, the paper presented by Dr. Errera shows that light steel cladding has a profound effect in bracing beams and columns, but the stiffness of the diaphragm in shear had to be determined experimentally because no reliable theory had been developed.

Work carried out in recent years at Manchester supplements this work and has been aimed at predicting the effect of light steel cladding, not on member behaviour, but on the overall behaviour of the building, particularly industrial type portal frame buildings. Tests have been made in the field and in the laboratory and large reductions in the frame moments and deflexions were recorded due to the cladding. In this early work it was necessary to carry out separate shear tests on panels of sheeting and, using these results, good correlation with the theory allowing for the sheeting was obtained. More recently, other shear tests on diaphragms have been carried out and a theory has been developed which allows for the effect of deformation of the corrugations, slip at the sheet fasteners and twisting of the purlin-rafter connexions.

I draw attention to these points, as, with proper safeguards, the design of industrial buildings could be made more rational and economical by allowing for the effect of the light cladding in both member design and overall design. Certainly it must be taken into account if a reliable analysis is to be made of a frame in an actual building.

Leere Seite
Blank page
Page vide