

Zeitschrift: IABSE structures = Constructions AIPC = IVBH Bauwerke
Band: 3 (1979)
Heft: C-11: Bridges II

Artikel: Some important bridges built by Sobrenco
Autor: [s.n.]
DOI: <https://doi.org/10.5169/seals-15858>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. [Siehe Rechtliche Hinweise.](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. [Voir Informations légales.](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. [See Legal notice.](#)

Download PDF: 17.11.2024



ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

SOME IMPORTANT BRIDGES BUILT BY SOBRENCO
 Designer: Sergio Marques de Souza - Brazil




THE PROFESSOR MAURICIO JOPPERT BRIDGE

This highway bridge, which spans the Parana River, connects the states of São Paulo and Mato Grosso. Its width is 12,70m and its total length is 2,550,00m. It consists of two 15,00m abutments, thirty-five 45,00m normal spans and nine composed spans as follows: two of 78,75m and seven of 112,50m. These composed spans are the association of four simply supported precast prestressed concrete beams of 45,00m in length, which form the normal spans, and double cantilevered prestressed concrete box girders built by the cantilever cast in place method.



THE MARSHALL JUAREZ TÁVORA BRIDGE

This highway bridge, connecting the states of Santa Catarina and Rio Grande do Sul, spans the Pelotas River with a total length of 250,00m, composed of a main span of 189,00m, two adjacent spans of 30,00m and two cantilevers 0,50m long. The deck is 11,60m wide. The main span is formed by a prestressed concrete box girder, and was made in 1966 using the cantilever method. It is still the Brazilian record span in prestressed concrete straight beam.



THE PRESIDENT JUSCELINO KUBITSCHKEK BRIDGE

This highway bridge, which spans the Tocantins River, connects the states of Goiás and Maranhão. Its width is 10,00m and its total length is 532,70m. It consists of two reinforced concrete approach viaducts of 102,00m and 174,70m in length on Goiás and Maranhão sides respectively, and a prestressed concrete segment 256,00m long. This segment is composed of a 140,00m main span, two 53,00m adjacent spans and two 5,00m cantilevers. The bridge construction was completed in 1961 and for the first time in Brazil was used the cantilever cast in place method to build a prestressed concrete straight beam, whose main span was a world record on this occasion. The cross section consists of a double box girder whose depth varies from 3,40m in mid-span to 8,00m near the main supports. The columns are of reinforced concrete, as well as the foundation blocks. The whole work was accomplished in 9 months.