

Objektyp: **Advertising**

Zeitschrift: **IABSE structures = Constructions AIPC = IVBH Bauwerke**

Band (Jahr): **3 (1979)**

Heft C-11: **Bridges II**

PDF erstellt am: **11.09.2024**

Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern. Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden. Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

Haftungsausschluss

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.



Consulting
Planning
Engineering
Project Management



**Electrowatt
Engineering Services Ltd.**

Bellerivestrasse 36, P.O. Box
8022 Zurich/Switzerland
Telephone 01/32 62 61
Telex 53709 ewng ch

Branches and Offices in Europe, Africa, Latin
America, Asia



Whenever Structural Safety is the Point... Kern Precision Instruments are the Right Choice


For measuring distances up to 2500 m:

Mekometer ME 3000

Electro-optical Precision Distance Meter with the extremely high accuracy of $\pm (0.2 \text{ mm} + 1 \text{ ppm})$ and a range of 2.5 km. Digital distance display to 0.1 mm.

Universal application: structural deformation measurements, large area slip and displacement measurements, precision layout work and fundamental surveying.

The Mekometer used for dam control measurements



For measuring length variations within a distance range of 50 m:

Distometer ISETH

Precision instrument for accurate determination of length variations by means of Invar wires. Measuring accuracy $\pm 1 \text{ ppm}$; length of the Invar wire 1—50 m; measuring range for length variations 100 mm.

Special advantages: lengths of any inclination including vertical may be measured; simple layout of the measuring arrangement.

Application: structural deformation measurements.

The Distometer ISETH used for tunnel wall deformation measurement

Kern & Co. Ltd.
Mechanical, Optical and
Electronic Precision Instrument
CH-5001 Aarau, Switzerland
Telex 68 106


Please send me your detailed
documentation on:

- Mekometer ME 3000
 Distometer ISETH

Name: _____

Occupation: _____

Address: _____

The background of the advertisement features two hands wearing dark, textured work gloves. The hands are positioned on the left and right sides, with the index fingers pointing upwards towards the top center of the page. The overall color scheme is a monochromatic, textured brown/gold.

ARBED ROLL TAILOR-MADE BEAMS

More or less is hardly precise. If you're talking construction, you're talking precision. In any steel-frame structure, the only ideal beam is the one that matches the dimensional and stress requirements of the laws of statics. No more, no less. And if standard beams can't meet these demands, other beams have to be produced: tailor-made beams, developed and manufactured by ARBED for precision building.

Rolled by ARBED on modern universal mills, these beams complete one of the most comprehensive rolling programmes in Europe.

If you'd like to know more about ARBED's tailor-made beams or steel sections, get in touch with our sales organization.

Department Marketing
P.O. Box 1802
Luxembourg

Name

Position

Department

Company

Address

TRADE ARBED

Survey today – the future way: Wild Tachymat® TC1

The complete survey system for measuring, recording and transferring data to the computer. Angle and distance measurement are fully electronic. The Tachymat measures and displays: Hz and V angles, slope and horizontal distance, difference in height, height above datum, and coordinates. For setting out, it tracks horizontal angle and horizontal distance. With the recording unit attached, measured data, code and other information are recorded. Over 1800 points/blocks of information can be recorded on a cassette. And as cassettes can be inserted as required, the capacity is limitless. It's the most flexible, cost-effective

recording and data-storage system. The Tachymat is a field instrument. Rugged, reliable, accurate, designed for the surveyor. The latest technology coupled with Wild's years of experience in manufacturing surveying equipment see to that. And it's super to operate; just touch a key to measure and another to record. The Wild Tachymat TC1. Available now for today's surveyor. Ready for tomorrow's requirements.

For colour brochure Wild TC 1


Send this coupon to your next Wild representative or directly to Wild Heerbrugg Ltd., CH - 9435 Heerbrugg, Switzerland.

Name _____

Company _____

Address _____

**Wild Heerbrugg Ltd.
CH - 9435 Heerbrugg, Switzerland**



**WILD
HEERBRUGG**