

**Zeitschrift:** IABSE reports of the working commissions = Rapports des commissions de travail AIPC = IVBH Berichte der Arbeitskommissionen

**Band:** 26 (1977)

**Artikel:** Contribution

**Autor:** Nour, Mustafa

**DOI:** <https://doi.org/10.5169/seals-21495>

### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Siehe Rechtliche Hinweise.

### Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. Voir Informations légales.

### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. See Legal notice.

**Download PDF:** 18.01.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**



## Contribution

**MUSTAFA NOUR**

Dr., Deputy Director of Operations  
African Development Bank  
Abidjan, Ivory Coast

Mr. Nour of the African Development Bank evoked the problems encountered by Development Banks in trying to make the most efficient use of the funds available to finance the foreign exchange components for projects in developing countries. He mentioned specially the problem of overdesigning projects for LDCs. Overdesign not in relation to the projects' capacity but overdesign in relation to the country's financial and economic capabilities.

He gave some examples such as a sewage project designed for the capital of one of the poorest 16 countries in the world by a consultant from a developed country. The project was technically excellent and with most up-to-date electronic equipment, but the cost was over \$ 60 millions which was simply prohibitive for the country concerned.

As a result, the bank could not finance it as presented. A team of experts from ADB and WHO was sent to the country and did cut down the project to a level which the country can afford. This exercise delayed the project's implementation by six months at least with all the consequences in price escalation.

He also gave other examples of overdesign in relation to the technical capabilities available in the LDCs.

He asked the consultants of the developed countries to give due attention, in preparing and conceiving projects for LDCs, not only to the technical aspects but also to the countries' financial and economic capacity.