

# Key-words index

Objektyp: **Index**

Zeitschrift: **Candollea : journal international de botanique systématique = international journal of systematic botany**

Band (Jahr): **59 (2004)**

Heft 2

PDF erstellt am: **04.07.2024**

## **Nutzungsbedingungen**

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

## **Haftungsausschluss**

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

## KEY-WORDS INDEX

Afghanistan	
<i>UMBELLIFERAE</i> – <i>Calyptroscidium</i> – <i>Prangos</i> – Iran – Taxonomy .....	95
Anatomy	
<i>POACEAE</i> – <i>Oryzae</i> – Stem .....	135
<i>APOCYNACEAE</i>	
<i>APOCYNOIDAEAE</i> – <i>ECHITEAE</i> – <i>Prestonia</i> – South America .....	159
<i>APOCYNOIDAEAE</i> – <i>MESECHITEAE</i> – <i>Mandevilla</i> – Bolivia – Perú .....	167
<i>APOCYNOIDAEAE</i>	
<i>APOCYNACEAE</i> – <i>ECHITEAE</i> – <i>Prestonia</i> – South America .....	159
<i>APOCYNACEAE</i> – <i>MESECHITEAE</i> – <i>Mandevilla</i> – Bolivia – Perú .....	167
Arabian Peninsula	
<i>OROBANCHACEAE</i> .....	231
Argentina	
<i>UMBELLIFERAE</i> – <i>Asteriscium</i> .....	255
Arid lands	
Mediterranean – Land-use – Steppe – Rangeland – Desert – Sahara – Libya – Egypt – Phytogeography – Flora – Vegetation – Ethnobotany .....	259
<i>Asteriscium</i>	
<i>UMBELLIFERAE</i> – Argentina .....	255
Boissier	
<i>LILIACEAE</i> – <i>Gagea</i> – Spain .....	109
Bolivia	
<i>APOCYNACEAE</i> – <i>APOCYNOIDAEAE</i> – <i>MESECHITEAE</i> – <i>Mandevilla</i> – Perú .....	167
BRYALES	
<i>Grimmia</i> – <i>Grimmia</i> subg. <i>Rhabdogrimmia</i> – Species concept – Capsule structure – Development of plicae .....	51
<i>Calyptroscidium</i>	
<i>UMBELLIFERAE</i> – <i>Prangos</i> – Iran – Afghanistan – Taxonomy .....	95
Capsule structure	
BRYALES – <i>Grimmia</i> – <i>Grimmia</i> subg. <i>Rhabdogrimmia</i> – Species concept – Development of plicae .....	51
<i>Cassebeera</i>	
<i>Doryopteris</i> – <i>Pellaea</i> – Morphology – Systematics .....	181
Caucasus	
<i>LILIACEAE</i> – <i>Gagea</i> – Lectotypification – Neotypification – Karl Koch – Turkey .....	119

*CHLORIDOIDEAE*

*POACEAE* – *Chloris* – Taxonomy – Geographical distribution – South America – SEM.. 347

*Chloris*

*POACEAE* – *CHLORIDOIDEAE* – Taxonomy – Geographical distribution – South America – SEM ..... 347

## Chorology

Corsica – Floristics – Taxonomy..... 65

## Classified forests of Cavally and Goin-Débé

Tropical forest – Ivory Coast – Taï National Park – Natural variability – Floristic composition – Horn's Ro similarity index ..... 191

## Corsica

Floristics – Taxonomy – Chorology..... 65

## Desert

Mediterranean – Arid lands – Land-use – Steppe – Rangeland – Sahara – Libya – Egypt – Phytogeography – Flora – Vegetation – Ethnobotany ..... 259

## Development of plicae

BRYALES – *Grimmia* – *Grimmia* subg. *Rhabdogrimmia* – Species concept – Capsule structure..... 51

*Doryopteris*

*Cassebeera* – *Pellaea* – Morphology – Systematics..... 181

*ECHITEAE*

*APOCYNACEAE* – *APOCYNNOIDEAE* – *Prestonia* – South America ..... 159

## Egypt

Mediterranean – Arid lands – Land-use – Steppe – Rangeland – Desert – Sahara – Libya – Phytogeography – Flora – Vegetation – Ethnobotany ..... 259

## Ethnobotany

Mediterranean – Arid lands – Land-use – Steppe – Rangeland – Desert – Sahara – Libya – Egypt – Phytogeography – Flora – Vegetation ..... 259

## Flora

Mediterranean – Arid lands – Land-use – Steppe – Rangeland – Desert – Sahara – Libya – Egypt – Phytogeography – Vegetation – Ethnobotany ..... 259

## Floristic composition

Tropical forest – Ivory Coast – Taï National Park – Classified forests of Cavally and Goin-Débé – Natural variability – Horn's Ro similarity index ..... 191

## Floristics

Corsica – Taxonomy – Chorology ..... 65

*Freycinetia*

*PANDANACEAE* – New Caledonia – Taxonomy ..... 175

- Gagea*  
*LILIACEAE* – Boissier – Spain ..... 109  
*LILIACEAE* – Lectotypification – Neotypification – Karl Koch – Caucasus – Turkey ..... 119  
*LILIACEAE* – Terracciano – Typification ..... 325  
*LILIACEAE* – Typification ..... 103
- Gagea* sect. *Platyspermum*  
*LILIACEAE* – Typification ..... 309
- Geographical distribution  
*POACEAE* – *CHLORIDOIDEAE* – *Chloris* – Taxonomy – South America – SEM ..... 347
- Grimmia*  
 BRYALES – *Grimmia* subg. *Rhabdogrimmia* – Species concept – Capsule structure –  
 Development of plicae ..... 51
- Grimmia* subg. *Rhabdogrimmia*  
 BRYALES – *Grimmia* – Species concept – Capsule structure – Development of plicae ..... 51
- Horn's Ro similarity index  
 Tropical forest – Ivory Coast – Taï National Park – Classified forests of Cavally  
 and Goin-Débé – Natural variability – Floristic composition ..... 191
- Iran  
*UMBELLIFERAE* – *Calyptroscidium* – *Prangos* – Afghanistan – Taxonomy ..... 95
- Ivory Coast  
 Tropical forest – Taï National Park – Classified forests of Cavally and Goin-Débé –  
 Natural variability – Floristic composition – Horn's Ro similarity index ..... 191
- Karl Koch  
*LILIACEAE* – *Gagea* – Lectotypification – Neotypification – Caucasus – Turkey ..... 119
- Land-use  
 Mediterranean – Arid lands – Steppe – Rangeland – Desert – Sahara – Libya –  
 Egypt – Phytogeography – Flora – Vegetation – Ethnobotany ..... 259
- Lectotypification  
*LILIACEAE* – *Gagea* – Neotypification – Karl Koch – Caucasus – Turkey ..... 119
- Libya  
 Mediterranean – Arid lands – Land-use – Steppe – Rangeland – Desert – Sahara –  
 Egypt – Phytogeography – Flora – Vegetation – Ethnobotany ..... 259
- LILIACEAE*  
*Gagea* – Boissier – Spain ..... 109  
*Gagea* – Lectotypification – Neotypification – Karl Koch – Caucasus – Turkey ..... 119  
*Gagea* – Terracciano – Typification ..... 325  
*Gagea* – Typification ..... 103  
*Gagea* sect. *Platyspermum* – Typification ..... 309
- Mandevilla*  
*APOCYNACEAE* – *APOCYNOIDAE* – *MESECHITEAE* – Bolivia – Perú ..... 167

Mediterranean	
Arid lands – Land-use – Steppe – Rangeland – Desert – Sahara – Libya – Egypt – Phytogeography – Flora – Vegetation – Ethnobotany .....	259
<i>MESECHITEAE</i>	
<i>APOCYNACEAE</i> – <i>APOCYNOIDAEAE</i> – <i>Mandevilla</i> – Bolivia – Perú .....	167
Morphology	
<i>Cassebeera</i> – <i>Doryopteris</i> – <i>Pellaea</i> – Systematics .....	181
Natural variability	
Tropical forest – Ivory Coast – Taï National Park – Classified forests of Cavally and Goin-Débé – Floristic composition – Horn's Ro similarity index .....	191
Neotypification	
<i>LILIACEAE</i> – <i>Gagea</i> – Lectotypification – Karl Koch – Caucasus – Turkey .....	119
New Caledonia	
<i>PANDANACEAE</i> – <i>Freycinetia</i> – Taxonomy .....	175
<i>OROBANCHACEAE</i>	
Arabian Peninsula .....	231
<i>Oryzae</i>	
<i>POACEAE</i> – Anatomy – Stem .....	135
<i>PANDANACEAE</i>	
<i>Freycinetia</i> – New Caledonia – Taxonomy .....	175
<i>Pellaea</i>	
<i>Cassebeera</i> – <i>Doryopteris</i> – Morphology – Systematics .....	181
Perú	
<i>APOCYNACEAE</i> – <i>APOCYNOIDAEAE</i> – <i>MESECHITEAE</i> – <i>Mandevilla</i> – Bolivia .....	167
Phytogeography	
Mediterranean – Arid lands – Land-use – Steppe – Rangeland – Desert – Sahara – Libya – Egypt – Flora – Vegetation – Ethnobotany .....	259
<i>POACEAE</i>	
<i>CHLORIDOIDEAE</i> – <i>Chloris</i> – Taxonomy – Geographical distribution – South America – SEM .....	347
<i>Oryzae</i> – Anatomy – Stem .....	135
<i>Prangos</i>	
<i>UMBELLIFERAE</i> – <i>Calyptroscidium</i> – Iran – Afghanistan – Taxonomy .....	95
<i>Prestonia</i>	
<i>APOCYNACEAE</i> – <i>APOCYNOIDAEAE</i> – <i>ECHITEAE</i> – South America .....	159
Rangeland	
Mediterranean – Arid lands – Land-use – Steppe – Desert – Sahara – Libya – Egypt – Phytogeography – Flora – Vegetation – Ethnobotany .....	259

- Sahara  
Mediterranean – Arid lands – Land-use – Steppe – Rangeland – Desert – Libya –  
Egypt – Phytogeography – Flora – Vegetation – Ethnobotany ..... 259
- SEM  
*POACEAE* – *CHLORIDOIDEAE* – *Chloris* – Taxonomy – Geographical distribution –  
South America..... 347
- South America  
*APOCYNACEAE* – *APOCYNINOIDEAE* – *ECHITEAE* – *Prestonia*..... 159  
*POACEAE* – *CHLORIDOIDEAE* – *Chloris* – Taxonomy – Geographical distribution –  
SEM ..... 347
- Spain  
*LILIACEAE* – *Gagea* – Boissier ..... 109
- Species concept  
BRYALES – *Grimmia* – *Grimmia* subg. *Rhabdogrimmia* – Capsule structure –  
Development of plicae ..... 51
- Stem  
*POACEAE* – *Oryzae* – Anatomy..... 135
- Steppe  
Mediterranean – Arid lands – Land-use – Rangeland – Desert – Sahara – Libya –  
Egypt – Phytogeography – Flora – Vegetation – Ethnobotany ..... 259
- Systematics  
*Cassebeera* – *Doryopteris* – *Pellaea* – Morphology ..... 181
- Taï National Park  
Tropical forest – Ivory Coast – Classified forests of Cavally and Goin-Débé –  
Natural variability – Floristic composition – Horn's Ro similarity index..... 191
- Taxonomy  
Corsica – Floristics – Chorology ..... 65  
*PANDANACEAE* – *Freycinetia* – New Caledonia..... 175  
*POACEAE* – *CHLORIDOIDEAE* – *Chloris* – Geographical distribution –  
South America – SEM ..... 347  
*UMBELLIFERAE* – *Calyptroscidium* – *Prangos* – Iran – Afghanistan ..... 95
- Terracciano  
*LILIACEAE* – *Gagea* – Typification ..... 325
- Tropical forest  
Ivory Coast – Taï National Park – Classified forests of Cavally and Goin-Débé –  
Natural variability – Floristic composition – Horn's Ro similarity index..... 191
- Turkey  
*LILIACEAE* – *Gagea* – Lectotypification – Neotypification – Karl Koch – Caucasus ..... 119

## Typification

<i>LILIACEAE</i> – <i>Gagea</i> .....	103
<i>LILIACEAE</i> – <i>Gagea</i> – Terracciano.....	325
<i>LILIACEAE</i> – <i>Gagea</i> sect. <i>Platyspermum</i> .....	309

*UMBELLIFERAE*

<i>Asteriscium</i> – Argentina.....	255
<i>Calyptrosciadium</i> – <i>Prangos</i> – Iran – Afghanistan – Taxonomy .....	95

## Vegetation

Mediterranean – Arid lands – Land-use – Steppe – Rangeland – Desert – Sahara – Libya – Egypt – Phytogeography – Flora – Ethnobotany.....	259
---	-----