

Plates

Autor(en): **[s.n.]**

Objektyp: **Appendix**

Zeitschrift: **Eclogae Geologicae Helvetiae**

Band (Jahr): **56 (1963)**

Heft 1

PDF erstellt am: **08.08.2024**

Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.


Haftungsausschluss


Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.


CORRELATION CHART HABANA AREA


EPOCH AND STAGE	BIOSTRATIGRAPHIC ZONES			GROUPS OF FORMATIONS	PUNTA BRAVA	JAIMANITAS AUTOPUESTO DEL MEDICINA CAN.	TEJAR ANDRADE CANTERA POGLIOTTI	CANTERA HUSILLO TEJAR CONSUELO	ALMENDARES YEDADO NUEVO VEDADO	CAPDEVILA VENTO	ALTA HABANA	ARROYO NARANJO ALBAZAR APOLO	PLAZA DE LA REPUBLICA AVE. DE LOS PRESIDENTES HABANA VIEJA	CASA BLANCA COJIMAR ALAMAR	CONTINUACION VIA MONUMENTAL FROM VIA BLANCA TO CARRETERA CENTRAL	SAN FRANCISCO DE PAULA	SANTA MARIA DEL ROSARIO COTORRO	
	Planktonic Foraminifera	Discoasterids	Larger Foraminifera															
RECENT			Archaeas angulatus	MARIANO GROUP CARBONATE FACIES		RECENT DEPOSITS			RECENT DEPOSITS				RECENT DEPOSITS	RECENT DEPOSITS				
PLEISTOCENE	Globorotalia menardii																	
MIOCENE	Globorotalia mayeri		Operculinoides															
	Globorotalia (Gibb.)																	
	Globigerinella insula		Miogyssina															
	Colapsodyrox dissimilis	Discoaster deflandrei	Lepidocyclina (Lep.) - Miogyssina															
OLIGOCENE	Globorotalia kugleri		Miogyssina															
	G. cipariensis - G. opima	Discoaster woodringi	Lepidocyclina (Lep.) - Lepidocyclina (Lep.)															
	Globigerina woodringi																	
	Globorotalia cerroazulensis	Discoaster barbadensis	Lepidocyclina s. i.															
	Globigerina seminivolata		Discoacyclina															
	Hank. dumbei - Globigerinella (Gibb.)	Discoaster																
	Hank. mexicanus - G. aragonensis	Discoaster																
	Gk. bullbrookii - Gk. aragonensis	Discoaster	Operculinoides wellsii - Operculinoides cubensis															
	Globorotalia palmerae	Discoaster																
	Gk. brodermanni - Gk. pseudocyclula	Discoaster																
EOCENE	Gk. rex - Gk. formosa																	
	Gk. velascensis - Gk. pseudomenardii																	
	Gk. angulata																	
	D. multiradiatus - M. bramlettei - M. contortus																	
	Gk. dubiergensis - Gk. compresso																	
	D. multiradiatus - M. bramlettei - M. contortus																	
	Gk. rex - Gk. formosa																	
	Gk. velascensis - Gk. pseudomenardii																	
	Gk. angulata																	
	Gk. dubiergensis - Gk. compresso																	
CRETACEOUS AND OLDER	Maastrichtian	Rugotruncana mayracensis	Coccoliths Assemblages	HABANA GROUP FLUCC FACIES														
	Companion	Rugotruncana gansseri																
		Globotruncana linnæi																
	Santonian to Coniacian	Gk. formosa																
		Gk. concavata																
		Gk. coronata																
	Turonian	Helvetoglobulina helvetica																
		Rot. turonica																
		Rot. appenninica																
	Cenomanian	Thalm. multiloculata																
MESOZOIC AND OLDER	Albian to Aptian	Hedbergella trochoidea	Nannoconus fruitii															
	Berremian to Neocomian		Nannoconus steinmanni															
	Upper Jurassic and older																	


* Zonation not definitely established















Plate VIII

Figs. 1-3. "Hieroglyphic" markings formed by sandy material filling animal borings on mud surface.

Fig. 1. Baughman station 1743. 2.2 ×.

Figs. 2, 3 Baughman station 1944. 2.2 ×.

SEILACHER (1959, p. 1070, text-fig. 29, Tabelle II) explains the forms illustrated by fig. 1 as "Langgestreckte Gangfüllung mit wenigen geweihartigen Verzweigungen. Ursprünglich mit Tonpillen austapeziert, daher stets scharf von der umgehenden Schichtfläche abgesetzt" (cf. *Granularia* POMEL). Our fig. 3 may be identical with SEILACHER's problematic form illustrated by his text-fig. 35, Tabelle II (*Terebellina* ULRICH).

Fig. 4. Ripple mark on top of sandy bed. Baughman station 2037. 1.5 ×.




Plate IX

Figs. 1-6. Chondrites of different types from the calcilutite in the upper part of the Vía Blanca formation, continuation of the Avenida Monumental. BR stations 667 and 667 A.

Fig. 1 1.7 ×.

Fig. 2. Detail of surface structure. 2.2 ×.


Figs. 3, 4 1.8 ×.

Figs. 5, 6 2.2 ×.


SEILACHER (1959, p. 1072, Tabelle III, text-fig. 50) refers the form illustrated by our fig. 1 to *Chondrites* ("Fressbau"). Figs. 3 and 4 are identical with SEILACHER's fig. 49, Tabelle 3, referred to *Chondrites intricatus* BROGNIART. Figs. 5 and 6 appear to be intermediate forms of *Chondrites* and fig. 2 shows the filling of the "Fressbau" with ellipsoidal coprolites.




1




2




3



4



5



6

Plate X

- Fig. 1. *Discoaster multiradiatus* BRAMLETTE and RIEDEL
a) Facies superior
b) Facies inferior
- Fig. 2. *Discoaster bebalaini* (TAN SIN HOK) nov. comb.
a) Facies superior
b) Facies inferior
- Fig. 3. *Discoaster aecus* BRÖNNIMANN and STRADNER
a) Facies superior
b) Facies inferior
- Fig. 4. *Discoaster geometricus* BRÖNNIMANN and STRADNER
a) Facies superior
b) Facies inferior




Plate XI

- Fig. 1. *Discoaster uncinatus* BRÖNNIMANN and STRADNER
a) Facies superior
b) Facies inferior
- Fig. 2. *Discoaster lodoensis* BRAMLETTE and RIEDEL
a) Facies superior
b) Facies inferior
- Fig. 3. *Discoaster hilli* TAN SIN HOK
a) Facies superior
b) Facies inferior
- Fig. 4. *Discoaster mirus* DEFLANDRE
a) Facies superior
b) Facies inferior




Plate XII

Fig. 1. *Discoaster binodosus* MARTINI

- a) Facies superior
- b) Facies inferior

Fig. 2. *Discoaster corniger* SHAMRAY and LAZAREVA

- a) Facies superior
- b) Facies inferior

Fig. 3. *Discoaster* cf. *molengraaffi* TAN SIN HOK

- a) Facies superior
- b) Facies inferior

Fig. 4. *Discoaster* cf. *woodringi* BRAMLETTE and RIEDEL

- a) Facies superior
- b) Facies inferior




Plate XIII

- Fig. 1. *Marthasterites contortus* (STRADNER) DEFLANDRE
a) Facies superior
b) Facies inferior
- Fig. 2. *Marthasterites bramlettei* BRÖNNIMANN and STRADNER
a) Facies superior
b) Facies inferior
- Fig. 3. *Marthasterites riedeli* BRÖNNIMANN and STRADNER
a) Facies superior
b) Facies inferior
- Fig. 4. *Marthasterites tribrachiatus* (BRAMLETTE and RIEDEL) DEFLANDRE
a) Facies superior
b) Facies inferior




Plate XIV

- Fig. 1. *Nannotetraster swasticoides* (MARTINI) MARTINI and STRADNER
a) Facies superior
b) Facies inferior
- Fig. 2. *Braarudosphaera bigelovi* (GRAN and BRAARUD) DEFLANDRE
a) Facies distalis
b) Facies proximalis
- Fig. 3. *Braarudosphaera discula* BRAMLETTE and RIEDEL
a) Facies distalis
b) Facies proximalis
- Fig. 4. *Braarudosphaera undata* STRADNER
a) Facies distalis
b) Facies proximalis




Plate XV

Fig. 1. *Micrantholithus vesper* DEFLANDRE

- a) Facies distalis
- b) Facies proximalis

Fig. 2. *Nannoturbella moriformis* BRÖNNIMANN and STRADNER

- a) Basal view
- b) Side view
- c) In polarized light

Fig. 3. *Heliorthus fallax* BRÖNNIMANN and STRADNER

- a) Facies distalis
- b) Facies proximalis
- c) In polarized light (different scale)
- d) Side view
- e) Facies proximalis of a paratype with more rugged outline
- f) Facies distalis of a paratype with slender cross and rim




Plate XVI

- Fig. 1. *Rugotruncana gansseri* (BOLLI)
Baughman station 1802, Maastrichtian
95×
- Fig. 2. *Globotruncana contusa* (CUSHMAN)
Baughman station 1805, Maastrichtian
60×
- Fig. 3. *Trinitella scotti* BRÖNNIMANN
Sisson station 156, Maastrichtian
95×




Plate XVII

- Fig. 1. *Rugotruncana calcarata* (CUSHMAN)
Baughman station 1839 B, Campanian
62×
- Fig. 2. *Globotruncanella havanensis* (VOORWIJK)
Baughman station 1839 B, Campanian
62×
- Fig. 3. *Globotruncana fornicata* PLUMMER
Baughman station 1839 B, Campanian
62×
- Fig. 4. *Gublerina ornatissima* (CUSHMAN and CHURCH)
Sisson station 156, Maastrichtian
62×
- Fig. 5. *Globotruncana linneiana* (D'ORBIGNY)
Baughman station 1839 B, Campanian
62×




Plate XVIII

- Fig. 1. *Rugoglobigerina rugosa rugosa* (PLUMMER)
Sisson station 156, Maastrichtian
92 ×
- Fig. 2. *Rugoglobigerina macrocephala macrocephala* BRÖNNIMANN
Sisson station 156, Maastrichtian
92 ×
- Fig. 3. *Ticinella roberti* (GANDOLFI)
Sisson station 148, Cenomanian
92 ×




Plate XIX

- Fig. 1. *Hedbergella trocoidea* (GANDOLFI)
Sisson station 148, Cenomanian
96 ×
- Fig. 2. *Planomalina buxtorfi* (GANDOLFI)
Sisson station 148, Cenomanian
60 ×
- Fig. 3. *Globigerina daubjergensis* BRÖNNIMANN
BR station 1221, Danian
96 ×
- Fig. 4. *Globorotalia compressa* PLUMMER
BR station 1221, Danian
96 ×
- Fig. 5. *Globorotalia pseudobulloides* PLUMMER
BR station 1221, Danian
96 ×




Plate XX

- Fig. 1. *Globigerina ciproensis angustiumblicata* BOLLI
BR station 383, Oligocene
97 ×
- Fig. 2. *Globigerina ciproensis ciproensis* BOLLI
BR station 383, Oligocene
97 ×
- Fig. 3. *Globigerina ciproensis angulisuturalis* BOLLI
BR station 376, Oligocene
97 ×
- Fig. 4. *Globorotalia mayeri* CUSHMAN and ELLISOR
BR station 959, Miocene
97 ×




Plate XXI

- Fig. 1. *Globigerina ampliapertura* BOLLI
BR station 366, Oligocene
93 ×
- Fig. 2. *Globigerina euapertura* JENKINS
BR station 383, Oligocene
93 ×
- Fig. 3. *Globorotalia opima nana* BOLLI
BR station 383, Oligocene
93 ×
- Fig. 4. *Globorotalia opima opima* BOLLI
BR station 376, Oligocene
93 ×




Plate XXII

- Fig. 1. *Globigerina triloculinoides* PLUMMER
BR station 1221, Danian
98 ×
- Fig. 2. *Globigerina cf. triloculinoides* PLUMMER
BR station 1221, Danian
98 ×
- Fig. 3. *Porticulasphaera transitoria* BLOW
BR station 933, Miocene
62 ×
- Fig. 4. *Globigerinoides bisphericus* TODD
BR station 933, Miocene
62 ×
- Fig. 5. *Globigerinoides subquadratus* BRÖNNIMANN
BR station 933, Miocene
62 ×




Plate XXIII

- Fig. 1. *Globigerina rohri* BOLLI
Finca Adelina, Oligocene
99×
- Fig. 2. *Globoquadrina altispira globosa* BOLLI
Finca Adelina, Oligocene
43×
- Fig. 3. *Globoquadrina altispira altispira* (CUSHMAN and JARVIS)
Finca Adelina, Oligocene
43×




Plate XXIV

Fig. 1. *Globoquadrina venezuelana* (HEDBERG)
Finca Adelina, Oligocene
92 ×

Fig. 2. *Globorotalia praemenardii* CUSHMAN and STAINFORTH
BR station 923, Miocene
92 ×




Plate XXV

- Fig. 1.** *Globorotalia fohsi lobata* BERMÚDEZ
BR station 908, Miocene
97×
- Fig. 2.** *Globorotalia fohsi fohsi* CUSHMAN and ELLISOR
BR station 924, Miocene
97×
- Fig. 3.** *Globorotalia fohsi barisanensis* LEROY
BR station 925, Miocene
97×




Plate XXVI

- Fig. 1.** *Globorotalia obesa* BOLLI
BR station 922, Miocene
97 ×
- Fig. 2.** *Globoquadrina altispira altispira* (CUSHMAN and JARVIS)
Finca Adelina, Oligocene
97 ×
- Fig. 3.** *Globigerina foliata* BOLLI
BR station 922, Miocene
97 ×

