

Objektyp: **ReferenceList**

Zeitschrift: **Veröffentlichungen des Geobotanischen Institutes der Eidg. Tech. Hochschule, Stiftung Rübel, in Zürich**

Band (Jahr): **112 (1993)**

PDF erstellt am: **22.07.2024**

### **Nutzungsbedingungen**

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

### **Haftungsausschluss**

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

## LITERATURVERZEICHNIS

- ALBERTS B., BRAY D., LEWIS J., ROFF M., ROBERTS K. and WATSON J. D., 1983: Molecular biology of the cell. Garland Publ., Inc., New York. 1146 S.
- AMADO R., MUELLER-HIEMEYER R. und MARTI U., 1980: Proteingehalt, Aminosäurezusammensetzung und Neutralzucker Gehalt von *Lemnaceae* (Vorläufige Mitteilung). Veröff. Geobot.Inst.ETH,Stiftung Rübel, Zürich 70, 102-117.
- ANDREICA A., SPARCHEZ C. and SORAN V., 1988: Germination of wheat pollen under normal and under cryopreservation conditions. (In Rumänisch). Stud.Cercet.Biol.Ser.Biol. Veg. 40(1), 55-58.
- ANGELL C.A. and MACFARLANE D.R., 1982: Conductimetric and calorimetric methods for the study of homogeneous nucleation below both  $T_h$  and  $T_g$ . Adv.Ceram. 4, 66-72.
- ANGELL C.A. and TUCKER J.C., 1980: Heat capacity changes in glass-forming aqueous solutions and the glass transition in vitreous water. J.Phys.Chem. 84, 168-272.
- ASAHINA E., 1962: Frost injury in living cells. Nature (London) 196, 445-446.
- ASHBY E., WANGERMANN E. and WINTER E.J., 1949: Studies in the morphogenesis of leaves III. Preliminary observations on vegetative growth in *Lemna minor*. New Phytol. 48, 374-381.
- ASHWORTH E.N. and ABELES F.B., 1984: Freezing behavior of water in small pores and the possible role in the freezing of plant tissues. Plant Physiol.(Bethesda) 76, 201-204.
- ASHWORTH E.N., DAVIES G.A. and ANDERSON J.A., 1985: Factors affecting ice nucleation in plant tissues. Plant Physiol.(Bethesda) 79, 1033-1037.
- BAJAJ Y.P.S., 1977: Survival of *Atropa* and *Nicotiana* pollen embryo frozen at  $-196^{\circ}\text{C}$ . Curr.Sci.(Bangalore) 46, 305-307.
- BAJAJ Y.P.S., 1979: Freeze preservation of meristems of *Arachis hypogaea* and *Cicer arietinum*. Indian J.Exp.Biol. 17, 1405-1407.
- BAJAJ Y.P.S., 1981: Regeneration of plants from potato *Solanum tuberosum* meristems freeze preserved for 24 months. Euphytica 30, 141-146.
- BAJAJ Y.P.S., 1983a: Cassava *Manihot esculenta* plants from meristem cultures freeze preserved for 3 years. Field Crops Res. 7(3), 161-168.
- BAJAJ Y.P.S., 1983b: Production of normal seeds from plants regenerated from the meristems of *Arachis hypogaea* and *Cicer arietinum* cryopreserved for 20 months. Euphytica 32, 425-430.
- BAJAJ Y.P.S., 1984a: The regeneration of plants from frozen pollen embryos and zygotic embryos of wheat and rice. Theor.Appl.Genet. 67, 525-528.
- BAJAJ Y.P.S., 1984b: Induction of growth in frozen embryos of coconut and ovules of citrus. Curr.Sci.(Bangalore) 53, 1215-1216.
- BAJAJ Y.P.S., 1985: Cryopreservation of embryos. In: KARTHA K.K. (ed.), Cryopreservation of plant cells and organs. CRC Press, Inc., Boca Raton, Florida. 227-242.
- BAJAJ Y.P.S., 1988: Regeneration of plants from frozen minus  $196^{\circ}\text{C}$  protoplasts of *Atropa belladonna* L., *Datura innoxia* Mill., and *Nicotiana tabacum* L. Indian J.Exp.Biol. 26, 289-292.
- BARNES J.D. and WILSON J.M., 1986: Effects of hormones on morphogenesis and cold resistance in berseem clover (*Trifolium alexandrinum* L.). J.Exp.Bot. 37, 1542-1551.
- BECWAR M.R., STANWOOD P.C. and LEONHARDT K.W., 1983: Dehydration effects of freezing characteristics and survival in liquid nitrogen of desiccation-tolerant and desiccation-sensitive seeds. J.Amer.Soc.Hort.Sci. 108(4), 613-618.
- BEN-AMOTZ A. and GILBOA A., 1980: Cryopreservation of marine unicellular algae. 1. A survey of algae with regard to size culture age, photosynthetic activity and chlorophyll to cell ratio. Mar.Ecol.Prog.Ser. 2(2), 157-162.
- BENSON E.E., HARDING K. and SMITH H., 1989: Variation in recovery of cryopreserved

- shoot tips of *Solanum tuberosum* exposed to different pre- and post-freeze light regimes. *Cryo-Lett.* 10, 323-344.
- BERTRAND-DEBRUNAIS A., FABRE J., ENGELMANN F., DEREUDDRE J. et CHARRIER A., 1988: Reprise de l'embriogenèse adventive à partir d'embryons somatiques de caféier (*Coffea arabica* L.) après leur congélation dans l'azote liquide. *C.R.Acad.Sci.Paris Sér.III* 307, 795-801.
- BOUTRON P., 1984: More accurate determination of the quantity of ice crystallized at low cooling rates in the glycerol and 1,2-propanediol aqueous solutions: Comparison with equilibrium. *Cryobiology* 21, 183-191.
- BOUTRON P., 1986: Comparison with the theory of the kinetics and extent of ice crystallisation and of the glass-forming tendency in aqueous cryoprotective solutions. *Cryobiology* 23, 88-102.
- BOUTRON P., 1988: Vitrification of aqueous solutions. *Cryobiology* 25, 555.
- BOUTRON P. and ARNAUD F., 1984: Comparison of the cryoprotection of red blood cells by 1,2-propanediol and glycerol. *Cryobiology* 21, 348-358.
- BOUTRON P. and KAUFMANN A., 1978: Stability of the amorphous state in the system water-glycerol-dimethylsulfoxid. *Cryobiology* 15, 93-108.
- BOUTRON P. et MEHL P., 1986: Nouveaux cryoprotecteurs pour la cryopréservation des cellules par vitrification totale. *Bull.Soc.Bot.Fr.* 133(3), 27-39.
- BOUTRON P., DELAGE D., ROUSTIT B. and KÖRBER C., 1982: Ternary systems with 1,2-propanediol – A new gain in the stability of the amorphous state in the system water-1,2-propanediol-1-propanol. *Cryobiology* 19, 550-554.
- BOUTRON P., MEHL P., KAUFMANN A. and ANGIBAUD P., 1986: Glass-forming tendency and stability in the aqueous solutions of linear polyalcohols with four carbons. 1. Binary systems water-polyalcohols. *Cryobiology* 23, 453-469.
- BRAUN A., 1988: Cryopreservation of sugar beet germplasm. *Plant Cell Tissue Organ Cult.* 14, 161-168.
- BREIEROVA E., KAVACOVSKA R. and KOCKOVA-KRATOCHVILOVA A., 1987a: Cryoprotection and freeze drying of yeasts. *Biologia (Bratislava)* 42(3), 239-245.
- BREIEROVA E., KOCKOVA-KRATOCHVILOVA A. and DELGADO R., 1987b: Storage of *Candida albicans*, *C. tropicalis*, and related species in liquid nitrogen. *Folia Microbiol. (Prag)* 32, 426-430.
- CHEN T.H.H., KARTHA K.K., CONSTABEL F. and GUSTA L.V., 1984a: Freezing characteristics of cultured *Catheranthus roseus* L. G. Don cells treated with dimethylsulfoxid and sorbitol in relation to cryopreservation. *Plant Physiol.(Bethesda)*75, 720-725.
- CHEN T.H.H., KARTHA K.K., LEUNG N.L., KURZ W.G.W., CHATSON K.B. and CONSTABEL F., 1984b: Cryopreservation of alkaloid producing cell cultures of periwinkle *Catheranthus roseus*. *Plant Physiol.(Bethesda)* 75, 726-731.
- CHEN T.H.H., KARTHA K.K. and GUSTA L.V., 1985: Cryopreservation of wheat *Triticum aestivum* cultivar Norstar suspension culture and regenerable callus. *Plant Cell Tissue Organ Cult.* 4, 101-110.
- CHIN H.F., KRISHNAPILLAY B. and ALANG Z.C., 1988: Cryopreservation of *Veitchia* and *Howea* palm embryos: Non-development of the haustorium. *Cryo-Lett.* 9, 372-379.
- DAS R.R. and GOPAL B., 1969: Vegetative propagation in *Spirodela polyrrhiza*. *Trop.Ecol.* 10, 270-277.
- DE BOUCAUD M.-T. and CAMBECEDES J., 1988: The use of 1,2-propanediol for cryopreservation of recalcitrant seeds: The model case of *Zea mays* imbibed seeds. *Cryo-Lett.* 9, 94-101.
- DELVALLEE I., GUILLAUD J., BECKERT M. and DUMAS C., 1989: Cryopreservation of immature maize embryos after freeze-hardening in the ear and in vitro. *Plant Sci.(Shannon)* 60(1), 129-136.
- DEREUDDRE J., GALERNE M. et GAZEAU C., 1987: Effets du saccharose sur la résistance à la congélation dans l'azote liquide (-196°C) des méristèmes apicaux d'oeillets (*Dianthus cario-*

- phyllus*) cultivés in vitro. C.R.Acad.Sci.Paris Sér.III 304, 485-487.
- DEREUDDRE J., FABRE J. and BASSAGLIA C., 1988: Resistance to freezing in liquid nitrogen of carnation (*Dianthus caryophyllus* L. var Eolo) apical and axillary shoot tips excised from different aged in vitro plantlets. Plant Cell Rep. 7, 170-173.
- DEREUDDRE J., SCOTTEZ C., ARNAUD Y. et DURON M., 1990a: Effets d'un durcissement au froids des vitroplants de poirier (*Pyrus communis* L. cv Beurré Hardy) sur la résistance des apex axillaires à une congélation dans l'azote liquide. C.R.Acad.Sci.Paris Sér.III 310, 265-272.
- DEREUDDRE J., SCOTTEZ C., ARNAUD Y. et DURON M., 1990b: Résistance d'apex caulinares de vitroplants de poirier (*Pyrus communis* L. cv Beurré Hardy), enrobés dans l'alginat à une déshydratation puis à une congélation dans l'azote liquide: Effets d'une durcissement préalable au froids. C.R.Acad.Sci.Paris Sér.III 310, 317-323.
- DEREUDDRE J., BLANDIN S. and HASSEN N., 1991a: Resistance of alginate-coated somatic embryos of carrot (*Daucus carota* L.) to desiccation and freezing in liquid nitrogen: 1. Effects of preculture. Cryo-Lett. 12, 125-134.
- DEREUDDRE J., HASSEN N., BLANDIN S. and KAMINSKI M., 1991b: Resistance of alginate-coated somatic embryos of carrot (*Daucus carota* L.) to desiccation and freezing in liquid nitrogen: 2. Thermal analysis. Cryo-Lett. 12, 135-148.
- DIETRICH B., POPOV A.S., PFEIFFER B., NEUMANN D., BUTENKO R. and LUCKNER M., 1982: Cryopreservation of *Digitalis lanata* cell cultures. Planta Med. 46(2), 82-87.
- DIETRICH B., HAACK U., POPOV A.S., BUTENKO R. and LUCKNER M., 1985: Long-term storage in liquid nitrogen of an embryogenic cell strain of *Digitalis lanata*. Biochem. Physiol.Pflanz. 180(1), 33-43.
- DIETRICH B., HAACK U. and LUCKNER M., 1986: Cryopreservation of *Digitalis lanata* cells grown in vitro. Precultivation and recultivation. J.Plant Physiol. 126, 63-73.
- DIETRICH B., WOLF T., BORMANN A., POPOV A.S., BUTENKO R. and LUCKNER M., 1987: Cryopreservation of *Digitalis lanata* shoot tips. Planta Med. 53(4), 359-363.
- DOUZOU P., 1986: Interactive effects of cryosolvents, ionic and macromolecular solutes on protein structures and functions. Cryobiology 23, 38-47.
- DOWELL L.G. and RINFRET A.P., 1960: Low temperature forms of ice as studied by X-ray diffraction. Nature (London) 188, 1144-1148.
- EFRAT Y., PIETERSE A.H. and BOUMAN F. 1977: A comparative study of developing air chambers in flat and gibbous fronds of *Lemna gibba* L. Acta Bot.Neerl. 26, 343-347.
- ENGELMANN F. and DEREUDDRE J., 1988: Cryopreservation of oil palm somatic embryos: Importance of the freezing process. Cryo-Lett. 9, 220-235.
- FAHY G.M., MACFARLANE D.R., ANGELL C.A. and MERYMAN H.T., 1984: Vitrification as an approach to cryopreservation. Cryobiology 21, 407.
- FINKLE B.J. and ULRICH J.M., 1979: Effects of cryoprotectants in combination on the survival of frozen sugarcane cells. Plant Physiol.(Bethesda) 63, 598-604.
- FINKLE B.J., ZAVALA M.E. and ULRICH J.M., 1985: Cryoprotective compounds in the viable freezing of plant tissues. In: KARTHA K.K. (ed.), Cryopreservation of plant cells and organs. CRC Press, Inc., Boca Raton, Florida. 75-113.
- FLINDT R., 1988: Biologie in Zahlen. (3. Aufl.). Fischer, Stuttgart. 283 S.
- FRANKS F., 1986: Molekulare Grundlagen der Kälteresistenz von Lebewesen. Chem.unserer Zeit 20(5), 146-155.
- FRANZ T.J. and VAN BRUGGEN J.T., 1967: A possible mechanism of action of DMSO. Ann. New York Acad.Sci. 141, 302-309.
- FRICK H., 1991: Vitrification in vivo in *Lemna minor* and its maintenance by isopentenyl adenine. J.Plant Physiol. 137, 502-504.
- FUJIKAWA S. and MIURA K., 1986: Plasma membrane ultrastructural changes caused by mechanical stress in the formation of extracellular ice as a primary cause of slow freezing injury in fruit bodies of *Basidiomycetes*. Cryobiology 23, 371-382.

- GANESHAN S., 1986: Viability and fertilizing capacity of onion pollen *Allium cepa* stored in liquid nitrogen minus 196° Celsius. *Indian Trop.Agric.* 63(1), 46-48.
- GRIMSLEY N.H. and WITHERS L.A., 1983: Cryopreservation of cultures of the moss *Physcomitrella patens*. *Cryo-Lett.* 4, 251-258.
- GROUT B.W.W., 1979: Low temperature storage of imbibed tomato seeds: A model for recalcitrant seed storage. *Cryo-Lett.* 1, 71-76.
- GROUT B.W.W., WESTCOTT R.J. and HENSHAW G.G., 1978: Survival of shoot meristems of tomato seedlings frozen in liquid nitrogen. *Cryobiology* 15, 478-483.
- GUERN J., 1965: Corrélations de croissance entre frondes chez Lemnaceés. *Ann.Sci.Nat. Bot.Paris Sér.12* 6, 1-156.
- GUY C.L. and HASKELL D., 1987: Induction of freezing tolerance in spinach is associated with the synthesis of cold acclimation induced proteins. *Plant Physiol.(Bethesda)* 84, 872-878.
- HAHNE G. and LOERZ H., 1987: Cryopreservation of embryogenic callus cultures from barley *Hordeum vulgare*. *Plant Breeding* 99(4), 330-332.
- HAYES L.J., DILLER K.R., LEE H.S. and BAXTER C.R., 1984: Definition of an average cooling rate during cell freezing. *Cryo-Lett.* 5, 97-110.
- HEBER U., 1968: Freezing and loss of enzyme activities. *Cryobiology* 5, 188-201.
- HEBER U., 1970: Proteins capable of protecting chloroplast membranes against freezing. In: WOLSTENHOLME G.E.W. and O'CONNOR M. (eds.), *The frozen cell. A Ciba foundation symposium.* Churchill, London. (Longman group Ltd). 27-50.
- HEGELMAIER F., 1868: *Die Lemnaceen. Eine monographische Untersuchung.* Engelmann, Leipzig. 169 S.
- HENSHAW G.G., O'HARA J.F. and STAMP J.A., 1985a: In: KARTHA K.K. (ed.), *Cryopreservation of plant cells and organs.* CRC Press, Inc., Boca Raton, Florida. 159-170.
- HENSHAW G.G., KEEFE P.D. and O'HARA J.F., 1985b: Cryopreservation of potato meristems. In: SCHAEFER-MENUHR A. (ed.), *Advances in agricultural biotechnology. In vitro techniques: Propagation and long-term storage.* Junk, Dordrecht. 155-160.
- HILLMAN W.S., 1961: Experimental control of flowering in *Lemna*. 3. A relationship between medium composition and the opposite photoperiodic responses of *L. perpusilla* 6746 and *L. gibba* G3. *Amer.J.Bot.* 48, 413-419.
- HILLMAN W.S., 1975: Photoperiodism in seedling strains of *Lemna perpusilla*: Juvenility without obvious morphological correlates? *Amer.J.Bot.* 62, 537-510.
- HILLMAN W.S. and CULLEY D.D., 1978: The uses of duckweed. *Amer.Sci.* 66(4), 442-451.
- HINCHA D.K., SCHMITT J.M. and HEBER U., 1988: Cryoprotective proteins in plants. *Cryobiology* 25, 557.
- HIRSH A.G., 1987: Vitrification in plants as a natural form of cryoprotection. *Cryobiology* 24, 214-228.
- HIRSH A.G., WILLIAMS R.J. and MERYMAN H.T., 1985: A novel method of natural cryoprotection (Intracellular glass formation in deeply frozen *Populus*). *Plant Physiol.(Bethesda)* 79, 41-56.
- HUTNER S.H., 1953: Comparative physiology of heterotropic growth. In: LOOMIS W.E. (ed.), *Growth and differentiation in plants.* Iowa State Coll. Press. 417-446.
- JACOBS D.L., 1947: An ecological life history of *Spirodela polyrrhiza* (greater duckweed) with emphasis on the turion phase. *Ecol.Monogr.* 17, 437-469.
- JOCHEM M. and KÖRBER C.H., 1987: Extended phase diagrams for the ternary solutions H<sub>2</sub>O-NaCl-hydroxyethylstarch (HES) determined by DSC. *Cryobiology* 24, 513-536.
- KANNO H., SPEEDY R.H. and ANGELL C.A., 1975: Supercooling of water to -92°C under pressure. *Science (New York)* 189, 880-881.
- KARTHA K.K., 1980: Cryopreservation of plant meristems – A novel approach for germplasm storage. 2<sup>nd</sup> int. congr. of systematic and evolutionary biol. University of British Columbia: Vancouver, B.C., 1980. *Canad.Paper*, 45.

- KARTHA K.K., 1981: Meristem culture and cryopreservation methods and applications. In: THORPE T.A. (ed.), Plant tissue culture: Methods and applications in agriculture. Symp. based on the UNESCO training course. Campinas, Sao Paulo, 1978. Acad.Press, Inc., London. 181-222.
- KARTHA K.K., 1985: Meristem culture and germplasm preservation. In: KARTHA K.K. (ed.), Cryopreservation of plant cells and organs. CRC Press, Inc., Boca Raton, Florida. 115-134.
- KARTHA K.K., LEUNG N.L. and GAMBORG O.L., 1979: Freeze-preservation of pea meristems in liquid nitrogen and subsequent plant regeneration. *Plant.Sci.Lett.* 15, 7-15
- KARTHA K.K., LEUNG N.L. and PAHL K., 1980: Cryopreservation of strawberry meristems and mass propagation of plantlets. *J.Amer.Soc.Hort.Sci.* 105(4), 481-484.
- KARTHA K.K., LEUNG N.L., GAUDET-LAPRAIRIE P.G. and CONSTABEL F., 1982: Cryopreservation of periwinkle, *Catheranthus roseus* cells cultured in vitro. *Plant Cell Rep.* 1, 135-138.
- KARTHA K.K., FOWKE L.C., LEUNG N.L., CASWELL K.L. and HAKMAN I., 1988: Induction of somatic embryos and plantlets from cryopreserved cell cultures of white spruce (*Picea glauca*). *J.Plant.Physiol.* 132, 529-539.
- KAURIN Å. and STUSHNOFF C., 1985: Influence of dimethylsulfoxid on freezing resistance of lettuce seeds. *Cryobiology* 22, 569-573.
- KEEFE P.D. and HENSHAW G.G., 1984: A note of the multiple role of artificial nucleation of the suspending medium during two-step cryopreservation procedures. *Cryo-Lett.* 5, 71-78.
- KUO C.C. and LINEBERGER R.D., 1985: Survival of in vitro cultured tissue of "Jonathan" apples exposed to -196°C. *HortScience* 20, 764-767.
- KURIYAMA A. WATANABE K., UENO S. and MITSUDA H., 1989: Inhibitory effect of ammonium ion on recovery of cryopreserved rice cells. *Plant Sci.(Shannon)* 64(2), 231-236.
- KUSHAD M.M. and YELENOSKY G., 1987: Evaluation of polyamine and proline levels during low temperature acclimation of citrus. *Plant Physiol.(Bethesda)* 84, 692-695.
- LALK I. and DÖRFFLING K., 1985: Hardening, abscisic acid, proline and freezing resistance in two winter wheat varieties. *Physiol.Plant.(Kopenhagen)* 63, 287-292.
- LANDOLT E., 1986: The family of *Lemnaceae* – A monographic study (vol. 1). Veröff. Geobot.Inst.ETH,Stiftung Rübel,Zürich 71, 566 S.
- LANDOLT E. and KANDELER R., 1987: The family of *Lemnaceae* – A monographic study (vol. 2). Veröff.Geobot.Inst.ETH,Stiftung Rübel,Zürich 95, 638 S.
- LANE L.B., 1925: Freezing points of glycerol and its aqueous solutions. *Ind.Eng.Chem.* 17, 924.
- LANGIS R., SCHNABEL B., EARL E.D. and STEPONKUS P.L., 1989: Cryopreservation of *Brassica campestris* cell suspensions by vitrification. *Cryo-Lett.* 10, 421-428.
- LANGIS R. and STEPONKUS P.L., 1990: Cryopreservation of rye protoplasts by vitrification. *Plant Physiol.(Bethesda)* 92, 666-671.
- LARCHER W. und HÄCKEL H., 1985: Handbuch der Pflanzenkrankheiten (begründet. v. SO-RAUER P.). Bd. 1, Teil 5 (7. Aufl.). Herausg. v. RADEMACHER B. und RICHTER H. Parey, Berlin/Hamburg. 326 S.
- LAWALREE A., 1943: La multiplication végétative des Lemnaceés en particulier chez *Wolffia arrhiza*. *Cellule* 49, 337-382.
- LESHEM B., 1983: Growth of carnation meristems in vitro: Anatomical structure of abnormal plantlets and the effect of agar concentration in the medium on their formation. *Ann.Bot.(London)* 52, 413-415.
- LEVITT J., 1964: Cryobiology as viewed by the botanist. *Cryobiology* 1, 11-17.
- LEVITT J. and DEAR J., 1970: The role of membrane proteins in freezing injury and resistance. In: WOLSTENHOLME G.E.W. and O'CONNOR M. (eds.), The frozen cell. A Ciba foundation symposium. Churchill, London. (Longman group Ltd). 149-174.

- LIMASSET P. and CORNUET P., 1949: Recherche du virus de la mosaïque du tabac (Marmor Tabaci Holmes) dans les méristèmes des plantes infectées. C.R.Acad.Sci.Paris Sér.III 228, 1971-1972.
- LINDOW S.E., ARNY D.C. and UPPER D.C., 1982: Bacterial ice nucleation: A factor to frost injury to plants. Plant Physiol.(Bethesda) 70, 1084-1089.
- LOCKHART W.L., BILLECK B.N., DE MARCH B.G.E. and MUIR D.C.G., 1983: Uptake and toxicity of organic compounds: studies with an aquatic macrophyte (*Lemna minor*). ASTM Spec.Tech.Publ. 802, 460-468.
- LÜÖND A., 1983: Das Wachstum von Wasserlinsen (*Lemnaceae*) in Abhängigkeit des Nährstoffangebots, insbesondere Phosphor und Stickstoff. Veröff.Geobot.Inst.ETH, Stiftung Rübel,Zürich 70, 101 S.
- LUYET B.J., 1960: On various phase transitions occurring in aqueous solutions at low temperatures. Ann.New York Acad.Sci. 85, 549-569.
- LUYET B.J., 1970: Physical changes occurring in frozen solutions during rewarming and melting. In: WOLSTENHOLME G.E.W. and O'CONNOR M. (eds.), The frozen cell. A Ciba foundation symposium. Churchill, London. (Longman group Ltd). 27-50.
- LUYET B.J. and KROENER C., 1958: Temperatures at which abrupt changes in configurational order occur in vitrous mixtures of glycerol and water. Bull.Amer.Phys.Soc.Ser.II 3, 359.
- LUYET B.J., KROENER C. and RAPATZ G., 1958: Detection of heat of recrystallisation in glycerol-water mixtures. Biodynamica 8, 73-80.
- LUYET B.J., TANNER J. and RAPATZ G., 1962: X-ray diffraction study of the structure of rapidly frozen gelatin solutions. Biodynamica 9, 21-46.
- MACFARLANE D.R., 1986: Devitrification in glass-forming aqueous solutions. Cryobiology 23, 230-244.
- MACFARLANE D.R., 1987: Physical aspects of vitrification in aqueous solutions. Cryobiology 24, 181-195.
- MACIEJEWSKA-POTAPCZYK W., KONOPSKA L. and RESKA J., 1976: Influence of IAA and kinetin on *Lemna minor* L. proteins. Acta Univ.Nicolai Copernici Nauk.Mat.-Przyr. 37, 183-186.
- MACKENZIE A.P., 1977: Non-equilibrium freezing behaviour of aqueous systems. Phil. Trans.R.Soc.Lond.B. 278, 167-189.
- MACLELLAN M.R., 1989: Cryopreservation of diatoms. Diatom Res. 4(2), 301-318.
- MAXIMOV N.A., 1912: Chemische Schutzmittel der Pflanzen gegen Einfrieren III. Über die Natur der Schutzwirkung. Ber.Dtsch.Bot.Ges. 30, 504-516.
- MAZUR P., 1969: Freezing injury in plants. Ann.Rev.plant physiol. 20, 419-448.
- MAZUR P., 1976: Mechanisms of injury and protection in cells and tissues at low temperatures. Cryoimmunologie (INSERM) 62, 37-60.
- MEHL P. and BOUTRON P., 1987: Glass-forming tendency and stability at the amorphous state in the aqueous solutions of linear polyalcohols with four carbons. II. Ternary systems with water, 1,2-propanediol or 1,3-butanediol or 2,3-butanediol. Cryobiology 24, 355-367.
- MERYMAN H.T., 1958: X-ray analysis of rapidly frozen gelatin gels. Biodynamica 8, 69-72.
- MERYMAN H.T. and WILLIAMS R.J., 1985: Basic principles of freezing injury to plant cells: Natural tolerance and approaches to cryopreservation. In: KARTHA K.K. (ed.), Cryopreservation of plant cells and organs. CRC Press, Inc., Boca Raton, Florida. 13-47.
- MEYER M.A., 1983: The effects of proline and methanol on the freezing survival of a marine diatome. Cryobiologie 20, 748.
- MEYER M.A., HOOKS C.E. and FRYXELL G.A., 1985: Introduction of two-step warming rates for cryopreservation. Cryobiologie 22, 620.
- MOOR H., 1973: Cryotechnology for the structural analysis of biological material. In: BE-

- NEDETTI E.L. and FAVARD P. (eds.), Freeze-etching techniques and applications. Société française de microscopie électronique, Paris. 11-19.
- MOREL G. and MARTIN C., 1952: Guérison du dahlias atteints d'une maladie à virus. C.R. Acad.Sci.Paris Sér.III 235, 1324-1325.
- MORRIS G.J., 1976: The cryopreservation of *Chlorella*. 1. Interactions of rate of cooling, proteine additive and recovery rate. Arch.Microbiol. 107(1), 57-62.
- MORRIS G.J. and CLARKE A., 1978: The cryopreservation of *Chlorella*. 4. Accumulation of lipid as a protective factor. Arch.Microbiol. 119(2), 153-156.
- MORRIS G.J., SMITH D. and COULSON G.E., 1988: A comparative study of the changes in the morphology of hyphae during freezing and viability upon thawing for 19 species of fungi. Cryobiology 25, 517.
- ORR W., KELLER W.A. and SINGH J., 1986: Induction of freezing tolerance in an embryonic cell suspension culture of *Brassica napus* by abisic acid at room temperature. J.Plant Physiol. 126, 23-32.
- PERSIDSKY M.D. and LUYET B.J., 1975: Analysis of the freezing process across temperature gradients within gelatin gels. Cryobiology 12, 364-385.
- PIRSON A. und GOELLNER E., 1954: Beobachtungen zur Entwicklungsphysiologie der *Lemna minor* L. Flora 140, 485-498.
- POLITO V.S. and LUZA J.G., 1988: Low temperature storage of pistachio pollen. Euphytica 39, 265-270.
- POTT R., 1981: Ökologie und Indikatorwert von Wasserpflanzengesellschaften. Mitt.Landesanst.Ökologie, Landschaftsentw. u. Forstpl. Nordrhein-Westfalen, Sonderheft Landestagungen 1980, 57-64.
- PRIBOR D.B., 1974: PVP contrasted with dextran and multifactor theory of cryoprotection. Cryobiology 11, 60-72.
- PRITCHARD H.W., 1984: Liquid nitrogen preservation of terrestrial and epiphytic orchid seed. Cryo-Lett. 5, 295-300.
- PRITCHARD H.W., GROUT B.W.W., SHORT K.C. and REID D.S., 1982: The effects of growth and water stress on the structure, metabolism and crypreservation of cultured sycamore cells. In: FRANKS F. and MATHIAS S.F. (eds.), Biophysics of water. Wiley, Chichester. 315-318.
- PRITCHARD H.W., GROUT B.W.W. and SHORT K.C., 1986a: Osmotic stress as a pregrowth procedure for cryopreservation. 1. Growth and ultrastructure of sycamore and soybean cell suspensions. Ann.Bot.(London) 57, 41-48.
- PRITCHARD H.W., GROUT B.W.W. and SHORT K.C., 1986b: Osmotic stress as a pregrowth procedur for cryopreservation. 2. Water relations and metabolic state of sycamore *Acer pseudoplatanus* and soybean *Glycine max* cultivar Biloxi cell suspensions. Ann.Bot. (London) 57, 371-378.
- PRITCHARD H.W., GROUT B.W.W. and SHORT K.C., 1986c: Osmotic stress as a pregrowth procedur for cryopreservation. 3. Cryobiologie of sycamore *Acer pseudoplatanus* and soybean *Glycine max* cultivar Biloxi cell suspensions. Ann.Bot.(London) 57, 379-388.
- REED B.M., 1988: Cold acclimation as a method to improve survival of cryopreserved *Rubus* meristems. Cryo-Lett. 9, 166-171.
- REED B.M., 1989: The effect of cold hardening and cooling rate on the survival of apical meristems of *Vaccinium* species frozen in liquid nitrogen. Cryo-Lett. 10, 315-322.
- REED B.M., 1990: Survival of in vitro grown apical meristems of *Pyrus* following cryopreservation. HortScience 25, 111-113.
- REUFF I., SEITZ U., ULBRICH B. and REINHARD E., 1988: Cryopreservation of *Coleus blumei* cell suspension and callus cultures. J.Plant Physiol. 133, 414-418.
- REY L.R., 1960: Thermal analysis of eutectics in freezing solutions. Ann.New York Acad. Sci. 85, 510-534.
- RICHTER H., 1968: Die Reaktion hochpermeabler Pflanzenzellen auf drei Gefrierschutz-



- stoffe (Glyzerin, Äthylenglycol, Dimethylsulfoxid). *Protoplasma* 65, 155-166.
- RIMON D. and GALUN E., 1968: Morphogenesis in *Spirodela oligorrhiza*: Ontogenesis of fronds. *Bot.Gaz.* 129(2), 138-144.
- ROTH E.J., 1983: Freeze preservation of plant suspension cultures. *Plant Physiol.* (Bethesda) 72 (suppl. 1), 48.
- SAKAI A., 1973: Characteristics of winterhardiness in extremely hardy twigs of woody plants. *Plant And Cell Physiol.* 14, 1-9.
- SAKAI A., 1984: Cryopreservation of apical meristems. In: JANICK J. (ed.), *Horticultural reviews* (vol. 6). Avi Publ. Company, Inc., Westport, Connecticut. 357-372.
- SAKAI A., 1985: Cryopreservation of shoot tips of fruit trees and herbaceous plants. In: KARTHA K.K. (ed.), *Cryopreservation of plant cells and organs*. CRC Press, Inc., Boca Raton, Florida. 135-158.
- SAKAI A. and NISHIYAMA Y., 1978: Cryopreservation of winter vegetative buds of hardy fruit trees in liquid nitrogen. *Hort Science* 13, 225-227.
- SAKAI A. and SUGAWARA Y., 1973: Survival of poplar callus at super-low temperatures after cold acclimation. *Plant and Cell Physiol.* 14, 1201-1204.
- SAKAI A. and YOSHIDA S., 1968: The role of sugar and related compounds in variations of freezing resistance. *Cryobiology* 5, 160-174.
- SAKAI A., YAMAKAWA M., SAKATO D., HARADA T. and YAKUWA T., 1978: Development of a whole plant from an excised strawberry runner apex frozen to -196°C. *Low Temp. Sci.Ser.B* 36, 31-38.
- SAKS N.M., 1978: The preservation of salt marsh algae by controlled liquid nitrogen freezing. *Cryobiology* 15, 563-568.
- SEITZ U., 1987: Cryopreservation of plant cell cultures. *Planta Med.* 53(4), 311-314.
- SIBASAKI T. and ODA Y., 1979: Heterogeneity of dormancy in the turions of *Spirodela polyrrhiza*. *Plant And Cell Physiol.* 20, 563-571.
- SIDYAKINA T.M., KISHKOVSKII Z.N., KOZNETSOVA E.V. and SAKHAROVA T.A., 1986: Application of lyophilization and cryopreservation for long-term storage of wine yeast cultures (in Russian). *Prikl.Biokhim.Mikrobiol.* 22(6), 840-843.
- SIMINOVITCH D., RHEAUME B., POMEROY K. and LEPAGE M., 1968: Phospholipid, protein and nucleic acid increases in protoplasm and membrane structures associated with development of extreme freezing resistance in black locust tree cells. *Cryobiology* 5, 202-225.
- SINGH J. and MILLER R.W., 1985: In: KARTHA K.K. (ed.), *Cryopreservation of plant cells and organs*. CRC Press, Inc., Boca Raton, Florida. 61-73.
- SLOCUM R.D., KAUR-SAWHNEY R. and GALSTON A.W., 1984: The physiology and biochemistry of polyamines in plants. *Arch.Biochem.Biophys.* 235, 283-303.
- SONGSTAD D.D., DUNCAN D.R. and WIDHOLM J.M., 1990: Proline and polyamine involvement in chilling tolerance of maize suspension cultures. *J.Exp.Bot.* 41, 289-294.
- STANWOOD P.C., 1985: Cryopreservation of seed germplasm for genetic conservation. In: KARTHA K.K. (ed.), *Cryopreservation of plant cells and organs*. CRC Press, Inc., Boca Raton, Florida. 199-226.
- STEPHENSON M., TURNER G., POPE P., COLT J., KNIGHT J. and TCHOBANOGLIOUS G., 1980: The use and potential of aquatic species for wastewater treatment. Appendix A: The environmental requirements of aquatic plants. *California State Water Res.Contr.Board* 65, 291-440.
- STEPONKUS P.L., 1985: Cryobiology of isolated protoplasts: Applications to plant cell cryopreservation. In: KARTHA K.K. (ed.), *Cryopreservation of plant cells and organs*. CRC Press, Inc., Boca Raton, Florida. 49-60.
- STEPONKUS P.L., DOWGERT M.F. and GORDON-KAMM W.J., 1983: Destabilisation of the plasma membrane of isolated plant protoplasts during a freeze-thaw cycle: The influence of cold acclimation. *Cryobiology* 20, 448-465.

- STRAUSS A., FRANKHAUSER H. and KING P.J., 1985: Isolation and cryopreservation of methyltreonine-resistant *Rosa* cell lines altered in the feedback sensitivity of L-threonine deaminase EC-4.2.1.16. *Planta* (Berlin) *163*(4), 554-562.
- SUGAWARA Y. and SAKAI A., 1974: Survival of suspension-cultured sycamore cells cooled to the temperature of liquid nitrogen. *Plant Physiol.*(Bethesda) *54*, 722-724.
- SUGAWARA Y., MATSUSHIMA H. and TAKEUCHI M., 1980: Cryopreservation of plant protoplasts and their differentiation after thawing. *Cryobiology* *17*, 623.
- SUN W.D., ZHU H.Y., HUA T.C. and LU P.J., 1988: Cryopreservation of *Azolla* sporocarp, seedling and shoot apex. *Cryobiology* *25*, 528.
- SUTTON-JONES B. and STREET H., 1968: Studies on the growth of *Acer pseudoplatanus* L. cells in suspension culture. *J.Exp.Bot.* *19*, 114-118.
- TAO D. and LI P.H., 1986: Classification of plant cell cryoprotectants. *J.Theor.Biol.* *123*, 305-310.
- TOIVONEN P.M.A. and KARTHA K.K., 1989: Cryopreservation of cotyledons of nongerminated white spruce (*Picea glauca* [Moench] Voss) embryos and subsequent plant regeneration. *J.Plant Physiol.* *134*, 766-768.
- TONER M., CRAVALHO E.G. and CHIANG Y.M., 1988: Vitrification of biological cell suspensions – The importance of ultrarapid cooling and warming. *Cryobiology* *25*, 551.
- TOWILL L.E., 1981: *Solanum tuberosum*: A model for studying the cryobiology of shoot tips in the tuber-bearing *Solanum* species. *Plant Sci.Lett.* *20*, 315-324.
- TOWILL L.E., 1983: Improved survival after cryogenic exposure of shoot tips derived from in vitro plantlet cultures of potato. *Cryobiology* *20*, 567-573.
- TOWILL L.E., 1984: Survival at ultra-low temperatures of shoot tips from *Solanum tuberosum* groups Andigena, Phureja, Stenotomum, Tuberosum, and other tuber-bearing *Solanum* spp. *Cryo-Lett* *5*, 319-326.
- TOWILL L.E., 1985: In: KARTHA K.K. (ed.), *Cryopreservation of plant cells and organs*. CRC Press, Inc., Boca Raton, Florida. 171-198.
- TOWILL L.E., 1988: Survival of shoot tips from mint species after short-term exposure to cryogenic conditions. *HortScience* *23*, 839-841.
- TOWILL L.E. and MAZUR P., 1976: Osmotic shrinkage as a factor in freezing injury in plant tissue cultures. *Plant Physiol.*(Bethesda) *57*, 290-296.
- TRIDECH S., ENGLAND A.J., Jr., HERBERT M.J. and WILKINSON R.F., 1981: Tertiary wastewater treatment by the application of vascular aquatic plants. *Chem.Water Reuse* *2*, 521-539.
- TSURO S., 1973: Preservation of marine and fresh water algae by means of freezing and freeze-drying. *Cryobiology* *10*, 445-452.
- TYLER N. and STUSHNOFF C., 1984: The effect of dehydration on cryopreservation of vegetative buds. *HortScience* *19*, 541.
- TYLER N., STUSHNOFF C. and GUSTA L.V., 1988: Freezing of water in dormant vegetative apple buds in relation to cryopreservation. *Plant Physiol.*(Bethesda) *87*, 201-205.
- ULMER W., 1937: Über den Jahresgang der Frosthärte einiger immergrüner Arten der alpinen Stufe, sowie der Zirbe und Kiefer. Unter Berücksichtigung von osmotischem Wert, Zuckerspiegel und Wassergehalt. *Jahrb.Wiss.Bot.* *84*, 553-592.
- ULRICH J.M., FINKLE B.J., MACKEY B.E., SCHAEFFER G.W. and SHARPE F., Jr., 1984: Responses of 6 rice *Oryza sativa* callus cultures to deep frozen temperatures. *Crop Sci.* (Madison) *24*(1), 82-84.
- URBANSKA-WORYTKIEWICZ K., 1980: Cytological variation within the family of *Lemnaceae*. *Veröff.Geobot.Inst.ETH,Stiftung Rübel,Zürich* *70*, 30-101.
- VAN DER MEER J.P. and SIMPSON F.J., 1984: Cryopreservation of *Gracilaria tikvahiae* (Rhodophyta) and other macrophytic marine algae. *Phycologia* *23*(2), 195-202.
- VASSOILLE R., PEREZ J. and TATIBOUET J., 1984: Internal friction measurements and stability of the vitreous phase of water-glycerol mixtures. *Cryo-Lett.* *5*, 393-408.

- VIGIER G. and VASSOILLE R., 1987: Ice nucleation and crystallisation in water-glycerol mixtures. *Cryobiology* 24, 345-354.
- VINCENT C., PRULIERE G., PAJOT-AUGY E., CAMPION E. and DOUZOU P., 1988: Biophysical chemical aspects of cellular cryobehavior. *Biophysical Chemistry* 29, 161-169.
- VOLKOVA L.A., POPOV A.S., NOSOV A.M. and BUTENKO R.G., 1983: Preservation of biosynthetic potential by cells of *Dioscorea* (*D. deltoidea* Wall.) after cryogenic storage. *Dokl.Akad.Nauk SSSR* 265(2), 504-506.
- VON ARNOLD S. and ERIKSSON T., 1984: Effect of agar concentration on growth and anatomy of adventitious shoots of *Picea glauca* [L.] Karst. *Plant Cell Tissue Organ Cult.* 3, 257-264.
- WANGERMAN E. and ASHBY E., 1951: Study in the morphogenesis of leaves. VII, 1. Effects of light intensity and temperature on the cycle of ageing and rejuvenation in the vegetative history of *Lemna minor*. *New Phytol.* 50, 186-199.
- WAEST R.C. (ed.), 1983-1984: Handbook of chemistry and physics (64<sup>th</sup> ed.). CRC Press, Inc., Boca Raton, Florida.
- WEBER G., ROTH E.J. and SCHWEIGER H.G., 1983: Storage of cell suspensions and protoplasts of *Glycine max* [L.] Merr., *Brassica napus* L., *Datura innoxia* Mill. and *Daucus carota* L. by freezing. *Z. Pflanzenphysiol.* 109, 29-39.
- WEISER C.J., 1970: Cold resistance and injury in wood plants. *Science (New York)* 169, 1269-1278.
- WILLISON J.H.M. and BROWN R.M., Jr., 1979: Pretreatment artifacts in plant cells. In: RASH J.E. and HUDSON C.S. (eds.), *Freeze fracture: Methods, artifacts and interpretations*. Raven Press, New York. 51-71.
- WILSON A.J. and ROBARDS A.W., 1980: Some limitations of the polymer polyvinyl pyrrolidone for the cryoprotection of barley (*Hordeum vulgare*) roots during quench freezing. *Cryo-Lett.* 1, 416-425.
- WILSON A.J. and ROBARDS A.W., 1982: Experience in the use of a polymeric cryoprotectant in the freezing of plant tissue. *J.Microscop.* 25, 287-298.
- WITHERS L.A., 1978: The freeze-preservation of synchronously dividing cultured cells of *Acer pseudoplatanus*. *Cryobiology* 15, 87-92.
- WITHERS L.A., 1980: The cryopreservation of higher plant tissue and cell cultures – An overview with some current observations and future thoughts. *Cryo-Lett.* 1, 239-250.
- WITHERS L.A., 1982a: Storage of plant tissue cultures. In: WITHERS L.A. and WILLIAMS J.T. (eds.), *Crop genetic resources: The conservation of difficult material*. IUBS/IBPGR (IUBS Series B42), Paris. 49-82.
- WITHERS L.A., 1982b: The development of cryopreservation techniques for plant cell, tissue and organ cultures. *Proc.5<sup>th</sup> int.congr.plant tissue cell cult.*, Japan, 1982, 793.
- WITHERS L.A., 1984: In vitro techniques for germplasm storage. In: LANGE W., ZEVEN A.C. and HOGENBOOM N.G. (eds.), *Efficiency in plant breeding: Proc.10<sup>th</sup> congr.Eucarpia*, Wageningen, Netherlands, 1984, 182-193.
- WITHERS L.A., 1985a: Cryopreservation of cultured cells and meristems. In: VASIL I.K. (ed.), *Cell cultures and somatic cell genetics of plants* (vol. 2). Acad.Press, Inc., London. 253-316.
- WITHERS L.A., 1985b: Cryopreservation of cultured plant cells and protoplasts. In: KARTHA K.K. (ed.), *Cryopreservation of plant cells and organs*. CRC Press, Inc., Boca Raton, Florida. 243-267.
- WITHERS L.A., 1985c: Cryopreservation and storage of germplasm. In: DIXON R.A., *Plant cell culture (a practical approach)*. IRL Press, Oxford. 169-191.
- WITHERS L.A. and KING P.J., 1979: Proline, a novel cryoprotectant for the freeze preservation of cultured cells of *Zea mays* L. *Plant Physiol.(Bethesda)* 64, 675-678.
- WITHERS L.A. and KING P.J., 1980: A simple freezing unite and routine cryopreservation method for plant cell cultures. *Cryo-Lett* 1, 213-220.

- WITHERS L.A., BENSON E.E. and MARTIN M., 1988: Cooling rate / culture medium interactions in the survival and structural stability of cryopreserved shoot tips of *Brassica napus*. *Cryo-Lett.* 9, 114-119.
- WU M.T., HUGHES H. and BECWAR M.R., 1981: Cold hardiness and cryopreservation of vegetative buds of *Rubus*. *HortScience* 16, 443.
- YAKUWA H. and OKA S., 1988: Plant regeneration through meristem culture from vegetative buds of mulberry (*Morus bombycis* Koids.) stored in liquid nitrogen. *Ann.Bot. (London)* 62, 79-82.
- YARLETT N.C., YARLETT N., ORPIN C.G. and LLYOD D., 1986: Cryopreservation of the anaerobic rumen fungus *Neocallimastix patriciarum*. *Lett.Appl.Microbiol.* 3, 1-3.
- YOSHIDA S., 1984: Studies on freezing injury of plant cells. *Plant Physiol.(Bethesda)* 75, 38-42.
- ZAVALA M.E. and SUSSEX I.M., 1986: Survival of developing wheat embryos and bean axes following cryoprotection and freezing in liquid nitrogen. *J.Plant Physiol.* 122, 193-198.
- ZELMAN A., LEA S., BARTHEL D. and GISSER D., 1984: Stepwise glycerolisation of red blood cells greatly reduces hemolytic losses during subsequent freezing-thawing and deglycerolisation. *Cryobiology* 21, 693-694.
- ZHENG G.Z., HE J.B. and WANG S.L., 1983: Cryopreservation of calli and their suspension culture cells of *Anisodus acutangulus*. *Acta Bot.Sin.* 25(6), 512-518.
- ZIV M., MEIR G. and HALEVY A.H., 1983: Factors influencing the production of hardened glaucous carnation plantlets in vitro. *Plant Cell Tissue Organ Cult.* 2, 55-65.

Adresse des Autors: Peter Richard SAUTER  
Geobotanisches Institut ETH  
Stiftung Rübel  
Zollikerstrasse 107  
CH-8008 Zürich