

Objektyp: **TableOfContent**

Zeitschrift: **Helvetica Physica Acta**

Band (Jahr): **65 (1992)**

PDF erstellt am: **12.07.2024**

Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

Haftungsausschluss

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.


Ein Dienst der *ETH-Bibliothek*
ETH Zürich, Rämistrasse 101, 8092 Zürich, Schweiz, www.library.ethz.ch

<http://www.e-periodica.ch>

HELVETICA PHYSICA ACTA

VOLUMEN 65, 1992

CONTENTS – INHALTSVERZEICHNIS – TABLE DES MATIÈRES

Fascicle 1
4. 2. 1992

Epifanio, G., Trapani, C., and Todorov, T.S.: Complete sets of compatible non selfadjoint observables	1
Sacchetti, A.: Asymptotic expansion of the Stark-Wannier states	11
Keller, G., Kopper, C., and Salmhofer, M.: Perturbative renormalization and effective Lagrangians in Φ_4^4	32
Grübl, G., and Vogl, R.: Unitary time evolution for irregular external field problems	53
Collet, P., Eckmann, J.-P., and Epstein, H.: Diffusive repair for the Ginzburg-Landau equation	56
Pillet, C.-A.: Stability of needle-crystals in the symmetric model of solidification . .	93
Dardel, B., Malterre, D., Gironi, M., Weibel, P., Baer, Y., and Schlenker, C.: High-resolution photoemission in the quasi-unidimensional $K_{0.3}MoO_3$ compound	109
Hürlimann, E., Bisang, U., and Bilgram, J.H.: Xenon dendrites	111
Sirringhaus, H., Stalder, R., Schwarz, C., and Känel, H. von: Surface structure of ultrathin, epitaxial $CoSi_2$ films in Si (100) observed by scanning tunneling microscopy	113
Fukami, T., Yamamoto, T., Yamasaki, Y., Miyoshi, K., Soares, V., Horie, Y., Ichikawa, F., Nakano, H., Aomine, T., and Rinderer, L.: Critical current and activation energy due to two dimensional layered structure in $Bi_2Sr_2CaCu_2O_{8+y}$ film	115
Fukami, T., Holguin, E., Nakano, H., Schenk, K., and Rinderer, L.: Preparation of $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10}$ films by RF-sputtering with compound powder target of stoichiometric composition	117
Chopard, B., Cornhell, S., and Droz, M.: On the role of fluctuations for reaction-diffusion phenomena	119
Mendik, M., Ospelt, M., Känel, H. von, and Wachter, P.: The elastic constants of thin $Si_{1-x}Ge_x$ films determined by Brillouin scattering	121
Haddab, Y., Py, M.A., Shi, Z.M., Bühlmann, H.-J., and Ilegems, M.: Extraction of Mosfet parameters at low drain bias	123
Ohle, F., Brede, M., and Eckelmann, H.: No feedback control of a Karman Vortex street	125
Egli, W., and Eliasson, B.: Numerical calculation of breakdown channel formation in silent discharges in CO_2	127
Eliasson, B., Simon, F.G., Egli, W., and Brunner, P.: Hydrogenation of Co_2 in a silent discharge	129

MacDonald, A.H.: Facts and fantasies in FQHE theory	133
Tsui, D.C.: Two recent experiments on the fractional quantized Hall effect	143
Thouless, D.J.: Edge voltages and distributed currents in the quantum Hall effect	151
Haldane, F.D.M.: Edge states in the quantum Hall effect as generalized Fermi surface singularities	152
Willett, R.L., Paalanen, M.A., Pfeiffer, L.N., West, K.W., and Ruel, R.R.: Surface acoustic wave studies of the fractional quantum Hall regime	153
Khmelnitskii, D.E.: Quantum Hall effect without Landau quantization	164
Ginzburg, V.L.: Theories of superconductivity (a few remarks)	173
Beasley, M.R.: Two-dimensional superconductivity in ultrathin disordered thin films	187
Hebard, A.F., and Palaanen, M.A.: Quenching of superconductivity in disordered thin films by phase fluctuations	197
Minnhagen, P.: Superconductivity in quasi-two-dimensional systems: theoretical aspects	205
Fischer, Ø., Brunner, O., Antognazza, L., Triscone, J.M., and Miéville, L.: Superlattices of HTS cuprates: investigations of 2D ultrathin layers and the crossover to 3D anisotropic films	215
Halperin, B.I.: Anyons in the quantized Hall effect and in models of high temperature superconductors	218
Lobb, C.J.: Josephson junction arrays and superconducting wire networks	219
Fazio, R., Otterlo, A. van, Schön, G., Zant, H.S.J. van der, and Mooij, J.E.: Charge-vortex duality in Josephson junction arrays	228
Lieb, E.H.: The flux-phase problem on planar lattices	247
Zhang, S.C.: SO(4) symmetry of the Hubbard model and its experimental consequences	256
Dopf, G., Wagner, J., Dieterich, P., Muramatsu, A., and Hanke, W.: Quantum-Monte-Carlo studies of superconductivity in strongly correlated systems	257
Poilblanc, D.: Exact diagonalization studies of 2D quantum models	268
De Raedt, H.: Quantum Monte Carlo simulations: algorithms, limitations and applications	278
Zuber, J.-B.: Conformal field theory and statistical mechanics	289
Spencer, T.: Mathematical survey of some two dimensional dynamical systems	290
Duplantier, B.: Statistical mechanics on a 2D-random surface	291
Williams, F.I.B.: Experiments on melting in classical and quantum two dimensional electron systems	297
Enz, C.P.: After-dinner speech on board the ship "Ville de Neuchâtel"	307
Bever, T., Wieck, A.D., Klitzing, K.v., and Ploog, K.: Point-contact spectroscopy on tunable constrictions in GaAs	313
Riess, J.: Violation of Ehrenfest's theorem in particle dynamics of quantum Hall systems	315
Huckestein, B., and Schweitzer, L.: Multifractality and scaling in disordered 2-D Landau levels	317
Hansen, E.B., and Bruus, H.: Hysteresis effects in mesoscopic rings in the quantum Hall regime	319

Kokkedee, J.A., Holweg, P.A.M., Caro, J., Verbruggen, A.H., Jansen, A.G.M., Radelaar, S., and Wyder, P.: Quantum fluctuations in the transmission of a ballistic metallic constriction	321
Buhmann, H., Stepniewski, R., Martinez, G., and Etienne, B.: Excitonic recombination of donor bound excitons in selectively doped MQW under high magnetic fields	323
Scheuzger, P., Neuenschwander, J., Joss, W., and Wyder, P.: The magnetoconductance of the 2d system of electrons on liquid helium in the extreme quantum limit	325
Srivastava, V.: Quenching of the Hall effect in two dimensional narrow systems . .	327
Berz, M.W., Houdré, R., Andreani, L.C., Steigmeier, E.F., and Reinhart, F.-K.: Exchange and polariton effects for excitons in $Al_{1-x}Ga_xAs$ -GaAs Quantum Wells	329
Kent, A.J., McKitterick, D.J., Hawker, P., and Henini, M.: Imaging the current distribution in the Quantum Hall effect	331
Benedict, K.A.: Electron phonon interactions in a disordered 2d electron gas in a magnetic field	333
Pasquier, C., Glattli, D.C., Meirav, U., Williams, F.I.B., Jin, Y., and Etienne, B.: Coulomb blockade in a 2D electron gas	335
Meissner, G.: Incompressible quantum liquid versus two-dimensional electron solid .	337
Therez, F., and Da Silva, M.: Two-dimensional channel from $Ga_{0.65}Al_{0.35}As$ -GaAs undoped heterojunction	339
Dorozhkin, S.I., Dolgoplov, V.T., Kravchenko, G.V., Shashkin, A.A., and Klitzing, K. von: The role of edge currents in dissipative transport at strong magnetic fields	341
Cros, A., Cantarero, A., Trallero-Giner, C., and Cardona, M.: Resonant Raman scattering in Quantum Wells under high magnetic fields	343
Kasner, M., and Apel, W.: FQHE in the disk geometry: exact diagonalization for few electrons and extrapolation to the bulk limit	345
Berg, A., Dobers, M., and Klitzing, K.v.: Determination of electron exchange energy in a 2DES by nuclear magnetic relaxation	347
Gurzhi, R.N., Kalinenko, A.N., and Kopeliovich, A.I.: On the theory of kinetic properties of perfect two-dimensional conducting systems	349
Gurzhi, R.N., Kalinenko, A.N., and Kopeliovich, A.I.: Hydrodynamic effects in electric conductivity of two dimensional metals	351
Vašek, P., and Cukr, M.: Magnetotransport in 2D systems in parallel and tilted magnetic fields	353
Smrčka, L.: Theory of 2D conductivity in almost parallel magnetic fields: the role of the third dimension	355
Svoboda, P., Středa, P., Nachtwei, G., and Cukr, M.: Current dependence of the Shubnikov-de Haas peaks in $GaAs - Al_xGa_{1-x}As$ heterostructures	357
Grodnensky, I., Heitmann, D., and Klitzing, K.v.: Non-locality of the gapless plasma excitations in the QHE	359
Moroz, A.: Universal dependence of eigenvectors of tight-binding models on Bloch momenta	361
Allmen, P., von: Plasmaron excitation in a 2D electron gas	363
Gat, G., Kovner, A., Krasnitz, A., Rosenstein, B., and Schakel, A.M.J.: Magnetically catalyzed superconductivity in 2D	367

Kovner, A., and Rosenstein, B.: What symmetry is broken in the superconductor – normal phase transition?	369
Lee, H.C., Newrock, R.S., and Mast, D.B.: The effects of inherent bond disorder on the rf properties of SNS Josephson junction arrays	371
Bortner, L.J., Lee, H.C., Newsrock, R.S., and Mast, D.B.: Self-field effects and subharmonic Shapiro steps in Josephson junction arrays	373
White, W.R., Hahn, M.R., Kapitulnik, A., and Beasley, M.R.: Vortex motion in type II superconductors of reduced dimensionality	375
Otterlo, A. van, Bobbert, P., and Schön, G.: Charge dynamics in junction arrays	379
Elion, W.J., van der Zant, H.S.J., and Mooij, J.E.: Quantum phase transitions in Josephson junction arrays	381
Zant, H.S.J., van der, Fritschy, F.C., Orlando, T.P., and Mooij, J.E.: Propagating vortex beams in Josephson-junction arrays	383
Eikmans, H., and Himbergen, J.E. van: Observing an Ising transition in Josephson-junction arrays	385
Bucher, B., and Wachter, P.: Optical response of CuO ₂ -plane and CuO-chain in YBaCuO	387
Lerch, Ph., Leemann, Ch., Théron, R., and Martinoli, P.: Zero applied force magnetic flux noise in Josephson junction arrays	389
Meyer, R., Martinoli, P., Gavilano, J.L., and Jeanneret, B.: Vortex dynamics in superconducting fractal networks	391
Mandrus, D., Forro, L., Kendziora, C., and Mihaly, L.: Two dimensional electron localization in bulk single crystals of Bi ₂ Sr ₂ Ca _{1-x} Y _x Cu ₂ O ₈	393
Forro, L., Mandrus, D., Hartge, J., Koller, D., and Mihaly, L.: Giant tunneling anisotropy of a high temperature superconductor	395
Kent, A.J., and Chapman, S.: Imaging the current density in superconducting thin films	397
Papa, A.R.R.: Flux creep: the stochastic approach	399
Fukami, T., Yamamoto, T., Nishizaki, T., Horie, Y., Ichikawa, F., Soares, V., and Aomine, T.: Temperature dependence of critical current and activation energy due to layered structure in oxide superconductors	402
Maniv, T., Rom, A.I., Vagner, I.D., and Wyder, P.: 2D de Haas-van Alphen effect in the superconducting state	404
Chiidong, C., Delsing, P., Haviland, D.B., and Claeson, T.: Experimental investigation of two-dimensional arrays of ultrasmall Josephson junctions	406
Weber, H., and Jensen, H.J.: Crossover from three- to two-dimensional behavior of the vortex energies in layered XY-models for high T _c superconductors	408
Kovner, A., Rosenstein, B., and Gat, G.: Nonperturbatively renormalizable quantum field theories in 2+1 dimensions	411
Frick, M., Linden, W. von der, and Morgenstern, I.: Anharmonic phonons and electronic correlations in high-T _c superconductors: a quantum Monte Carlo study	413
Heym, J., and Rainer, D.: Corrections to fermi liquid behaviour in D=2: DOS	415
Fazio, R., Falci, G., and Gianquinta, G.: Monte Carlo simulation of the 1D-quantum roughening model – evidence of a KTB transition –	417
Psaltakis, G.C., and Papanicolaou, N.: Dynamics of spin and charge fluctuations in a <i>t</i> - <i>J</i> model	419
Martínez, G., and Horsch, P.: Dynamics of charge carriers in 2-D quantum anti-ferromagnets	421

Frésard, R., and Wölfle, P.: Slave boson approach to magnetic order in the Hubbard model	423
Fastenrath, U.: Critical behaviour at the metal-insulator transition in 2D systems with spin orbit scattering	425
Holz, A.: $So(3)-\mathfrak{S}$ model of doped two-dimensional spin-1/2 Heisenberg antiferro magnet	427
Zamora, M., Chiolero, A., Bagnoud, X., and Baeriswyl, D.: Order and fluctuations in coupled XY planes.	429
Dopf, G., Wagner, J., Dieterich, P., Muramatsu, A., and Hanke, W.: Single-particle spectrum for high- T_c superconductors: A numerical study	431
Putz, R., Dieterich, P., and Hanke, W.: Conserving approximation for the multi-band Hubbard model	433
Bormann, D., Schneider, T., and Frick, M.: Finite-size effects in the negative U Hubbard model	435
Fazekas, P., and Müller-Hartmann, E.: Ground state phase diagram of the two-dimensional Kondo lattice	437
Michielsen, K., and De Raedt, H.: Numerical study of a projected Hubbard model	439
Meshkov, S.V.: The phase diagram of the Haldane chain mapped onto the surface roughening problem	441
Goldsheid, I.Ya., and Sorets, E.: Lyapunov exponents of the Schrödinger equation with quasi-periodic potential on a strip	443
Ramsak, A., and Prelovsek, P.: Singular dynamics of a fermion coupled to the planar antiferromagnet	446
Trimper, S.: Antiferromagnets in $2 + \epsilon$ dimensions	448
Bulka, B.R.: Superconductivity of the mixed s and d-type symmetry in the t-J model	450
Kuzian, R.O., Barabanov, A.F., and Maksimov, L.A.: The hole excitation spectrum in CUO_2 plane	452
Krivnov, V.Ya., Ovchinnikov, A.A., and Cheranovskii, V.O.: Magnetic properties of the Hubbard model with infinite interaction	454
Feher, A., Stefányi, P., Zábój, R., and Shkorbatov, A.G.: Resonance (surface) phonon transport through point contacts	456
Azaria, P., Delamotte, B., and Mouhanna, D.: Low temperature properties of two dimensional frustrated quantum antiferromagnets	458
Nattermann, T., and Tang, L.-H.: Kinetic roughening in molecular-beam epitaxy	463
Henkel, M.: Two-dimensional spin systems in a magnetic field close to criticality	465
Kawabata, C., Takeuchi, M., and Bishop, A.R.: Vortex and domain wall dynamics of 2d-XY model with in-plane magnetic field	467
Wu, F.Y.: Jones polynomial and the Potts model	469
Deville, G.: Dynamics of defects near melting of classical 2D electrons	471
Seshadri, R., and Westervelt, R.M.: Two-dimensional melting of hexatic magnetic bubble arrays	473
Bleher, P.M.: Statistical properties of 2D periodic Lorentz gas with infinite horizon	475
Shenoy, S.R.: Is the Kosterlitz-Thouless transition “exotic”?	477
Mehrotra, R., and Shenoy, S.R.: Vortices: collective variables for turbulence in Josephson arrays	479
Vallat, A., and Beck, H.: Frustrated XY model: continuity of the ground state energy in function of the frustration	482

Schmidt, A., and Schneider, T.: Crossover from two to three dimensions in the layered xy -model	484
Dardel, B., Grioni, M., Malterre, D., Weibel, P., and Baer, Y.: High resolution photoemission investigation of phase transitions in $1T-TaS_2$	486
Kruithof, G.H., van Son, P.C., and Klapwijk, T.M.: Superconducting vortices and the two-dimensional electron gas	488
Shikin, V.: One electron dimple on a thin helium film	490
Korshunov, S.E.: Destruction of superconductivity on Josephson junction arrays by positional disorder	492
Abdullaev, F.Kh., and Umarov, B.A.: Chaotic dynamics of fluxons in large-area Josephson junctions	494
Gaididei, Y.B.: Soliton mechanism of optical anisotropy photoinduction in layered molecular structures	497
Ariosa, D., and Beck, H.: Vortex correction to the SCHA in the 2D-XY model	499
Perera, A., Penson, K.A., Schultze, U., and Moreau, M.: Long-time dynamics of two-dimensional fluid binary mixture in cellular automata models	501

Fascicle 4

10. 6. 1992

Khan, S., and Pearson, D.B.: Subordinacy and spectral theory for infinite matrices	505
Martin, Ph.A., and Nenciu, G.: Perturbation theory for time dependent hamiltonians: rigorous reduction theory	528
Monti, F., and Sütő, A.: Heisenberg antiferromagnet on triangulated trees	560
Evtimova, E.N., and Georgiev, V.S.: Critical points of the “entropy”-like functional for the quantum distribution functions	596
LaFrance, P., Lehar, F., Loiseau, B., and Winternitz, P.: Antinucleon-nucleon scattering formalism and possible tests of CPT invariance	611

Fascicle 5

5. 8. 1992

Ivanov, Al.: Classical theories, atomicity and nonclassical theories	641
Sachs, I., and Wipf, A.: Finite temperature Schwinger model	652
Feldman, J., Magnen, J., Rivasseau, V., and Trubowitz, E.: An infinite volume expansion for many fermion Green’s functions	679
Nicoleau, F.: Approximation semi-classique du propagateur d’un système électromagnétique et phénomène de Aharonov-Bohm	722
Helfffer, B., and Sjöstrand, J.: Semiclassical expansions of the thermodynamic limit for a Schrödinger equation	748

Fascicle 6

2. 9. 1992

Zhou, Z.: Instability of $SU(2)$ Einstein-Yang-Mills solitons and non-abelian black holes	767
Zenhausern, F., Eng, L.M., Adrian, M., Kasas, S., Weisenhorn, A.L., and Descouts, P.: A scanning force microscopy investigation of DNA adsorbed on mica	820

Blunier, S., Zogg, H., Maissen, C., Tiwari, A.N., Overney, R.M., Haefke, H., and Kostorz, G.: Mechanisms of strain relaxation in epitaxial CaF ₂ /Si(111) studied with atomic force microscopy	822
Reyl, C., Flepp, L., Badii, R., Parisi, J., Simonet, J., Holzner, R., and Brun, E.: Real-time control of chaos with high-dimensional embeddings	824
Finardi, M., Badii, R., Flepp, L., Parisi, J., Reyl, C., Holzner, R., and Brun, E.: Symbolic dynamical analysis of a heteroclinic crisis in the NMR-Laser	826
Repond, P., Marty, T., and Sigrist, M.W.: A continuously tunable CO ₂ laser for photoacoustic detection of trace gases	828
Blasberg, T., and Suter, D.: Lateral displacement of a laser beam by a precessing magnetic dipole	830
Suter, D., and Klepel, H.: Two-dimensional spectroscopy of 'forbidden' Raman transitions by laser-induced coherence transfer	832
Oehler, O., Kunz, S., and Wieland, J.: Incoupling of incoherent light in an infrared fiber	834
Rehwald, W.: Optimization of the front contact of solarcells	836
Jarlborg, T.: Possible mechanisms and effects of strong electron-phonon coupling in high T _c oxides	838
Barbiellini, B., Jarlborg, T., Gauthier, M., and Shukla, A.: Calculation of positron annihilation in high T _c copper oxides	840
Paschedag, N., Maric, Dj. M., and Meier, P.F.: Post-Hartree-Fock calculations of hyperfine properties for anomalous muonium in diamond	842
Maric, Dj.M., and Meier, P.F.: Passivation of acceptors in silicon by hydrogen or muonium:ab-initiocalculations of electric field gradients	844
Rubini, S., Dimitropoulos, C., Gotthardt, R., and Borsa, F.: Martensitic transformation in Ni-Al alloys by NMR	846
Bilgram, J.H., Bisang, U., and Hürlimann, E.: Integral parameters of xenon dendrites	848
Boyen, H.-G., Indlekofer, G., Taleb, A., Gampp, R., Cossy-Favre, A., Oelhafen, P., and Baumann, F.: Synchrotron radiation, photoemission study on amorphous Au ₃₀ Sb ₇₀	850
Cossy-Favre, A., Boyen, H.-G., and Oelhafen, P.: Preparation and sputtering effects in amorphous Fe _x Zr _{100-x}	852
Malterre, D., Grioni, M., Weibel, P., Dardel, B., and Baer, Y.: Inverse-photoemission in Kondo systems	854
Dardel, B., Malterre, D., Grioni, M., Weibel, P., and Baer, Y.: Photoemission and characterization of one-dimensional systems	856
Zurbuchen, Th.: Reflection of H Ly-alpha from rough surfaces	858
Maurer, S., Oelhafen, P., Gantenbein, P., Kania, P., Schelz, S., and Steiner, R.: Electronic structure of sputtered hydrogen free carbon films	860
Bommeli, F., Fukami, T., Holguin, E., and Rinderer, L.: Microstructure and electrical properties of Bismuth films prepared by RF sputtering	862
Lang, H.P., Haefke, H., Leemann, G., and Güntherodt, H.-J.: Surface structure of thick YBa ₂ Cu ₃ O _{7.8} films	864
Lüthi, R., Overney, R.M., Meyer, E., Howald, L., Brodbeck, D., and Güntherodt, H.-J.: Measurements on Langmuir-Blodgett films by friction force microscopy	866
Howald, L., Lüthi, R., Meyer, E., Haefke, H., Overney, R., Gerth, G., Rudin, H., and Güntherodt, H.-J.: Ein bidirektionales Kraftmikroskop für Oberflächenuntersuchungen im Ultrahochvakuum	868

Eng, L.M., Fuchs, H., Jandt, K.D., and Petermann, J.: Chain folding of polyethylene observed by SFM	870
Haefke, H., Bürgler, D., Gerth, G., Howald, L., Meyer, E., Schwarz, U.D., Steiger, R., Tarrach, G., and Wiesendanger, R.: Micro- and nanostructures on silver halide surfaces. I. Preparation and characterization of AgBr Samples	872
Schwarz, U.D., Bohonek, J., Haefke, H., Jung, T.A., Meyer, E., Steiger, R., and Güntherodt, H.-J.: Micro- and nanostructures on silver halide surfaces. II. Morphology of photographic AgBr microcrystals	874
Gerth, G., Krohn, M., Howald, L., and Haefke, H.: Micro- and nanostructures on silver halide surfaces. III. Growth and structure of vapour-deposited AgBr thin films	876
Goudsmit, P.F.A., Leisi, H.J., and Matsinos, E.: A new pion-nucleon interaction model	878
Binz, R., van den Brandt, B., Büchle, R., Daum, M., Demierre, Ph., Franz, J., Gaillard, G., Hamann, N., Hess, R., Konter J. A., Lechanoine-Leluc, C., Lehar, F., Mango, S., Peschina, R., Rapin, D., Rössle, E., Schmelzbach, P. A., Schmitt, H. and Todenhagen, R.: Spin correlations in neutron-proton scattering	880
Reimann, P., and Talkner, P.: Continuous-time limit for maps with colored noise . .	882
Simonius, M.: Probability and objective events in quantum mechanics	884

Fascicle 7

14. 10. 1992

Lozada, A., De Sarrazin, G., and Torres, P.L.: Complete sets of commuting observables and irreducible sets of observables	887
Aaberge, T.: A Lorentz covariant description of the classical radiation field	898
Donev, S.: On the description of single massless quantum objects	910
Gaeta, G.: Michel's theorem and critical sections of gauge functionals	922
Honegger, R., and Rieckers, A.: First order coherent Boson states	965
Hilke, M., and Flores, J.C.: Diffusion in the kicked quantum rotator by random corrections to a linear and sine field	985

Fascicle 8

20. 12. 1992

Maggiore, N., and Provero, P.: Chiral current algebras in three-dimensional BF-theory with boundary	993
Blatter, M.: Fierz transformation and dimensional regularization	1011
Duffield, N.G., and Werner, R.F.: Local dynamics of mean-field quantum systems .	1016
Maes, C., and Vande Velde, K.: Defining relative energies for the projected Ising measure	1055
Chetouani, L., Guechi, L., and Hammann, T.F.: Algebraic treatment of the Morse potential	1069
Parisse, B.: Résonances pour l'opérateur de Dirac-II	1077
Sassoli de Bianchi, M., and Martin, Ph.A.: On the definition of time delay in scattering theory	1119