The existence of genera

Autor(en): Kornet, D.J.

Objekttyp: Article

Zeitschrift: Mycologia Helvetica

Band (Jahr): 6 (1994)

Heft 1

PDF erstellt am: **29.06.2024**

Persistenter Link: https://doi.org/10.5169/seals-1036324

Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern. Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

Haftungsausschluss

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

Ein Dienst der *ETH-Bibliothek* ETH Zürich, Rämistrasse 101, 8092 Zürich, Schweiz, www.library.ethz.ch

The Existence of Genera

D. J. Kornet

Institute of Theoretical Biology
University of Leiden
The Netherlands

Some taxonomists believe that genera do not exist in nature at all, and that they are arbitrary categories by which we order nature for our convenience. But many other taxonomists believe that genera are real entities which exist in nature independently of human minds. This paper addresses the question in what sense genera can be said to exist.

I will start by pointing out a distinction between two senses in which genera can be thought to 'exist':

- a) In the first sense, the existence of genera is claimed in virtue of their being objectively recognizable in nature: they can be recognized from patterns of morphological similarity.
- b) In the second sense, a genus can be said to exist in virtue of its being a historical entity, one possessing cohesion in time assured by the relationships among its members. By analogy, individual organisms exist in this sense by virtue of the historical cohesion of their constituent cells.


Species are frequently grouped together into genera on the basis of correlated characters: the fact that these characters are intersubjectively recognizable is taken as evidence that the genera are objective and therefore truly exist. But groups of organisms may show an objectively recognizable morphological pattern without being a historically cohesive entity with a beginning, temporal continuity and a possible end in time. My paper will give some examples of this, drawn from mycology.

I will recommend associating the intuitive notion of existence with historical entities which possess cohesion in time. My justification is that, even if a number of entities share some properties, the grouping of those entities is not necessarily itself an existing entity. For instance, it is not the case that all atoms of gold, which share their atomic properties, form a cohesive entity.

I suggest that taxonomists are often initially led to attribute objectivity to genera in virtue of intersubjective recognizability, but move imperceptibly to giving them also the existence of historical entities. Anyone who does want to attribute to genera existence in this stronger sense must identify genera as historical groups.

The historical entity which today constitutes the most promising candidate for that identification is the monophyletic group. If genera are interpreted as monophyletic groups, they can be attributed existence in the stronger sense, as historical entities. Of course, for recognition of monophyly of a genus we will need to rely on morphological similarity. But only those character-states should be given taxonomic weight which indicate the phylogenetic history and with it the unity of a particular genus as a monophyletic group.

If this is true, it implies that genera have no exceptional ontological status among higher categories: all supra-specific categories exist in the same way in which monophyletic groups all exist.



Idiosyncratic Genera

Conventional Genera

Natural Genera (objective or real genera) discovered in nature delimited by objective criteria on the basis of on the basis of abstract relations: concrete relations: implying no material connection implying a material connection non-historical historical phenetic cladistic similarity relations genealogical relations between organisms and between organisms between species phylogenetic relations between species Morphological "affinities" Historical connections can be indicative for, but are often not identical with Morphological Genera **Monophyletic Genera** as objective groups in pattern as objective entities with of morphological similarity temporal continuity

Fundamental Problem:
Presupposes hierarchical pattern with gaps,
but in reality pattern is often reticulate

no historical existence implied

Practical Problem:
Direct knowledge of historical relations is scarce: needs similarity as diagnostic tool

historical existence implied