

Tectonic and Petrographic Map of the Central Lepontine Alps (1:100'000). Carta geologica speciale N. 127. (Swiss topographic map sheet 43 Sopra Ceneri). Federal Office of Topography swisstopo, Wabern

Autor(en): **Berger, A. / Mercolli, I.**

Objektyp: **Appendix**

Zeitschrift: **Schweizerische mineralogische und petrographische Mitteilungen
= Bulletin suisse de minéralogie et pétrographie**

Band (Jahr): **85 (2005)**

Heft 2-3: **Central Alps**

PDF erstellt am: **15.08.2024**

Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

Haftungsausschluss

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

TECTONIC AND PETROGRAPHIC MAP OF THE


1:100 000

Compiled by:
Alfons Berger and Ivan Mercogli

TOPOGRAPHY: NATIONAL MAP OF SWITZERLAND 1:100 000

Map sheet 43 Sopra Ceneri

Maps used for compilation



1. Preiswerk 1912; 2. Jenny et al. 1923; 3. König 1926; 4. Preiswerk et al. 1936;
5. Casanova 1939; 6. Knudskjeld et al. 1939; 7. Huter 1945; 8. Senger 1962; 9. Ber-
ner 1965; 10. Bruggmann 1965; 11. Walker 1965; 12. Egli 1966; 13. Burchfiel 1971-
14; Hany 1972; 15. Baccin et al. 1976; 16. Keller & Winkler 1978; 17. Probst 1980;
18. Cadoni 1981; 19. Morinasso & Scluse 1988; 20. Schindler 1989; 21. Schärer
1990; 22. Mavret-Dumina 1994; 23. Sonnenmann 1994; 24. Berger 1995; 25.
Menzler et al. 1996; 26. Schumacher 1997; 27. Huber 1998; 28. Nagel et al. 2002;
29. Hoopfer et al. 2003; 30. Gasser & Winkler in press; 31. Thöni et al. in press
New data: A. Berger, T. Bauri, M. Engi, A. Groszkowski, U. Lüscher, A. Pfiffner

ISBN 978-3-302-40008-2



Topographic base 2001
© 2006 Federal Office of Topography, 3084 Wabern

Reproduction and transformation of this map or of parts of
it in analogical or numerical form are subordinate to the
authorization of the Federal Office of Topography, except if

Scale 1:100 000
1000m 0 1 2 3 4 5 6 7 8 9
Existence of the contour EDm

THE CENTRAL LEPONTINE ALPS

Published by the Federal Office of Topography, Swiss Geological Survey
with support of the Swiss National Science Foundation

Edited by the Swiss Geological Commission
and the Swiss Geotechnical Commission

Editor: A. BAUMEIER

1:100 000

Carta geologica speciale N° 127, 2006



<p>Adria</p> <p>Sesia Zone</p> <p>1 Polycyclic gneisses of various compositions, amphibolite and ultramafic rock</p> <p>Canavese Zone</p> <p>2 Gneisses of various compositions and lenses of calcareous schist, mainly mylonitic</p> <p>Tonale Series</p> <p>3 Mylonite of metasedimentary, mafic and granitic gneisses</p> <p>Val Colla Zone</p> <p>4 Mainly dolomite with subordinate calcareous sediment Basal 5 Polycyclic gneisses of various compositions and amphibolite</p> <p>Strona-Ceneri Zone</p> <p>6 Polycyclic gneisses of various compositions and amphibolite</p> <p>Ivrea Zone</p> <p>7 Polycyclic high-grade gneisses «Kraigang» Palaeozoic 8 Metagabbro and metadolite, Mafic Complex Palaeozoic</p> <p>Piemont-Liguria</p> <p>Avers Nappe</p> <p>9 Calcareous micashist Jurassic-Cretaceous</p> <p>Zone of Zermatt-Saas Fee</p> <p>10 Metagabbro, ultramafic rock and gneiss</p> <p>Briançonnais</p> <p>Schams Nappes</p> <p>11 Low-grade metamorphic calcareous and siliceous sediment, dolomite, serpentite, breccia and flysch Basal-Late Cretaceous</p> <p>Areua-Bruschghorn Zone</p> <p>12 Low-grade metamorphic siliceous and calcareous sediment, dolomite, serpentite (Carnotomus-Baseo) interlayered with gneiss</p> <p>Khoren Mélangé</p> <p>13 Calcareous micashist, quartzite, gneiss, marble and gneissolite</p> <p>Suretta Nappe</p> <p>14 Metacarbonate Basal 15 Quartzite Basal 16 Metapsammite to metapsaphic gneiss Permian 17 Post-orogenic granitoid (72a) Rufa Porphyry 268 Mt. Marquet et al. 1938 18 Polycyclic gneisses of various compositions and amphibolite</p> <p>Tambo Nappe</p> <p>19 Quartzite and metacarbonate Basal 20 Metapsammite to metapsaphic gneiss Permian 21 Post-orogenic granitoid (21a) Tuzon Granite 268 Mt. Marquet et al. 1938 22 Polycyclic gneisses of various compositions and amphibolite</p> <p>Monte Rosa Nappe</p> <p>23 Two-mica pyroclitic, granitic gneiss: Monte Rosa Gneiss 230 Mt. Frey et al. 1968</p> <p>Maggia Nappe</p> <p>Cocco Unit</p> <p>24 Monoclinic biotite gneiss with biotite nests: Cocco Gneiss 275 Mt. Rippe et al. 1985; Lencostic granitic gneiss: Ravenna Gneiss (240-255 Mt. Rippe et al. 1985)</p> <p>25 Polycyclic gneisses of various compositions and amphibolite</p> <p>Portasio Unit</p> <p>26 Strongly deformed granitic and metasedimentary gneiss: «Pietra Sagra» 27 Banded gneiss</p> <p>Vogorno Unit</p> <p>28 Polycyclic gneisses of various compositions and amphibolite: Gegga Unit. Two-mica granitic gneiss: Vogorno Gneiss</p>	<p>Valais</p> <p>Chiavenna Ophiolite Zone</p> <p>29 Marble 30a Metabasalt Jurassic-Cretaceous 30b Metagabbro Jurassic-Cretaceous 31 Metapsolite</p> <p>Tomil Nappe</p> <p>32 Calcareous micashist, metapsalite and metabasite Cretaceous</p> <p>Grave Nappe</p> <p>33 Calcareous micashist, metapsalite and metabasite (S3) Ron, Moira and Lavertina units «Sotto Schafar» Cretaceous</p> <p>Grave-Tomil Mélangé</p> <p>34 Breccia, quartzite, marble and metabasite «Geflüh» Jurassic</p> <p>Aul Nappe</p> <p>35 Metasediment, metabasalt (low level) and serpentinite, Triassic-Jurassic</p> <p>Paleogene Tectonic Accretion Channel</p> <p>Paleogeographically heterogeneous fragments accreted at depth along subduction boundary</p> <p>Upper Vals Mélangé</p> <p>36 Mainly dolomitic micashist and gneissolite (probably Jurassic) interlayered with rare dolomitic marble (Triassic) and gneiss</p> <p>Lower Vals Mélangé</p> <p>37 Dolomitic marble, subordinate calcareous micashist and gneissolite (Triassic-Jurassic) interlayered with gneiss</p> <p>Southern Steep Belt</p> <p>Zones of Bellinzona-Davos, Arbedo-Mergocice and Orselina</p> <p>38 Various gneisses with lenses and layers of eclogite, amphibolite, marble and ultramafic rock</p> <p>Zone of Salines</p> <p>39 Various gneisses with lenses and layers of eclogite, amphibolite, marble and ultramafic rock</p> <p>Cima Lunga Unit</p> <p>40 Various gneisses with lenses and layers of eclogite, amphibolite, marble and ultramafic rock</p> <p>Adula Nappe Complex</p> <p>Fanella Unit</p> <p>41 Various gneisses with lenses and layers of eclogite, amphibolite, marble and ultramafic rock</p> <p>Precocone Unit</p> <p>42 Various gneisses with lenses and layers of eclogite, amphibolite, marble and ultramafic rock</p> <p>Soazza Unit</p> <p>43 Various gneisses with lenses and layers of eclogite, amphibolite, marble and ultramafic rock</p> <p>Zirvelia Unit</p> <p>44 Mainly granitic gneiss and banded gneiss (without eclogite bouding)</p> <p>Gana-Palligera Unit</p> <p>45 Mainly granitic gneiss and banded gneiss (without eclogite bouding)</p> <p>Greven Unit</p> <p>46 Mainly granitic gneiss and banded gneiss (without eclogite bouding)</p> <p>Clere Unit</p> <p>47 Gneiss with lenses of amphibolite, marble and ultramafic rock</p> <p>Argio Unit</p> <p>48 Granitic gneiss «Basagras»</p> <p>Bodogno-Gruf Unit</p> <p>49 Metasedimentary gneiss 50 Gneiss with lenses of eclogite, marble and ultramafic rock 51 Two-mica gneiss: (S1a) Sox Granite, (S1b) Gerselli Granite 250-260 Mt. Marquet et al. 1938; Hahy et al. 1938 52 Metapsalite and gneissic gneiss: (S2a) Val Bodogno area, (S2b) Gruf Complex</p>	<p>Europe</p> <p>Jurassic to Cretaceous metasediments</p> <p>San Giacomo Unit</p> <p>53 Calcareous micashist and quartzite Jurassic-Cretaceous</p> <p>Lebondun Nappe</p> <p>54 Calcareous micashist and quartzite Jurassic-Cretaceous</p> <p>San Giorgio, Molare and Dangio Units</p> <p>55 Calcareous micashist and quartzite Jurassic-Cretaceous</p> <p>Più Terzi-Lombardina Zone</p> <p>56 Calcareous micashist and quartzite Jurassic</p> <p>Gothard metasedimentary Unit</p> <p>57 Calcareous micashist and quartzite Jurassic</p> <p>Triassic metasediments</p> <p>58 Quartzite, meta-saprolite, dolomitic marble, metapsalite, locally metagabbrogneiss</p> <p>Soja and San Giorgio Units</p> <p>59 Metapsammite to metapsaphic gneiss (S5a) Soja Unit, (S5b) San Giorgio Unit</p> <p>Sambuco Unit</p> <p>60 Granitic gneiss: Metello Gneiss Late Palaeozoic 61 Polycyclic gneisses of various compositions and amphibolite</p> <p>Simano Nappe</p> <p>62 Two-mica granitic gneiss: Vezzosa Gneiss 230 Mt. Käfer et al. 1983 63 Granitic gneiss 2-600 Mt. Allegre et al. 1974 64 Polycyclic gneisses of various compositions and amphibolite</p> <p>Lucomagno Nappe</p> <p>65 Metapsammite to metapsaphic gneiss Late Palaeozoic 66 Granitic gneiss 67 Polycyclic gneisses of various compositions and amphibolite</p> <p>Leventina Nappe</p> <p>68 Metasediment, mainly quartzite 69 Two-mica granitic gneiss: Leventina Gneiss 200-225 Mt. Allegre et al. 1974</p> <p>Antigorio Nappe</p> <p>70 Metapsalite granitic-gneissolitic gneiss: Antigorio Gneiss 200-225 Mt. Allegre et al. 1974</p> <p>Zone of Onsernone</p> <p>71 Mylonite and granitic gneiss with local basalt rock</p> <p>Gothard Nappe</p> <p>72 Granitic gneiss: (72a) Cressinella Gneiss, (72b) Salvegnon Gneiss (203/228 Mt. Ordenreiter 1963) Metasediment: «Chemauwies» Middle Palaeozoic 73 Two-mica granitic gneiss: «Chimolungna» 629 Mt. Sengler & Sengler 1953 74 Polycyclic gneisses of various compositions and amphibolite «Pietrasera» and «Sapronese»</p> <p>Quaternary</p> <p>0 Undifferentiated alluvial and glacial sediments</p> <p>Tertiary intrusive rocks</p> <p>75 Two-mica granite: Novata Stock 25 Mt. Lind et al. 2000 76 Biogel Granite 207 Mt. von Bärenburg 1952 77 Biogel Granite 207 Mt. von Bärenburg 1952 78 Biogel Granite 207-22 Mt. von Bärenburg 1952; Olard et al. 2004</p> <p>Layers and lenses of tectonically undifferentiated rocks</p> <p>79 Marble 80 Ultramafic rock 81 Amphibolite-rich layers commonly with eclogitic veins 82 Amphibolite-rich layers in polycyclic basement</p> <p>Structural elements</p> <p>— Limit of tectonic units — Fault (CL: Central Line, FL: Forcella Line, IL: Invalide Line)</p>
--	---	--

Sketch of the paleogeographic situation in the Early Cretaceous

Tectonic overview 1:700000

Published by: Federal Office of Topography, Swiss Geological Survey
Cartography: Swiss Geotechnical Commission
Printed by: Fotostudio AG, CH-8132 EggZi
Distribution: Federal Office of Topography, CH-3004 Wilten