

Typifications in the genus *Scleria* P. J. Bergius (Cyperaceae)

Autor(en): **Dey, Sangita / Prasanna, P.V.**

Objektyp: **Article**

Zeitschrift: **Candollea : journal international de botanique systématique =
international journal of systematic botany**

Band (Jahr): **62 (2007)**

Heft 1

PDF erstellt am: **13.09.2024**

Persistenter Link: <https://doi.org/10.5169/seals-879163>

Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

Haftungsausschluss

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

Typifications in the genus *Scleria* P. J. Bergius (Cyperaceae)

Sangita Dey & P. V. Prasanna

Abstract

DEY, SANGITA & P. V. PRASANNA (2007). Typifications in the genus *Scleria* P. J. Bergius (Cyperaceae). *Candollea* 62: 53-59. In English, English and French abstracts.

Five species of *Scleria* P. J. Bergius (Cyperaceae), namely *Scleria stocksiana* Boeck., *Scleria annularis* Steud., *Scleria scrobiculata* Nees & Meyen, *Scleria biflora* Roxb. and *Scleria motleyi* C. B. Clarke, are lectotypified as a part of the current revision of this genus for India.

Key-words

CYPERACEAE – *Scleria* – Lectotypification

Résumé

DEY, SANGITA & P. V. PRASANNA (2007). Typifications dans le genre *Scleria* P. J. Bergius (Cyperaceae). *Candollea* 62: 53-59. En anglais, résumés anglais et français.

Cinq espèces du genre *Scleria* P. J. Bergius (Cyperaceae), soit *Scleria stocksiana* Boeck., *Scleria annularis* Steud., *Scleria scrobiculata* Nees & Meyen, *Scleria biflora* Roxb. et *Scleria motleyi* C. B. Clarke, sont lectotypifiées dans le cadre de la révision du genre pour l'Inde.

Typifications of Asiatic taxa in the genus *Scleria* P. J. Bergius have been dealt in detail by KERN (1961). However, a current revision of *Scleria* for India has revealed that the following five species require further clarification regarding their typification.

Scleria stocksiana Boeck. in *Linnaea* 38: 474. 1874.

Protologue: “Sub ‘*S. tessellata* Nees’ in Herb. Ind. Or. Hook. et Thomson. Malabar, Concan (Stocks, Law etc.)”.

Holotype: B [destroyed].

Lectotype (here designated): “Malabar, Concan, etc.”, s.d., *s.coll. s.n.* (K, K000357567; isolecto-: CAL!) (Fig. 1).

The K specimen of *S. stocksiana* with mature nutlets has been chosen as the lectotype in place of the material formerly in B which was destroyed during the Second World War (R. Vogt, pers. comm., 2005).

Scleria annularis Steud., *Syn. Pl. Glum.* 2: 176. 1855.

Protologue: “Ind. or.”.

Lectotype (here designated): “Canara & Mysore”, s.d., *Law s.n.* (K, K000357564; isolecto-: CAL!) (Fig. 2).

STEUDEL (1855) did not cite any specimen. BOECKELER (1874: 457) wrote: “Hook. et Thoms. hb. Ind. or. (sub: Hypopor. Roxburghii Nees)”, while describing this species. KERN (1961: 200) quotes the same specimen that of Boeckeler and mentions it is at P. Efforts to find the type specimen at P were futile even after a thorough search (S. Hul, pers. comm., 2006). However, we examined one specimen labelled as above at K, which could have been erroneously mentioned to be present at P by Kern. To avoid further confusion the K specimen is now designated as lectotype.

Scleria biflora Roxb., *Fl. Ind. ed.* 2, 3: 573. 1832.

Protologue: “A native of Bengal”.

Lectotype (here designated): “India orientalis”, s.d., *Roxburgh s.n.* (BM, BM000884995, the central plant) (Fig. 3).

The BM specimen of *S. biflora* has 2 plants mounted on one sheet. *Specimen 1* (single plant on extreme left, BM000884994) is *Wallich 3405 B* collected from “lower Bengal” in 1815 and *Specimen 2* (single plant in the middle, BM000884995) from “India Orientalis” is associated with Roxburgh. KERN (1961: 197) cited these specimens as types of *S. biflora*. We follow his opinion but to further clarify matters we designate only *Specimen 2* as the lectotype of *S. biflora*. Since Roxburgh died in Edinburgh in 1815, *Specimen 1* from lower Bengal could not be considered as typical material of *S. biflora*, rather it seems that it is a later addition on the sheet because of its origin.

Scleria motleyi C. B. Clarke in *Philipp. J. Sci.*, C 2: 104. 1907.

Protologue: “In hb. Kew, ms. in Motley 72, 74, 152”.

Lectotype (here designated): “Borneo”, s.d., *Motley 74* (K, K000291166) (Fig. 4).

The specimen *Motley 74* in K was annotated by C. B. Clarke as ‘type of species’. It is well preserved with mature nutlets and also bears an analysis drawn by Clarke. It is therefore the most appropriate choice as lectotype.

Scleria scrobiculata Nees & Meyen in *Wight, Contr. Bot. India*: 117. 1834.

Protologue: “In Manila; Meyen. In insula Rawack; Gaudichaud”.

Lectotype (here designated): “Iles Moluques, Rawak”, s.d., *Gaudichaud s.n.* (P, P00492813; isolecto-: FI) (Fig. 5).

The specimen collected by Gaudichaud from Rawak in P is annotated by Kern as ‘probably type collection’ and given that the other syntype collected by Meyen from Manila is destroyed (STAFLEU & COWAN, 1981; VAN STEENIS-KRAUSMAN, 1950), specimen P00492813 is the appropriate choice as lectotype. Another specimen of *S. scrobiculata* deposited in P (P00492814, collected from Manila in 1836-37) cannot be considered as type as it was collected after 1834.

Acknowledgements

Authors express their sincere gratitude to Dr. M. Sanjappa, Director, B.S.I. and to Dr. H. J. Chowdhery, Joint Director, CNH for facilities and encouragement. We thank Dr. P. Lakshminarasimhan, former IBLO, Dr. S. K. Srivastava, IBLO and curators of BM, BR, CAS, CGE and P for images of type specimens. We gratefully acknowledge the Board of Trustees of RBG, Kew and the curators of P and BM for providing permissions for publication of the photographs. We also thank Dr. Robert Vogt (B) for providing information about the type of *S. stocksiana* and Dr. Sovanmoly Hul (P) for searching the type of *S. annularis*.

References

- BOECKELER, O. (1874). Die Cyperaceen des Koeniglichen Herbariums Zu Berlin. *Linnaea* 38: 223-544.
- KERN, J. H. (1961). Florae Malesianae Precursores XXX. The genus *Scleria* in Malaysia. *Blumea* 11: 140-218.
- STAFLEU, F. A. & R. S. COWAN (1981). Taxonomic literature 3. Lh-O. *Regnum Veg.* 105: 438.
- STEUDEL, E. G. (1854-55). *Synopsis Plantarum Glumacearum 2. Synopsis plantarum cyperacearum*: 81-348.
- VAN STEENIS-KRAUSMAN, M. J. (1950). Meyen. In: VAN STEENIS, C. G. G. J. (ed.), *Fl. Males.* I, 1: 358.




Fig. 1. – Lectotype of *Scleria stocksiana* Boeck.

[s.coll. s.n., K] [© The Board of Trustees of the Royal Botanic Gardens, Kew. Reproduced with permission]




Fig. 2. – Lectotype of *Scleria annularis* Steud.

[Law s.n., K] [© The Board of Trustees of the Royal Botanic Gardens, Kew. Reproduced with permission]




Fig. 3. – Lectotype of *Scleria biflora* Roxb.

[Roxburgh s.n., BM] [© The Natural History Museum, London. Reproduced with permission]



Fig. 4. – Lectotype of *Scleria motleyi* C. B. Clarke.

[*Motley* 74, K] [© The Board of Trustees of the Royal Botanic Gardens, Kew. Reproduced with permission]



Fig. 5. – Lectotype of *Scleria scrobiculata* Nees & Meyen.

[Gaudichaud s.n., P] [© Muséum National d'Histoire Naturelle, Paris. Reproduced with permission]

