

**Zeitschrift:** The Swiss observer : the journal of the Federation of Swiss Societies in the UK  
**Band:** - (1968)  
**Heft:** 1560

**Artikel:** A swiss camera  
**Autor:** [s.n.]  
**DOI:** <https://doi.org/10.5169/seals-696229>

### **Nutzungsbedingungen**

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. [Siehe Rechtliche Hinweise.](#)

### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. [Voir Informations légales.](#)

### **Terms of use**

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. [See Legal notice.](#)

**Download PDF:** 18.10.2024

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

## SWISSAIR NEWS

### Swissair now All-Jet

Swissair has now retired the last of eleven Convair 440 Metropolitans it put into service between June 1956 and June 1957. The phasing out of this aircraft is of historical importance to the 37-year-old company as it marked the transition to an all-jet fleet. It made Swissair the third European airline to use jet aircraft exclusively.

Each of the propeller-driven CV-440s had some 25,000 flying hours to its credit; at an average speed of 400 km/h, this totals about 10 million kilometres. The performance is all the more noteworthy as the aircraft were used on European short-haul routes only, where they recorded an aggregate 255,000 landings.

Swissair's Metropolitans were progressively replaced from October 1966 onwards by Caravelles and DC-9s.



Swissair's new detuner installation is seen here connected to the engines of Coronado HB-ICH operated by Balair.

### Swissair's New Four-Engine Jet Detuner

Readers may remember an article "From Sound to Nausea — Swissair tackles Noise" in the issue of 12th July. Some new measures were announced for the near future, and the following is information just received.

The world's largest detuner installation for test running the power plants of four-engined long-haul jets has been put into use by Swissair at Zurich Airport. It consists of four silencer tubes which can be moved behind three aircraft stands on two parallel rails 150 metres in length. Thus, the detuners can be connected simultaneously to all four engines of one aircraft, or they can be used on any four engines of up to three aircraft parked side by side.

Each silencer tube is 27 metres long, 3.5 metres in diameter and weighs 33 tons. It is mounted on an electrically driven chassis capable of moving along the rails at speeds of 20 metres per minute or 5 metres per minute, depending on the distance to be covered. The movement range at right angles to the rails is 10 metres at 3 metres per minute. In addition, the tube can be swivelled vertically, providing an 85 cm. height adjustment of the front aperture. Therefore, although the installation was built exclusively for all versions of Douglas DC-8s and Convair 990 Coronados, Swissair's long and medium-haul jets, it can be used for other four-engined aircraft of similar dimensions and engine layout.

Measurements of noise levels achieved with the new equipment have shown satisfactory silencing; at a distance of about 2 km., a DC-8 engine at full power registered 49 PNdB and a Coronado engine 47 PNdB.

The detuner installation was built by the firm Oskar Gerber of Waedenswil near Zurich, a branch of Oskar Gerber, *Schall-und Schwingungstechnik*, of Stuttgart. It cost about £130,000. The design was based on principles and elements of crane and hoist construction incorporating numerous safeguards against accidental damage to aircraft. An arm bearing the control unit determines the correct position of the main silencer tube before the latter is fully extended and prevents travel beyond it. The top of the tube has a feeler contact which switches off the height adjustment if it touches the underside of the wing. The rails are fitted with stops which, when touched, cut off the power and prevent excessive lateral movement. When power is cut, two special brakes immediately act on each tube chassis, halting it within an inch or so. This braking device, also derived from crane design, prevents the chassis from moving under wind pressure.

### THE LONG TRIP OF A SWISS ATOMIC CLOCK

A Swiss atomic clock, made by Ebauches Co. Ltd., in close co-operation with the Swiss Laboratory of Horological Research in Neuchâtel, was used to indicate the official time for the "Hemisfair 68" exhibition in San Antonio (Texas). Before returning to Switzerland, this clock is to go on a tour of almost 10,000 miles all over America, in order to synchronize the quartz clocks of the Latin-American timekeeping system. It started off at the NASA Center in Houston, before going to Brazilia and Rio de Janeiro, to set the time on the two timing standards given to these two towns by the Swiss watchmaking industry, and whose precision is of the order of 100,000th of a second. The atomic clock will continue its scientific mission in several South American capitals. It is interesting to note that it is a timekeeper with an absolute precision, since it varies by no more than a second in 3,000 years.

[O.S.E.C.]

### A SWISS CAMERA

Among the interesting new features of the latest model of the Swiss camera ALPA, presented at the photographic trade fair "Photokina" in Cologne, mention must be made of the precision feed, fitted to a magazine holding 30m. of film, making it possible to take a 35mm. film directly, frame by frame. With the Alpa 10d therefore it is possible to make animated cartoons as well as speeded up natural science films, thanks to the possibility of taking photographs at regular intervals, varying from 2 seconds to 27 hours and photographs at a distance (for the observation of wild animals for instance), by triggering the camera by means of a radio transmitter-receiver. It should be remembered that the Alpa, which has been christened the "watchmaker's camera" is one of the few photo-cameras manufactured in Switzerland, and in addition it has all the traditional precision of Swiss industry. It is a universal

**THE PERSONAL TOUCH—that's what counts**

*For all travels—by land sea and air*

**let A. GANDON make your reservations**

Tickets issued at Station Prices no booking fee

**HOWSHIP TRAVEL AGENCY**

188, Uxbridge Road - Shepherds Bush W.12

Telephones: SHE 6268/9 and 1898

camera with which it is possible to take ordinary photographs as well as microl and micro-photographs, wide-angle photographs without distortion of the perspective thanks to a new decentering lens, and photographs with a telephoto lens, thanks to an extraordinarily wide range

of varied accessories. The Alpa is moreover one of the few automatic cameras measuring the light intensity behind the lens and possessing an electronic compensator, which takes into account all the factors modifying the lighting of the subject.

[O.S.E.C.]



**LLOYDS BANK EUROPE**  
with Branches in Geneva and Zurich  
offers a full banking service  
at 100 Pall Mall, London, S.W.1.

Similar facilities are available  
throughout England and Wales  
at any of the 2100 Branches of  
**LLOYDS BANK LIMITED**



**FOR *Your***  
**WORLD**  
**TRANSPORT**  
(*ANYTHING - ANYWHERE*)



*Ask /*  
**WORLD TRANSPORT**  
*first!*

**WORLD TRANSPORT**

20/22 EMERSON STREET  
LONDON S.E.1.  
AIRPORT OFFICES:  
LONDON BIRMINGHAM SOUTHEND  
MANCHESTER YEADON GATWICK

Tel: 01-928 6996 . Telex: 28401 London

**AGENCY LIMITED**

*Specialized Regular Groupage Services*  
GREAT BRITAIN - SWITZERLAND and ITALY  
and VICE VERSA

BRANCHES: BASLE · MANCHESTER · BRADFORD · BIRMINGHAM · HULL · SHEFFIELD · LIVERPOOL  
LEICESTER · STOKE